


SPRAY BUFF MAINTAINER (N.I.B.)

| | | | | | |
|---|---|--|--|--|---|
| National Fire Protection Association (NFPA) |  | | Hazardous Material Information System (HMIS) | Health | 1 |
| | Health | | | Fire Hazard | 2 |
| | | | | Reactivity | 0 |
| | Specific Hazard | | | | |
| Protective Clothing | None required. | | Emergency Overview | Off-white. Liquid. See Section 9. CAUTION: COMBUSTIBLE. May be mildly irritating to eyes. May be mildly irritating to skin. Aspiration into the lungs may cause chemical pneumonitis. | |

Section 1. Chemical Product and Company Identification

| | | | | |
|---|---|----------------------|-----------------|----------------|
| Product Name | SPRAY BUFF MAINTAINER (N.I.B.) | | Code | 6284 |
| Product Use | Industrial/Institutional: Floor care. | | PMS# | 433330 |
| MSDS# | 126281001 | | Validation Date | 04/19/2000 |
| U.S. Headquarters Johnson Wax Professional 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com | Canadian Headquarters Johnson Wax Professional 100 Matheson Blvd. East, Suite 203 Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971 | Print Date | | 04/20/2000 |
| | | Supersedes | | 04/12/2000. |
| | | In Case of Emergency | | (800) 851-7145 |
| | | | | |

Section 2. Composition and Information on Ingredients

| Ingredients | CAS # | % by Weight | Exposure Limits | LC50/LD50 |
|-----------------------------------|------------|-------------|-----------------|---|
| Acrylic Polymers | | 1-5 | Not available. | Not available. |
| Sorbitan Monooleate | 1338-43-8 | 1-5 | Not available. | Not available. |
| Diethylene Glycol Ethyl Ether | 111-90-0 | 1-5 | Not available. | ORAL (LD50): Acute: 5540 to 9740 mg/kg [Rat]. |
| Alkylphenoxy Polyethoxyethanol | 26027-38-3 | 1-5 | Not available. | Not available. |
| Isoparaffinic Hydrocarbon Solvent | 64742-48-9 | 10-30 | Not available. | Not available. |
| Water | 7732-18-5 | 60-100 | Not available. | Not available. |

Section 3. Hazards Identification

| | |
|--|--|
| Routes of Entry | Inhalation. Skin contact. Eye contact. |
| Potential Acute Health Effects | |
| <i>Eyes</i> | May be mildly irritating to eyes. |
| <i>Skin</i> | May be mildly irritating to skin. |
| <i>Inhalation</i> | May be irritating to nose, throat, and respiratory tract. |
| <i>Ingestion</i> | Aspiration during ingestion or vomiting can result in serious lung damage. May be irritating to mouth, throat and stomach. |
| Medical Conditions Aggravated by Overexposure: | Persons with pre-existing skin disorders may be more susceptible to irritating effects. |
| See Toxicological Information (section 11) | |

Section 4. First Aid Measures

| | |
|--------------|--|
| Eye Contact | Flush immediately with plenty of water. Get medical attention if irritation occurs. |
| Skin Contact | Flush immediately with plenty of water. If irritation persists, get medical attention. |
| Inhalation | If breathing is difficult: Remove to fresh air. Get medical attention. |
| Ingestion | Do not induce vomiting! Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention immediately. |

Section 5. Fire Fighting Measures

| | |
|---|---|
| Flammability of the Product | COMBUSTIBLE. |
| Flash Points | CLOSED CUP: 67°C (152.6°F). |
| Products of Combustion | None known. |
| Fire Fighting Media and Instructions | Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide. |
| Protective Clothing (Fire) | Put on appropriate personal protective equipment (see Section 8.). |
| Special Remarks on Fire and Explosion Hazards | Material may burn in heat of fire. |

Section 6. Accidental Release Measures

| | |
|--|--|
| Personal Precautions | Put on appropriate personal protective equipment (see Section 8.). |
| Environmental Precautions and Clean-up Methods | Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods. |

Section 7. Handling and Storage

| | |
|----------|--|
| Handling | Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. FOR INDUSTRIAL USE ONLY. Use only in well-ventilated areas. |
| Storage | Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. KEEP OUT OF REACH OF CHILDREN. |

Section 8. Exposure Controls/Personal Protection

| | |
|----------------------|--|
| Engineering Controls | No special ventilation requirements. General room ventilation is adequate. |
| Personal Protection | |
| <i>Eyes</i> | No special protective clothing is required. |
| <i>Hands</i> | No special requirements under normal use conditions. |
| <i>Respiratory</i> | No special protective clothing is required. |
| <i>Feet</i> | No special protective clothing is required. |
| <i>Body</i> | If major exposure is possible, wear suitable protective clothing. |

Section 9. Physical and Chemical Properties

| | |
|-------------------------------|---------------------|
| Physical State and Appearance | Liquid. (Opaque) |
| Odor | Mild. |
| Color | Off-white. |
| pH | 7.9 to 8.8 [Basic.] |
| Specific Gravity | 0.97 |
| Solubility in water | Dispersible. |

Section 10. Stability and Reactivity

| | |
|---|---|
| Stability and Reactivity | The product is stable. |
| Conditions of Instability | Excessive heat. |
| Incompatibility with Various Substances | Reactive with oxidizing agents. |
| Hazardous Decomposition Products | When exposed to fire: Produces normal products of combustion. |
| Hazardous Polymerization | Will not occur. |

Section 11. Toxicological Information

Acute toxicity ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat).

Effects of Chronic Exposure None known.

Other Toxic Effects Not available.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information No special precautions. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information

DOT Classification

Not regulated

TDG Classification

Not regulated

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

Federal SARA 313 toxic chemical notification and release reporting: Diethylene Glycol Ethyl Ether
CERCLA: Hazardous substances.: Diethylene Glycol Ethyl Ether

State New Jersey spill list: Diethylene Glycol Ethyl Ether
New Jersey: Diethylene Glycol Ethyl Ether
Pennsylvania RTK: Diethylene Glycol Ethyl Ether

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Information Not applicable.

Canadian Regulations

Canadian NPRI Canadian NPRI: Alkylphenoxy Polyethoxyethanol.

WHMIS Classification CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).

WHMIS Icon



Registered Product Information Not applicable.

Chemical Inventory Status All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information

Other Special Considerations MSDS Serial Range: 001-002.

Version 1

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.