

Material Safety Data Sheet

STEP-OFF					
National Fire Protection Association (NFPA)	Fire Haz Health	0 Reactivity	Hazardous Information (HMIS)		Health3Fire Hazard0Reactivity0
	Specific I	Hazard			
Protective Clothing	S (C)	Emer Overv		ROSIVE.	ection 9. CAUSES EYE AND SKIN BURN SWALLOWED.
Section 1. Chemical P	roduct and Con	npany Identific	ation		
Product Name STEP-C	DFF			Code	4006
Product Use Industrial	/Institutional: Floor	care.		PMS#	470670
MSDS# 1140000	03			Validation I	Date 04/19/2000
U.S. Headquarters		Canadian Headqu	arters	Print Date	04/19/2000
Johnson Wax Professional 8310 16th Street		Johnson Wax Pro	ofessional vd. East. Suite 203	Supersedes	04/12/2000.
Sturtevant, Wisconsin 53177-(Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com Section 2. Compositio		Mississauga, Ont Phone: (905) 755 (888) 746-5971	5-0913 or	<u>In Case of</u> <u>Emergency</u>	(800) 851-7145
Ingredients	CAS #	% by Weight	Exposure Lir	nits	LC50/LD50
Sodium Hydroxide Sodium silicate Monoethanolamine	1310-73-2 1344-09-8 141-43-5	1-5 1-5 1-5	CEIL: 2 (mg/m ³) fro (PEL) [United States STEL: 2 (mg/m ³) fro (TLV) [United States Not available. TWA: 8 STEL: 15 (n OSHA (PEL) [United TWA: 7.5 STEL: 15 from ACGIH (TLV) [U States]] om ACGIH] ng/m ³) from States] (mg/m ³)	Not available. Not available. ORAL (LD50): Acute: 1720 mg/kg [Rat]. DERMAL (LD50) Acute: 1018 mg/kg [Rabbit].
Water	7732-18-5	60-100	States] Not available.		Not applicable.
Section 3. Hazards Ide	entification				
Routes of Entry	Inhalation. Skin cor	tact. Eye contact.			
Potential Acute Health Effects		-			

Eyes Corrosive. May cause permanent damage including blindness.

Skin Corrosive. May cause permanent damage.

Inhalation May cause irritation and corrosive effects to nose, throat and respiratory tract.

Ingestion Corrosive. May cause burns to mouth, throat, and stomach.

Medical Conditions Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may Aggravated by Overexposure: be more susceptible to irritating effects.

See Toxicological Information (section 11)

Johnson wax PROFESSIONAL STEP-OFF

Section 4. First Aid Measures

Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.
Ingestion	Do not induce vomiting! Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Section 5. Fire Fighting Measures

Flammability of the Product Flash Points	None known. Not available.
Products of Combustion	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8.).
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8.).	
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.	

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.
Personal Protection	
Eyes	Chemical splash goggles.
Hands	Chemical resistant gloves. Includes: Neoprene gloves.
	If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Feet	Protective footwear.
Body	If major exposure is possible, wear suitable protective clothing and footwear.

Section 9. Physical and Chemical Properties

Liquid.
Mild.
Straw color.
12.5 [Basic.]
1.06
100°C (212°F)
2.66 ±

Continued on Next Page



STEP-OFF

Solubility in water

Complete.

Section 10. Stability and Reactivity		
Stability and Reactivity	The product is stable.	
Conditions of Instability	None known.	
Incompatibility with Various Substances	Reactive with oxidizing agents, acids.	
Hazardous Decomposition Products	Produces normal products of combustion.	
Hazardous Polymerization	Will not occur.	

Section 11. Toxicological Information

Acute toxicity	Corrosive.
Effects of Chronic Exposure	None known.
Other Toxic Effects	Not available.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations


 Waste Information
 Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information

DOT Classification DOT Proper Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide , Monoethanolamine) **Shipping Name DOT Class** Class 8: Corrosive material UN3266 UN/NA **Packing Group** Ш **TDG** Classification **TDG** Proper Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide , Monoethanolamine) **Shipping Name TDG Class** Class 8: Corrosive material PIN/NIP UN3266 Ш **Packing Group**

Section 15. Regulatory Information

Reporting in this section	is based on ingredients disclosed in Section 2
US Regulations	
Federal	Clean Water Act (CWA) 311: Sodium Hydroxide CERCLA: Hazardous substances.: Sodium Hydroxide
State	New Jersey spill list: Sodium Hydroxide New Jersey: Monoethanolamine, Sodium Hydroxide Massachusetts spill list: Monoethanolamine, Sodium Hydroxide Massachusetts RTK: Monoethanolamine, Sodium Hydroxide Pennsylvania RTK: Monoethanolamine, Sodium Hydroxide
	This product is not subject to the reporting requirements under California's Proposition 65.
Registered Product Information	Not applicable.
Canadian Regulations	



Section 16. Other Information		
Other Special Considerations	Not available.	
Version	1	
as to the accuracy	been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to ble information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws	

and regulations.