Brady 4175 South Arville St, Las Vegas, NV 89103

(702) 876-3990

Product:Floor Sealer	Classification: Floor Sealer			B30	
2 Composition/Information on Hazardous	Ingredients				
laterial	CAS#	%	OSHA(PEL)	TLV(ppm)	Other
Diethylene Glycol Ethyl Ether*	111-90-0	<5	50 ppm	50 ppm	N/A
Ethylene Glycol*	107-21-1	<6	50 ppm	50 ppm	N/A
Tributoxyethyl Phosphate	78-51-3	<3	N/E	N/E	N/E
3 Hazards Identification					

Contact with Eyes: Slightly irritating.

Contact with Skin: Prolonged or repeated contact may cause irritation and drying of skin.

Skin Absorption: No data.

Ingestion Symptoms: Product will be neutralized and coagulated by stomach acids. May irritate throat, stomach and esophagus.

Inhalation Symptoms: Excessive exposure to mists/vapors may irritate respiratory tract and result in headache and nausea.

Chronic Effects: No data.

It is important to determine whether exposure is to concentrated or dilute product. The information in this document is intended to deal with exposure to concentrated product. Generally, exposure to diluted product will result in substantially less risk of injury than described herein.

4 First Aid Measures

Eyes: If eyes are contacted, flush with water for 15 minutes. If irritation persists seek medical attention.

Skin: If skin is contacted, wash affected area with soap and water. If irritation persists, seek medical attention.

- **Inhalation:** If discomfort is experienced after prolonged exposure to mists/vapors, remove to fresh air. If breathing is difficult, give oxygen and seek medical attention.
- **Ingestion:** If ingested, do NOT induce vomiting. Give moderate amounts of water to wash out mouth area and dilute remaining residue. Seek medical attention.

3/4/2005 0001 4010

Floor Sealer Page 1 of 3

5 Fire Fighting Measures

Flash Point(F° TCC): >200°F

Flammable Limits: LEL No Data

UEL No Data

Auto Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards:

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

6 Accidental Release Measures

Large Spills (55 gallons or more):

Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

Small Spills:

Mop up spill and rinse area.

7 Handling and Storage

Handling: Keep out of reach of children. Follow appropriate hygiene practices.

Storage: Store in a cool, dry place.

8 Exposure Controls/Personal Protection

Ventilation and Engineering Controls:

None

Respiratory Protection:

None

Protective Gloves:

Rubber Gloves

Eye Protection:

Chemical Splash Goggles

Other Protective Equipment:

3/4/2005 0001 4010

9 Physical and Chemical Properti	es	
Boiling Point(F°)>212°F Specific Gravity:1.03	Solubility in WaterDisperses Volatiles(% by Wt.)84	Odor: Slight Ammonia pH: 8-9
Appearance:Milky-white	Vapor Density:>1	VOC: <48 g/L
Evaporation Rate:<1	Vapor Pressure:<17 mm Hg	Freezing Point(F°)≼32°F
	> means less than < means greater th	an
	cal values based on material tested but ma construed as a guaranteed analysis of any	y vary from sample to sample.
10 Stability and Reactivity		
Stability: Stable Conditions	s to Avoid: Freezing	
Materials to Avoid: Strong Oxidizers		
Hazardous Decomposition Products:		
Oxides of carbon and nitrogen		
Hazardous Polymerization:		
Will Not Occur		
11 Toxicological Information		
No Toxicology Information is available.		
12 Ecological Information		
No data available.		
13 Disposal Considerations		
Waste Disposal Method: Dispose of waste in accordance with fe	adaral state and local regulations	
Dispose of waste in accordance with the		
14 Transport Information		
HAZMAT: No Hazard Cod	e: N/A ID Number: N/A	Hazard Class: N/A
Hazardous Division: None		Packaging Group:N/A
Hazardous Contents:None		
15 Regulatory Information		
Proposition 65: Not Listed.		
* This product is subject to the r	reporting requirements of SARA Tit	le III.
EPA: No		
16 Other Information		
HMIS/NFPA Hazard Rating: Health	1 Flammability 0 Reac	tivity 0
The information contained herein is based or implied, is made regarding the accuracy information consult distributor, Brady		
MSDS Approval Date: 6/2/2000		
···		
3/4/2005 0001 4010		Floor Sealer Page 3 of 3