Material Safety Data Sheet Conforms to ANSI Z-400.1-1993

4015

Brady 4175 South Arville St. Las Vegas, NV 89103 (702) 876-3990

Chemical Product and Company Identification

Product:Carpet Prespray & Bonnet Cleaner Classification: Carpet Cleaner

D00

Composition/Information on Hazardous Ingredients

Material CAS# % OSHA(PEL) TLV(ppm) Other Dipropylene Glycol Monomethyl Ether 0345-909-48 <5 N/E 100 ppm N/A

Hazards Identification

CAUTION

Emergency Overview: May cause skin and eye irritation. Avoid skin and eye contact.

Contact with Eyes: May cause moderate irritation, redness, tearing and possible burns, depending on length of contact.

Contact with Skin: Prolonged or repeated contact may cause irritation and drying of skin.

Skin Absorption: No data.

Ingestion Symptoms: Irritation, nausea, vomiting and diarrhea.

Inhalation Symptoms: Excessive exposure to mists/vapors may irritate respiratory tract and result in headache and nausea.

Chronic Effects: No data.

It is important to determine whether exposure is to concentrated or dilute product. The information in this document is intended to deal with exposure to concentrated product. Generally, exposure to diluted product will result in substantially less risk of injury than described herein.

First Aid Measures

Eyes: If eyes are contacted, flush with water for 15 minutes. If irritation persists seek medical attention.

Skin: If skin is contacted, wash affected area with soap and water. If irritation persists, seek medical attention.

Inhalation: If discomfort is experienced after prolonged exposure to mists/vapors, remove to fresh air. If breathing is difficult,

give oxygen and seek medical attention.

Ingestion: If ingested, do NOT induce vomiting. Give moderate amounts of water to wash out mouth area and dilute

remaining residue. Seek medical attention.

5 Fire Fighting Measures

Flash Point(F° TCC): >200°F Flammable Limits: LEL No Data UEL No Data

Auto Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards:

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

6 Accidental Release Measures

Large Spills (55 gallons or more):

Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

Small Spills:

Mop up spill and rinse area.

7 Handling and Storage

Handling: Keep out of reach of children. Follow appropriate hygiene practices.

Storage: Store in a cool, dry place.

8 Exposure Controls/Personal Protection

Ventilation and Engineering Controls:

Local exhaust

Respiratory Protection:

If used according to directions respirator not required.

Protective Gloves:

Rubber Gloves

Eye Protection:

Chemical Splash Goggles

Other Protective Equipment:

9 Physical and Chemical Pro	perties	
Boiling Point(F°)>212°F	Solubility in WaterDisperses	Odor: Citrus
Specific Gravity:1.01	Volatiles(% by Wt.)95	pH : 7 ± 1
Appearance:Clear	Vapor Density:>1	VOC: <40 g/L
Evaporation Rate:<1	Vapor Pressure:<17 mm Hg	Freezing Point(F°)≿40°F
	> means less than < means greater than	١
	e typical values based on material tested but may t be construed as a guaranteed analysis of any s	
10 Stability and Reactivity		
Stability: Stable Condi	tions to Avoid: Extreme Heat	
Materials to Avoid: Strong Oxidiz	ers	
Hazardous Decomposition Produ	icts:	
Oxides of carbon and nitrogen	1013.	
Oxides of salison and milegen		
Hazardous Polymerization:		
Will Not Occur		
11 Toxicological Information		
No Toxicology Information is availab	ele.	
12 Ecological Information		
No data available.		
13 Disposal Considerations		
Waste Disposal Method:		
Dispose of waste in accordance v	with federal, state and local regulations	
14 Transport Information		
•	Code: N/A ID Number: N/A	Hazard Class: N/A
-		
Hazardous Division: None		Packaging Group:N/A
Hazardous Contents:None		
15 Regulatory Information		
Proposition 65: Not Listed.		
EPA: No		
16 Other Information		
HMIS/NFPA Hazard Rating: Health 1 Flammability 0 Reactivity 0		
	pased on the data available to us. It is believed to curacy of this data or the results to be obtained from	
MSDS Approval Date: 1/21/2000		
3/4/2005 0001 4015	Carpet F	Prespray & Bonnet Cleaner Page 3 of 3
		. ,