**MSDS** 

Material Safety Data Sheet Conforms to ANSI Z-400.1-1993 4001

Las Vegas, NV 89118 (800) 293-4698

## 1 Chemical Product and Company Identification

Product:Hi-Gloss Finish & Sealer Classification: Floor Care B00

2 Composition/Information on Ha	zardous Ingredients				
Material	CAS#	%	OSHA(PEL)	TLV(ppm)	Other
Diethylene Glycol Ethyl Ether*	111-90-0	<8	50 ppm	50 ppm	N/A
Tributoxyethyl Phosphate	78-51-3	<3	N/E	N/E	N/A

#### 3 Hazards Identification

Emergency Overview: Irritant. May cause skin and eye irritation. Avoid contact with skin and eyes.

CAUTION

Contact with Eyes: Slightly irritating.

Contact with Skin: Prolonged or repeated contact may cause irritation.

Skin Absorption: No data.

Ingestion Symptoms: Product will be neutralized and coagulated by stomach acids. May irritate throat, stomach and

esophagus.

Inhalation Symptoms: Excessive exposure to mists/vapors may irritate respiratory tract and result in headache and nausea.

Chronic Effects: No data.

It is important to determine whether exposure is to concentrated or dilute product. The information in this document is intended to deal with exposure to concentrated product. Generally, exposure to diluted product will result in substantially less risk of injury than described herein.

#### 4 First Aid Measures

Eyes: If eyes are contacted, flush with water for 15 minutes. If irritation persists seek medical attention.

**Skin:** If skin is contacted, wash affected area with soap and water. If irritation persists, seek medical attention.

Inhalation: If discomfort is experienced after prolonged exposure to mists/vapors, remove to fresh air. If breathing is difficult,

give oxygen and seek medical attention.

Ingestion: If ingested, do NOT induce vomiting. Give moderate amounts of water to wash out mouth area and dilute

remaining residue. Seek medical attention.

# 5 Fire Fighting Measures

Flash Point(F° TCC): >200°F Flammable Limits: LEL No Data UEL No Data

Auto Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

## **Special Fire Fighting Procedures:**

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

#### Unusual Fire and Explosion Hazards:

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

# 6 Accidental Release Measures

# Large Spills (55 gallons or more):

Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

#### **Small Spills:**

Mop up spill and rinse area.

## 7 Handling and Storage

**Handling:** Keep out of reach of children. Follow appropriate hygiene practices.

**Storage:** Store in a cool, dry place.

#### 8 Exposure Controls/Personal Protection

#### Ventilation and Engineering Controls:

Local exhaust

# Respiratory Protection:

None

#### **Protective Gloves:**

Rubber Gloves

## **Eye Protection:**

Chemical Splash Goggles

#### Other Protective Equipment:

13/0/2000   0001    4001		3/6/2006	0001	4001
--------------------------	--	----------	------	------

9 Physical and Chemical Proper	ties				
Boiling Point(F°)>212°F	Solubility in WaterDisperses	Odor: Slight Ammonia			
Specific Gravity:1.04	Volatiles(% by Wt.)77	<b>pH:</b> 8-9			
Appearance: Milky-white	Vapor Density:>1	<b>VOC:</b> <60 g/L			
Evaporation Rate:<1	Vapor Pressure:<17 mm Hg	Freezing Point(F°)35°F			
	> means less than < means greater tha	n			
	ical values based on material tested but may construed as a guaranteed analysis of any				
10 Stability and Reactivity					
Stability: Stable Condition	s to Avoid: Freezing				
Materials to Avoid: Strong Oxidizers					
Hazardous Decomposition Products	:				
Oxides of carbon and nitrogen	•				
Ç					
Hazardous Polymerization:					
Will Not Occur					
11 Toxicological Information					
No Toxicology Information is available.					
12 Ecological Information					
No data available.					
13 Disposal Considerations					
Waste Disposal Method:					
Dispose of waste in accordance with	federal, state and local regulations				
14 Transport Information					
HAZMAT: No Hazard Co	de: N/A ID Number: N/A	Hazard Class: N/A			
Hazardous Division: None		Packaging Group:N/A			
Hazardous Contents:None					
15 Regulatory Information					
Proposition 65: Not Listed.					
* This product is subject to the reporting requirements of SARA Title III.					
EPA: No					
16 Other Information					
HMIS/NFPA Hazard Rating: Health 1 Flammability 0 Reactivity 0					
The information contained herein is based on the data available to us. It is believed to be correct. No warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use thereof. For further information consult distributor, Brady Industries, HQ					
MSDS Approval Date: 2/28/2006					
3/6/2006 0001 4001		Hi-Gloss Finish & Sealer Page 3 of 3			