4012

Brady 4175 South Arville St, Las Vegas, NV 89103

(702) 876-3990

1 Chemical Product and Company Identification

Product:Low Maintenance Floor Finish Classification: Super Durable Finish B00

2 Composition/Information on Hazardous Ingredients					
Material	CAS#	%	OSHA(PEL)	TLV(ppm)	Other
Diethylene Glycol Ethyl Ether*	111-90-0	<4	50 ppm	50 ppm	N/A
Tributoxyethyl Phosphate	78-51-3	<4	N/E	N/E	N/A
Ester Alcohol	25265-77-4	<4	N/E	N/E	N/A

3 Hazards Identification

Emergency Overview: Irritant. May cause skin and eye irritation. Avoid contact with skin and eyes.

CAUTION

Contact with Eyes: Slightly irritating.

Contact with Skin: Prolonged or repeated contact may cause irritation.

Skin Absorption: No data.

Ingestion Symptoms: Product will be neutralized and coagulated by stomach acids. May irritate throat, stomach and

esophagus.

Inhalation Symptoms: Excessive exposure to mists/vapors may irritate respiratory tract and result in headache and nausea.

Chronic Effects: No data.

It is important to determine whether exposure is to concentrated or dilute product. The information in this document is intended to deal with exposure to concentrated product. Generally, exposure to diluted product will result in substantially less risk of injury than described herein.

4 First Aid Measures

Eyes: If eyes are contacted, flush with water for 15 minutes. If irritation persists seek medical attention.

Skin: If skin is contacted, wash affected area with soap and water. If irritation persists, seek medical attention.

Inhalation: If discomfort is experienced after prolonged exposure to mists/vapors, remove to fresh air. If breathing is difficult,

give oxygen and seek medical attention.

Ingestion: If ingested, do NOT induce vomiting. Give moderate amounts of water to wash out mouth area and dilute

remaining residue. Seek medical attention.

5 Fire Fighting Measures

Flash Point(F° TCC): >200°F Flammable Limits: LEL No Data UEL No Data

Auto Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards:

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

6 Accidental Release Measures

Large Spills (55 gallons or more):

Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

Small Spills:

Mop up spill and rinse area.

7 Handling and Storage

Handling: Keep out of reach of children. Follow appropriate hygiene practices.

Storage: Store in a cool, dry place.

8 Exposure Controls/Personal Protection

Ventilation and Engineering Controls:

Local exhaust

Respiratory Protection:

None

Protective Gloves:

Rubber Gloves

Eye Protection:

Chemical Splash Goggles

Other Protective Equipment:

9 Physical and Chemical Propert	ies	
Boiling Point(F°)212°F	Solubility in WaterDisperses	Odor: Slight Ammonia
Specific Gravity:1.02	Volatiles(% by Wt.)80	pH : 8-9
Appearance:Milky-white	Vapor Density:>1	VOC: <40 g/L
Evaporation Rate:<1	Vapor Pressure:<17 mm Hg	Freezing Point(F°)35°F
	> means less than < means greater than	1
	ical values based on material tested but may construed as a guaranteed analysis of any sp	
10 Stability and Reactivity		
Stability: Stable Condition	s to Avoid: Freezing	
Materials to Avoid: Strong Oxidizers		
Hazardous Decomposition Products	:	
Oxides of carbon and nitrogen		
Hazardous Polymerization:		
Will Not Occur		
11 Toxicological Information		
No Toxicology Information is available.		
12 Ecological Information		
No data available.		
13 Disposal Considerations		
Waste Disposal Method:		
Dispose of waste in accordance with f	federal, state and local regulations	
14 Transport Information		
14 Transport Information	John JD Number N/A	Hozord Closes N/A
HAZMAT: No Hazard Coo		Hazard Class: N/A
Hazardous Division: None		Packaging Group:N/A
Hazardous Contents:None		
15 Regulatory Information		
Proposition 65: Not Listed.		
* This product is subject to the	reporting requirements of SARA Title	e III.
EPA: No	ropering roquirements or eritar rine	
16 Other Information		
HMIS/NFPA Hazard Rating: Health	1 1 Flammability 0 Reactive	vity 0
	d on the data available to us. It is believed to by of this data or the results to be obtained from	
MSDS Approval Date: 6/2/2000		
3/4/2005 0001 4012	Low	Maintenance Floor Finish Page 3 of 3