(800) 293-4698

	Iulti-Surface	Polish & Pr	rotectant CI	assifica	tion: Specialty		E30
2 Compo	sition/Informati	on on Hazard	ous Ingredients				
/laterial None			CAS#	%	OSHA(PEL)	TLV(ppm)	Other
None							
<u> </u>							
	s Identification						
nergency	Overview: May CAUTION	cause skin and e	eye irritation. Avoid		eye contact.		
Contact v	vith Eyes: Mild	irritant.					
	-						
Contact	with Skin: Cont	act with concentr	ate may be an irrita	ant for ser	sitive skin.		
Skin Al	osorption: No d	ata.					
gestion S	ymptoms: Irrita	tion, nausea, vom	niting and diarrhea.				
halation S	ymptoms: Mild	nasal and respira	atory irritation with p	prolonged	or repeated contact		
Ohmani							
Chronie	Effects: No d	ata.					
		h exposure to co		. General	te product. The infor ly, exposure to dilut escribed herein.		
4 First A	id Measures		, , , , , , , , , , , , , , , , , , ,	,			
Eves:	If eves are conta	cted. flush with w	ater for 15 minutes	. If irritatio	on persists seek med	lical attention.	
_,							
Skin	If skin is contacte	ad wash affected	area with soap and	water If	irritation persists, se	ek medical attentio	n
OKIII.			area with soap and	i water. Ii			
halation	If discomfort is a	vnerienced after i	orolonged exposur	a to misto	/vapors, remove to f	resh air. If breathi	na is diffici
manativite	give oxygen and						
		Seek medical at					
	If is send of the bit				of water to wash out		l'h et e

3/6/2006 0001 4057

5 Fire Fighting Measures

Flash Point(F° TCC): >200°F

Flammable Limits: LEL No Data

UEL No Data

Auto Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards:

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

6 Accidental Release Measures

Large Spills (55 gallons or more):

Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

Small Spills:

Mop up spill and rinse area.

7 Handling and Storage

Handling: Keep out of reach of children. Follow appropriate hygiene practices.

Storage: Store in a cool, dry place.

8 Exposure Controls/Personal Protection

Ventilation and Engineering Controls:

Local exhaust

Respiratory Protection:

None

Protective Gloves:

Rubber Gloves

Eye Protection:

Chemical Splash Goggles

Other Protective Equipment:

3/6/2006 0001 4057

9 Physical and Chemical Pro	perties	
Boiling Point(F°)>212°F	Solubility in WaterDisperses	Odor: Lemon
Specific Gravity:1.0	Volatiles(% by Wt.)91	pH: 7-8
Appearance:White	Vapor Density:>1	VOC: N/A
Evaporation Rate:<1	Vapor Pressure:<17 mm Hg	Freezing Point(F°)N/A
	> means less than < means greater that	
	typical values based on material tested but may t be construed as a guaranteed analysis of any	
10 Stability and Reactivity		
Stability: Stable Condit	tions to Avoid: Temp. Extremes	
Materials to Avoid: Strong Oxidize	ers	
Hazardous Decomposition Produ	icts:	
Oxides of carbon and nitrogen		
Hannahana Dahamaninatian		
Hazardous Polymerization: Will Not Occur		
11 Toxicological Information		
No Toxicology Information is availab	le.	
12 Ecological Information		
No data available.		
13 Disposal Considerations		
Waste Disposal Method: Dispose of waste in accordance w	vith federal, state and local regulations	
r		
14 Transport Information		
HAZMAT: No Hazard	Code: N/A ID Number: N/A	Hazard Class: N/A
Hazardous Division: None		Packaging Group:N/A
Hazardous Contents:None		
15 Regulatory Information		
Proposition 65: Not Listed.		
•		
EPA: No		
16 Other Information		
HMIS/NFPA Hazard Rating: Hea	alth 0 Flammability 0 React	tivity 0
	based on the data available to us. It is believed to curacy of this data or the results to be obtained to characterized HQ	
MSDS Approval Date: 2/28/2006		

3/6/2006	0001 4057	Multi-Surface Polish & Protectant	Page 3 of
----------	-----------	-----------------------------------	-----------