

MATERIAL SAFETY DATA SHEET - U.S.

California Ultrapac Trafficlean S712

Professional Chemicals Corporation

Revision Date: January 8, 2003 Revision 1.1

Section 1: Chemical Product and Company Information

Product Name: California Ultrapac Trafficlean

Product Number: S712

Manufacturer: Professional Chemicals Corp
325 S. Price Road
Chandler, AZ USA 85224

Emergency Telephone:
(800) 535-5053 [Infotrac]

Section 2: Composition / Information or Ingredients

<u>Hazardous Ingredient</u>	<u>CAS</u>	<u>OSHA PEL</u>	<u>OSHA HAZARD</u>
Diethylene glycol Butyl Ether	112-34-5	120 mg/m ³	Irritant

Section 3: Hazard Identification

Emergency Overview

Appearance: Opaque Liquid

Odor: Mint Scent

Flashpoint: >212°F

May cause eye and skin irritation.

Eye Contact: May cause slight temporary eye irritation; injury to eye tissue unlikely

Skin Contact: May cause temporary skin irritation; may be absorbed through the skin

Inhalation: May cause temporary respiratory tract irritation

Ingestion: May be harmful if swallowed; may cause temporary gastrointestinal irritation with nausea, vomiting and diarrhea.

NFPA Hazard Rating: Health 1 Flammability 0 Reactivity 0

Section 4: First Aid Measures

Eye Contact: Immediately irrigate with flowing water continuously for 15 minutes. If irritation persists consult medical personnel.

Skin Contact: Wash with soap and water. If irritation persists consult medical personnel.

Inhalation: Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately

MATERIAL SAFETY DATA SHEET - U.S.

California Ultrapac Trafficlean S712

Professional Chemicals Corporation

Revision Date: January 8, 2003 Revision 1.1

Section 5: Fire-Fighting Measures

Flashpoint: >212°F

Upper Flammable Limit (% by volume): N/D

Autoignition Temperature: N/D

Lower Flammable Limit (% by volume): N/D

Fire Fighting Procedures: Wear self-contained breathing apparatus and full protective clothing. Use water spray to cool nearby containers and structures exposed to fire.

Hazardous Decomposition Products: During a fire, smoke may contain the original material in addition to unidentified toxic and/or irritating compounds. Hazardous combustion products may include and are not limited to carbon dioxide and carbon monoxide.

Section 6: Accidental Release Measures

Keep all unnecessary personnel away. Prevent additional discharge of material. Prevent liquid from entering sewers, watercourses, or low areas. Contain and absorb spilled liquid with sand or earth. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

Section 7: Handling and Storage

Store out of reach of children; keep container closed; store in a cool dry well-ventilated place away from strong oxidizing or alkaline products. Avoid contact with skin and eyes. Use in a well-ventilated area; do not breathe vapors. Wash hands thoroughly after handling.

Section 8: Exposure Controls / Personal Protection

Engineering Controls: Normal room ventilation is satisfactory for limited use

Eye Protection: Safety glasses

Skin Protection: Use gloves impervious to this material when prolonged or frequently repeated contact could occur.

Respiratory: Use normal room ventilation. No respiratory protection should be needed.

Exposure guidelines: None for product

Section 9: Physical and Chemical Properties

Appearance/Physical State: Opaque Light Yellow Liquid

Odor: Mint scent

Vapor Pressure: N/D

Vapor Density: N/D

Boiling Point: >212°F

Freezing Point: N/D

Specific Gravity: N/D

Label dilution pH: 9.5

Solubility in Water: N/D

Concentrate pH: 10

MATERIAL SAFETY DATA SHEET - U.S.

California Ultrapac Trafficlean S712

Professional Chemicals Corporation

Revision Date: January 8, 2003 Revision 1.1

Section 10: Stability and Reactivity

Chemical stability: Stable under normal conditions

Incompatibility with other substances: Strong oxidizers

Reactivity: None Known

Hazardous Decomposition Products: Incomplete combustion may liberate carbon monoxide, and other unidentified thermal decomposition products from this product or its packaging.

Section 11: Toxicological Information

Route of Entry: Eye contact, Skin absorption/contact, Inhalation and Ingestion

Effects of Acute Overexposure to Product:

Eye Contact: May cause temporary eye irritation, redness, tearing and blurred vision

Skin Contact: May cause temporary skin irritation, defatting and dermatitis; may cause burning and itching at contact site.

Inhalation: Inhalation of mist or vapor may cause temporary respiratory irritation.

Ingestion: May cause temporary gastrointestinal irritation with nausea, vomiting and diarrhea

Effects of Chronic Overexposure to Product:

Exposure limits: N/D for product

Teratogenicity: None

Reproductive toxicity: None

Sensitization to Product: None known

Mutagenicity: None

Carcinogenicity: None

Section 12: Ecological Information

Please refer to Section 6 for information regarding accidental releases and Section 15 for regulatory reporting information.

Section 13: Disposal Considerations

Dispose of in accordance with federal, state and local regulations. Prevent run-off to sewers.

MATERIAL SAFETY DATA SHEET - U.S.

California Ultrapac Trafficlean S712

Professional Chemicals Corporation

Revision Date: January 8, 2003 Revision 1.1

Section 14: Transportation Information

Shipping paper description: None

Labeling: None

Markings: None

Placard: None

Packaging: Strong outer packaging

Section 15: Regulatory Information

TSCA: All chemicals used in this product are listed

CERCLA: No

SARA Title III: Under the provisions of Title III, Sections 311/312 of the Superfund Amendments and Reauthorization Act, this product is classified into the immediate health hazard category.

The chemicals used in this product may be subject to the provisions of the Community Right-to Know Act (40 CFR 370 - 374). If reporting requirements are met, please contact the Environmental, Health and Safety (EHS) Manager for information regarding this product.

Section 16: Other Information

This document is prepared in accordance with 29 CFR 1910.1200. The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees.

All information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the manufacturer's control; therefore the users are responsible to verify this data under their own particular conditions, applications and regulations to determine if the product is suitable for their particular purposes. The users assume all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Prepared by: EHS Manager

Phone Number: [480] 899-7000