
MATERIAL SAFETY DATA SHEET

Page 1 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

STRYPP ALL

MSDS ID: 00017

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: STRYPP ALL
PRODUCT DESCRIPTOR: SOFT METAL SAFE PAINT STRIPPER
MANUFACTURER: JOHNSON DIVERSEY, INC. EMERGENCY PHONE NUMBER: (800) 851-7145
3630 E. KEMPER ROAD
CINCINNATI, OH. 45241

II. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME(CAS NUMBER)	%	EXPOSURE LIMITS	UNITS
M-PYROL (872-50-4)	<30	NOT ESTABLISHED	
MONOETHANOLAMINE (141-43-5)	<75	TLV 7.5, PEL 6	MG/M3

III. HAZARDS IDENTIFICATION

ROUTES OF ENTRY: INHALATION: YES
SKIN: YES
INGESTION: YES
SIGNS AND SYMPTOMS OF EXPOSURE:
ACUTE: CORROSIVE. CAUSES SEVERE SKIN AND EYE BURNS. MISTS/VAPORS
CAUSE RESPIRATORY IRRITATION. CAUSES BURNS TO MOUTH AND
THROAT IF SWALLOWED.
CHRONIC: SAME AS ABOVE.
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:
EYE, SKIN, OR UPPER RESPIRATORY IRRITATION.

IV. FIRST AID MEASURES

EYES: FLUSH THOROUGHLY WITH FRESH WATER FOR 15 MINUTES. GET MEDICAL
ATTENTION.
SKIN: FLUSH WITH FRESH WATER. REMOVE CONTAMINATED CLOTHES AND SHOES. GET
MEDICAL ATTENTION.
INGESTION: GIVE SEVERAL GLASSES OF WATER. DO NOT INDUCE VOMITING. GET
MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS
PERSON.
INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION.

V. FIRE FIGHTING MEASURES

FLASH POINT: 185	DEG F	FLAME EXTENSION: N/A	IN.
FLAMMABLE LIMITS IN AIR BY VOLUME:		LEL: 1.3%	UEL: 9.5%
UNUSUAL FIRE OR EXPLOSION HAZARDS:		NONE KNOWN	
EXTINGUISHING MEDIA:		CO2, DRY CHEMICALS, FOAM.	
FIRE FIGHTING INSTRUCTIONS:		USE WATER SPRAY TO COOL CONTAINERS IN FIRE AREA. WEAR PROTECTIVE GEAR AND SELF CONTAINED BREATHING APPARATUS IN FIRE AREA.	

MATERIAL SAFETY DATA SHEET

Page 2 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

STRYPP ALL

MSDS ID: 00017

VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED: COLLECT SMALL SPILLS BY MOPPING. VACUUM OR ABSORB LARGE SPILLS ON CLAY OR SAND. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE OR FEDERAL REGULATIONS.

VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: DO NOT PRESSURE CONTAINER TO EMPTY. KEEP CONTAINER CLOSED. KEEP OUT OF REACH OF CHILDREN.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: SAFETY GLASSES WITH SIDE SHEILDS
PROTECTIVE GLOVES: IMPERVIOUS
RESPIRATORY PROTECTION: USUALLY NOT REQUIRED.
OTHER PROTECTIVE CLOTHING/EQUIPMENT: APRON, EYEWASH AND EMERGENCY SHOWER STATION WHEN POURING CONCENTRATE.
EXPOSURE GUIDELINES: SEE SECTION II FOR DETAILED INFORMATION.

IX. PHYSICAL AND CHEMICAL PROPERTIES

BOILIING POINT (F): 240 SPECIFIC GRAVITY: 1.0200
VOLATILE BY VOLUME: ND SOLUBILITY IN WATER: 100
VAPOR PRESSURE (MMHG): 17.5 AT 20 C
APPEARANCE AND ODOR: CLEAR COLORLESS LIQUID, MILD AMINE ODOR.

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: STABLE
INCOMPATIBILITY WITH OTHER MATERIALS: ORGANIC COMPOUNDS, STRONG OXIDIZERS
HAZARDOUS DECOMPOSITION PRODUCTS: OXIDES OF CARBON, HYDROGEN
HAZARDOUS POLYMERIZATION: NONE

XI. TOXICOLOGICAL INFORMATION

NO DATA AVAILABLE

XII. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

XIII. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: USE MATERIAL IN PROCESS. TRIPLE RINSE EMPTY CONTAINER AND ADD TO USE SOLUTION. RECYCLE OR DISPOSE OF CONTAINER IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

MATERIAL SAFETY DATA SHEET

Page 3 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

STRYPP ALL

MSDS ID: 00017

XIV. TRANSPORT INFORMATION

HAZARDOUS MATERIALS DESCRIPTION/PROPER SHIPPING NAME:

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

XV. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

CERCLA/EPCRA:SECTION 313 TOXIC CHEMICALS:

PRODUCT CONTAINS M-PYROL AT 25% WHICH IS SARA REPORTABLE.

LISTED CARCINOGEN: NONE

NTP: NO IARC: NO OSHA: NO

HMIS RATINGS: HEALTH: 3 FIRE: 2 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: B

STATE RIGHT-TO-KNOW INFORMATION:

MONOETHANALAMINE - CAS #141-43-5

M-PYROL - CAS #872-50-4

DIPROPYLENE GLYCOL N-BUTYL ETHER - CAS #29911-28-2

LINEAR ALCOHOL ETHOXYLATE - CAS #68439-46-3

XVI. OTHER INFORMATION

THE INFORMATION IN THIS MSDS RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED OTHER THAN AS RECOMMENDED BY DIVERSEY LEVER OR IN COMBINATION WITH OTHER MATERIALS. IT IS THE USER'S RESPONSIBILITY TO EVALUATE THE APPLICABILITY OF THIS INFORMATION FOR HIS PARTICULAR CONDITIONS OF STORAGE, HANDLING AND USE.