

TREXCODE 435

MSDS ID: 00244

## I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: TREXCODE 435

Product Descriptor: WATER TREATMENT MICROBIOCIDES

MANUFACTURER: JOHNSON DIVERSEY, INC.  
3630 E. KEMPER ROAD  
CINCINNATI, OH. 45241

EMERGENCY PHONE NUMBER: (800) 851-7145

## II. HAZARDOUS COMPONENTS

| Component Name    | CAS Number | %     | Exposure Limits | Units |
|-------------------|------------|-------|-----------------|-------|
| -----             | -----      | ----- | -----           | ----- |
| HYDROGEN PEROXIDE | 7722-84-1  | >30%  | TWA 1.4         | MG/M3 |

## III. HAZARDS IDENTIFICATION

## EMERGENCY OVERVIEW:

Oxidizer - Contact with combustibles may cause fire. Decomposes yielding oxygen that supports combustion of organic matters and can cause over-pressure if confined.

POSSIBLE ROUTES OF ENTRY: Ingestion; Skin contact/absorption; Inhalation

## SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE: EYES: Severe burns, tissue damage, or irritation with pain, swelling, blurred or impaired vision, blindness. SKIN: May cause skin irritation. INGESTION: Burns or irritation to mouth, throat with pain, nausea and vomiting. INHALATION: Spray or mists cause burns or severe irritation to nose, throat and respiratory tract with pain, choking, and experience difficulty in breathing.

CHRONIC: Prolonged and repeated exposure may cause irritation.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis, sensitive skin, pulmonary function and asthma.

TARGET ORGAN(S) OF CHEMICAL HAZARD(S): Eyes, skin and respiratory tract.

## IV. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids apart to completely flush all chemicals from entire eye surface. Get immediate medical attention.

SKIN: Flush skin with plenty of water and wash with mild soap. If irritation develops, get medical attention.

INGESTION: If swallowed, rinse mouth with water. Dilute by drinking several glasses of water. DO NOT induce vomiting. If patient vomits, rerinse mouth. Get immediate medical attention. NOTE: Never give fluids by mouth to an unconscious person.

INHALATION: If inhaled, move to fresh air. If patient is not breathing, give artificial respiration. If breathing is difficult, give oxygen under the direction of trained personnel or a physician. Get immediate medical attention.

---

**MATERIAL SAFETY DATA SHEET**

---

Page 2 of 4  
Revised 2/02/04  
Replaces 8/12/03  
Printed 2/03/04

**TREXCODE 435****MSDS ID: 00244**

---

---

**V. FIRE FIGHTING MEASURES**

---

FLASH POINT (degrees F): None FLAME EXTENSION: N/A  
FLAMMABLE LIMITS IN AIR BY VOLUME: LEL: NA UEL: ND  
UNUSUAL FIRE OR EXPLOSIVE HAZARDS: Oxidizing product may cause fire or spontaneous combustion if contaminated with oil, paper, wood or other combustibles.  
EXTINGUISHING MEDIA: Flood with water.  
FIRE FIGHTING INSTRUCTIONS: Wear full protective gear and positive pressure breathing apparatus (SCBA) in fire area.  
SPECIAL INSTRUCTIONS: None required.

---

**VI. ACCIDENTAL RELEASE MEASURES**

---

IF MATERIAL IS RELEASED OR SPILLED:  
Contain spill. Wear protective clothing. Soak up or absorb liquid on suitable absorbent material. Collect and place in chemical waste container. Dispose of in accordance with local, State and Federal regulations. Flush spill area with water. Avoid contact with organic materials. Oxidizing material, do not allow to dry on material which may burn.  
This product does not contain a reportable quantity (RQ) under CERCLA.

---

**VII. HANDLING AND STORAGE**

---

HANDLING AND STORAGE PRECAUTIONS: Store drums in cool areas out of direct sunlight and away from combustibles.

---

**VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

EYE/FACE PROTECTION: Chemical goggles if contact or splash hazard exists.  
PROTECTIVE GLOVES: Liquid proof rubber or neoprene gloves. Avoid cotton, wool and leather.  
RESPIRATORY PROTECTION: Use NIOSH/MSHA approved respirator where TLV/PEL may be exceeded.  
OTHER PROTECTIVE CLOTHING/EQUIPMENT: Rubber boots and chemical resistant apron if contact or splash hazard exists.  
ENGINEERING CONTROLS:  
VENTILATION: Local exhaust ventilation may be necessary to control any air contaminants to within their TLV's during the use of this product.

---

**IX. PHYSICAL AND CHEMICAL PROPERTIES**

---

APPEARANCE AND ODOR: Clear, colorless liquid; no odor.

|                                      |                      |
|--------------------------------------|----------------------|
| BOILING POINT (DEG F): 226           | FREEZING POINT: -27F |
| SPECIFIC GRAVITY/BULK DENSITY: 1.13  |                      |
| pH: 2-3.5                            | pH 1% SOLUTION: 5-6  |
| VOLATILE BY VOLUME: 100              |                      |
| SOLUBILITY IN WATER: Soluble         |                      |
| VAPOR PRESSURE(mmHg): 23mmHg at 30 C | VAPOR DENSITY: NA    |

---

MATERIAL SAFETY DATA SHEET

---

Page 3 of 4  
Revised 2/02/04  
Replaces 8/12/03  
Printed 2/03/04

TREXCID 435

MSDS ID: 00244

---

---

X. STABILITY AND REACTIVITY

---

CHEMICAL STABILITY: Product stable.

INCOMPATIBILITY WITH OTHER MATERIALS: Reducing agents; Organic materials; Alkalies; Flammable liquids; Oils and greases

HAZARDOUS DECOMPOSITION PRODUCTS: If strongly overheated, may release; oxides of oxygen

HAZARDOUS POLYMERIZATION: None known.

---

---

XI. TOXICOLOGICAL INFORMATION

---

TOXICOLOGICAL TESTING: No data available.

TOXICITY TEST DATA:

No data available.

---

---

XII. ECOLOGICAL INFORMATION

---

ECOTOXICITY TEST DATA:

No data available.

ENVIRONMENTAL FATE: No data available.

---

---

XIII. DISPOSAL CONSIDERATIONS

---

RCRA REGULATED: RCRA Hazardous Waste: D001 - Ignitability Characteristic and D002 - Corrosivity characteristic.

PESTICIDE WASTES ARE TOXIC. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for Guidance. DO NOT contaminate water, food or feed by storage or disposal or cleaning of equipment. Dispose of unused, uncontaminated product in compliance with local, state and federal regulations.

---

---

XIV. TRANSPORT INFORMATION

---

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

---

---

XV. REGULATORY INFORMATION

---

U.S. Federal Regulations:

TSCA: All ingredients in this product are on TSCA inventory.

HAPS: Contains no hazardous air pollutants.

VOC CONTENT (EPA Method 24A): % VOC: ND Lb/Gal VOC: ND

CERCLA/EPCRA:

Section 313 Toxic Chemicals:

None

SARA Section 311/312:

ACUTE: YES CHRONIC: NO FIRE: YES REACTIVITY: NO

SUDDEN RELEASE OF PRESSURE: NO

LISTED CARCINOGEN: None

---

MATERIAL SAFETY DATA SHEET

Page 4 of 4  
Revised 2/02/04  
Replaces 8/12/03  
Printed 2/03/04

TREXCIDE 435

MSDS ID: 00244

---

---

XV. REGULATORY INFORMATION (Cont.)

---

NTP: No IARC: No OSHA: No  
HMIS RATINGS: HEALTH: 2 FIRE: 0 REACTIVITY: 1  
PERSONAL PROTECTIVE EQUIPMENT: H  
NFPA RATING: HEALTH: 2 FIRE: 0 REACTIVITY:1 SPECIAL:OXIDIZER  
STATE RIGHT-TO-KNOW INFORMATION:  
WATER - CAS #7732-18-5  
HYDROGEN PEROXIDE - CAS #7722-84-1  
CALIFORNIA PROPOSITION 65:  
None of the ingredients are on the California proposition 65 list.

---

---

XVI. OTHER INFORMATION

---

Disclaimer: The information contained in this material safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the handling, and use.