

MATERIAL SAFETY DATA SHEET







MSDS ID: 0035



I - PRODUCT IDENTIFICATION AND USE

PRODUCT NAME: SU 388 PEROXYACETIC ACID SANITIZER

USE: Acid Sanitizing

SUPPLIER: EMERGENCY PHONE:

JohnsonDiversey Canada, Inc.

2401 Bristol Circle

Oakville Ontario, L6H 6P1, Canada

1-800-668-7171

WHMIS CLASSIFICATION: C D1B E F TRADE NAME / SYNONYMS: not applicable

CHEMICAL FAMILY: Organic Peroxide CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS#	LD50 / LC50	Route / Species
Hydrogen peroxide	10-30	007722-84-1	LD50 805 mg/kg	oral/rat
Peracetic acid	3-7	000079-21-0	LD50 1540 mg/kg	oral/rat
Acetic acid	7-13	000064-19-7	LD50 3310 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: rubber or vinyl gloves Eye: safety goggles Footwear: boots

Respiratory: If mists are generated, use NIOSH approved Other: face shield, impervious clothing

mask

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Do not breathe mist, spray or vapours.

VENTILATION REQUIREMENTS: mechanical exhaust

INCOMPATIBILITY (Material to Avoid): Alkaline, chlorinated, organic materials. Reducing agents. Metals.

SPILL PROCEDURES: Keep combustible and organic materials away. Contain the spill. Do not allow the spilled product to go to drain.

Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Do not return unused material to container.

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear, colourless liquid - sharp pungent odour

S.G. / BULK DENSITY(g/cc): 1.10 pH: (1%) 2.5

VAPOUR PRESSURE (mmHg): not available VAPOUR DENSITY (air=1): not available

ODOUR THRESHOLD: not available BOILING POINT: 105°C

FREEZING POINT: 0°C PERCENT VOLATILE: not available

SOLUBILITY IN WATER: soluble EVAPORATION RATE (water=1): not available

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly.

SKIN: Corrosive. May cause severe irritation. Contact may cause permanent tissue damage.

INGESTION: Corrosive. May cause severe irritation. May cause tissue damage.

INHALATION: Corrosive. May cause severe irritation. Irritation to nose, throat and lungs will subside when exposure ceases.

1 of 2

LD50 (calculated): 3220 mg/kg	LC50 (calculated): 524 mg/m3/1 hr-mouse				
OTHER TOXIC EFFECTS: none known					
EFFECTS OF CHRONIC not available EXPOSURE TO MATERIAL:					
VI - FIRST AID MEASURES					
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.					
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician. Remove contaminated clothing.					
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.					
INHALATION: Remove patient to fresh air. Give oxygen if necessary.					
VII - FIRE AND EXPLOSION DATA					
FLAMMABLE: No. Promotes combustion of other materials.					
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE, °C: N/Av				
EXTINGUISHING MEDIA: Water [x] Dry Chemical [] Carbon Dioxide [] Foam [] Other []					
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.					
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.					
EXPLOSIVE SENSITIVITY TO: Impact [] Static Discharge [] Heat [x] Other []					
VIII - REACTIVITY DATA					
STABILITY: Stable [] Unstable [x]					
CONDITIONS TO AVOID: Open flames and elevated temperatures.					
INCOMPATIBILITY (Material to Avoid): Mild steel, brass, bronze, aluminum, zinc, iron, copper, chromium, cobalt. Alkali. Organic materials. Reducing agents.					
HAZARDOUS DECOMPOSITION PRODUCTS: Acetic acid, methane, oxygen. Carbon monoxide and carbon dioxide.					
REACTIVITY: Contamination or elevated temperatures may cause the material to rapidly decompose.					
IX - MSDS PREPARATION					
SOURCES USED: Cheminfo	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department				
PREPARATION DATE: April 15, 2003	Food Division Phone (905) 829-1200				
Information on this form is furnished in compliance with the Regulations re					

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.