CONFIDENCE 10 PBB

Page 1 of 4 Revised 2/02/04 Replaces 8/12/03 Printed 2/03/04

MSDS ID: 00404

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: CONFIDENCE 10 PBB

Product Discriptor: BOILER WATER TREATMENT

MANUFACTURER: JOHNSONDIVERSEY, INC. EMERGENCY PHONE NUMBER: (800)851-7145

3630 E. KEMPER ROAD CINCINNATI, OH. 45241

II. HAZARDOUS COMPONENTS				
Component Name	CAS Number	%	Exposure Limits	Units
SODIUM HYDROXIDE	1310-73-2	>30%	TLV-C 2	MG/M3

III. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

CORROSIVE-Contains strong alkali. Causes severe burns to skin and eyes. May be fatal if swallowed. Do not contact eyes, skin or clothing. Wear goggles, face shield, rubber gloves, and protective clothing and boots when handling product. Avoid breathing dust or spray mist. Contain spill or runoff which may cause environmental damage. Contact with aluminum or soft metals may release hydrogen gas.

POSSIBLE ROUTES OF ENTRY: Ingestion and Inhalation.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE: Severe burns or irritation with pain, redness, swelling, and

blurred or impaired vision.

CHRONIC: Same as Acute Effects.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis and sensitive

skin.

TARGET ORGAN(S) OF CHEMICAL HAZARD(S): Eyes, skin and respiratory tract.

IV. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for at least 15

minutes. Hold eyelids apart to completely flush all chemicals from

entire eye surface. Get immediate medical attention.

SKIN: Flush thoroughly with plenty of water. Wash with soap and water.

Remove contaminated clothes and shoes and clean before reuse. Get

medical attention for any painful, red or injured skin.

INGESTION: If swallowed, rinse mouth with water. Dilute by drinking several

glasses of water. DO NOT induce vomiting. If patient vomits,

rerinse mouth with water. Get prompt medical attention. NOTE:

Never give fluids by mouth to an unconcious person.

INHALATION: Remove to fresh air. If breathing is difficult, give oxygen. If

not breathing, give artificial respiration. Get medical attention,

immediately.

CONFIDENCE 10 PBB

Page Revised 2/02/04 Replaces Printed

2 of 4 8/12/03 2/03/04

MSDS ID: 00404

V. FIRE FIGHTING MEASURES

FLASH POINT (degrees F):N/A UEL:N/A LEL:N/A UNUSUAL FIRE OR EXPLOSIVE HAZARDS: Liquid produces hydrogen on contact with soft, active metals.

EXTINGUISHING MEDIA: Water spray, CO2, foam or dry powder.

FIRE FIGHTING INSTRUCTIONS: Wear full protective gear and positive pressure breathing apparatus (SCBA) in fire area.

SPECIAL INSTRUCTIONS: Spilled product may cause slippery surface and fall hazard.

VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED:

Contain spill. Absorb with sand or clay. Collect material and place in suitable waste container. Neutralize solids and spill area with soda ash or lime. Dispose of by environmental regulations.

The Reportable Quantity (RQ) of Sodium Hydroxide, CAS #1310-73-2 is 305 gallons or 3,076 lbs.

VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: Store in a cool, dry area away from acids. Keep container closed when not in use. Wear protective gear when handling or using. Do not pressurize container to empty.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Chemical goggles and face shield if contact or splash hazard exists. Eye wash in use area.

PROTECTIVE GLOVES: Alkali resistant.

RESPIRATORY PROTECTION: Not normally required.

OTHER PROTECTIVE CLOTHING/EQUIPMENT: Rubber boots, chemical apron and safety shower in use area if contact or splash hazard exists.

ENGINEERING CONTROLS:

MECHANICAL VENTILATION: Normal room ventilation should be sufficient to

control airborne levels.

LOCAL VENTILATION: Not usually required.

IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Speckled yellow-cream granules with mild organic odor.

at N/A

BOILING POINT (DEG F): None

FREEZING POINT: Not determined

VAPOR PRESSURE(mmHg): N/A

VAPOR DENSITY: N/ApH 1% SOLUTION: 13

VOLATILE BY VOLUME: N/A

pH: N/A

WEIGHT % SOLIDS: >95

SOLUBILITY IN WATER: Soluble

SPECIFIC GRAVITY/BULK DENSITY: 62.5 lb/ft3

CONFIDENCE 10 PBB

Page 3 of 4 Revised 2/02/04 Replaces 8/12/03 Printed 2/03/04

MSDS ID: 00404

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product stable.

INCOMPATIBILITY WITH OTHER MATERIALS: Acids, flammable liquids, organic

halogens and soft metal.

HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion forms oxides of

carbon.

HAZARDOUS POLYMERIZATION: None known.

XI. TOXICOLOGICAL INFORMATION

Contains Corrosive and Irritating alkaline chemicals. See Section II for amounts and identity. Acute toxicology tests are listed below.

TOXICITY TEST DATA:

Sodium hydroxide: Acute Oral LD50 (rat) - 500 mg/kg (RTECS)

Acute Skin LD50 (rabbit) - 1350 mg/kg (MSI)

XII. ECOLOGICAL INFORMATION

ECOTOXICITY DATA: Product and waste are harmful to fish and aquatic forms. Discharge process waste and overflow to a sanitary sewer or on-site treatment process

ECOTOXICITY TEST DATA: No data available. ENVIRONMENTAL FATE: No data available.

XIII. DISPOSAL CONSIDERATIONS

RCRA CLASS: Product would be D002 - Corrosivity if declared hazardous

waste.

DISPOSAL: Spent or excess product is hazardous waste. Do not discharge to

sewer or environment. Arrange disposal through a licensed disposal company or treat by special Waste Disposal Sheet. Recycle or dispose of containers by product labeling or governmental

regulations.

XIV. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

XV. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

TSCA: All ingredients in this product are on TSCA inventory.

HAPS: Contains no hazardous air pollutants.

VOC CONTENT (PER 40 CFR PART 59): % VOC: ND Lb/Gal VOC:

CERCLA/EPCRA:

SECTION 313 TOXIC CHEMICALS: None

SARA SECTION 311/312:

ACUTE: YES CHRONIC: NO FIRE: NO REACTIVITY: NO

SUDDEN RELEASE OF PRESSURE: NO

LISTED CARCINOGEN: None

CONFIDENCE 10 PBB

Page 4 of 4 Revised 2/02/04 Replaces 8/12/03 Printed 2/03/04

MSDS ID: 00404

XV. REGULATORY INFORMATION (Cont.)

NTP: No IARC: No OSHA: No

HMIS RATING: HEALTH: 3 FIRE: 0 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: D

NFPA RATING: HEALTH: 3 FIRE: 0 REACTIVITY: 0 SPECIAL: CORROSIVE

STATE RIGHT-TO-KNOW INFORMATION: SODIUM HYDROXIDE - CAS #1310-73-2 POTASSIUM CARBONATE - CAS #584-08-7 SODIUM SULFITE - CAS #7757-83-7

SODIUM POLYMETHACRYLATE - CAS #54193-36-1

SODIUM POLYMALEATE - CAS# 70147-90-4

CALIFORNIA PROPOSITION 65:

None of the ingredients are on the California proposition 65 list.

XVI. OTHER INFORMATION

DISCLAIMER: The information contained in this material safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the applicability of this information for their particular conditions of storage, handling, and use.