MATERIAL SAFETY DATA SHEET



BMC-2

HMIS NFPA			Personal protective equipment			
Health	3	}	3	Min		
Fire Hazard	0)	0		J. 18	
Reactivity	1		1			
				1		

Version Number: 1 Preparation date: 2005-01-17

PRODUCT AND COMPANY IDENTIFICATION

BMC-2 Product name: 00486_HX MSDS #:

Product code: 00486150, 00486330, 00486470 Recommended use: Alkaline spray wash cleaner.

Manufacturer, importer, supplier:

JohnsonDiversey, Inc. Canadian Headquarters 3630 E. Kemper Rd. JohnsonDiversey - Canada, Inc. Cincinnati, OH 45241 2401 Bristol Circle

Phone: 1-800-438-2647 Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131

Emergency telephone number: 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER. CORROSIVE. CAUSES EYE AND SKIN BURNS $\,$. HARMFUL OR FATAL IF SWALLOWED. HARMFUL IF INHALED $\,$. Do not mix with any other product or chemical.

Principle routes of exposure: Eyes. Skin. Inhalation.

Skin contact: Corrosive. May cause permanent damage.

Eye contact: Corrosive. Causes permanent eye damage, including blindness.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract.

Ingestion: Corrosive. Causes burns to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Ingestion:

Ingredient		CAS#	Weight %	LD50 Oral	LD50 Dermal	LC50 Inhalation				
	Potassium hydroxide	1310-58-3	10 - 20%	273 mg/kg (rat)	Not available	Not available				

4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical

attention immediately.

Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately. Skin contact: Inhalation:

If breathing is affected, remove to fresh air. Get medical attention immediately.

Do not induce vomiting. Immediately drink one cupful of water or milk. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be

more susceptible to irritating effects.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, water spray, foam, carbon dioxide.

Specific hazards: Not applicable

Unusual hazards: Corrosive material (See sections 8 and 10).

Specific methods: No special methods required

BMC-2 1 of 3 Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or

equivalent) and full protective gear Extinguishing media which must not be used for safety reasons:

No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a **Environmental precautions** chemical waste container. Use a water rinse for final clean-up. and clean-up methods:

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only in well-ventilated areas. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. Storage:

Keep tightly closed in a dry, cool and well-ventilated place. Protect from freezing. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels . Respiratory protection is not required if good ventilation is maintained .

Personal Protective Equipment

Eye protection: Chemical splash goggles.

Hand protection: Chemical resistant gloves. Neoprene gloves.

Skin and body protection: If major exposure is possible, wear suitable protective clothing and footwear. Long sleeved clothing.

Chemical resistant apron. Protective footwear.

Respiratory protection: Use only in well-ventilated areas. Avoid repeated or prolonged inhalation of vapors or spray mist which

may cause cumulative effects. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Handle in accordance with good industrial hygiene and safety practice Hygiene measures:

Ingredient	CAS#	ACGIH	OSHA	Mexico
Potassium hydroxide	1310-58-3	2 mg/m³ (Ceiling)	2 mg/m³ (CEILING)	

D. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Appearance: Liquid Color: Dark Brown Boiling point/range: Not determined Melting point/range: Not determined Odor: Mild

Specific gravity: 12.88 1.2 pH:

11.49 (1%) Dilution pH: Density: No information available **Bulk density:** No information available Decomposition temperature: Not determined

No information available Vapor density: Autoignition temperature: No information available **Evaporation rate:** Solubility: No information available Soluble

Solubility in other No information available VOC: solvents:

Viscosity: No information available

Flash point: >200 (°F) >93.3 (°C)

Partition coefficient (n-octanol/water): No information available

10. STABILITY AND REACTIVITY

Stability: The product is stable

Hazardous polymerisation does not occur Polymerization:

Hazardous decomposition products: None reasonably foreseeable Materials to avoid: Acids. Strong oxidising agents.

11. TOXICOLOGICAL INFORMATION

Corrosive, Oral, LD50 estimated to be between 400 - 2000 mg/kg. Acute toxicity

Component Information: See Section 3 Chronic toxicity: None known

Specific effects

Carcinogenic effects: None known Mutagenic effects: None known Reproductive toxicity: None known Target organ effects: None known

2 of 3 BMC-2

12. ECOLOGICAL INFORMATION

Environmental Information:

When used for its intended purpose this product should not cause adverse effects in the environment

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Use up contents if possible before disposal . Dispose of according to all federal, state and local applicable regulations . Undiluted product is regulated under environmental and transportation laws as a corrosive waste .

RCRA Hazard Class: D002

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: All components of this product are listed on the following inventories: , U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:	ILRTK:	CTRTK:
Potassium hydroxide	1310-58-3	Listed	Listed	Listed	Listed	Listed	Listed
Tetrapotassium pyrophosphate	7320-34-5	-	-	-	-	-	-
Sodium gluconate	527-07-1	-	-	-	-	-	-
Triton DF-20	TS*	-	-	-	-	-	-
Water	7732-18-5	-	-	-	-	-	-

CERCLA / SARA

Ingredient	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Potassium hydroxide	1310-58-3	10 - 20%	1000		

CAA HAP/CAA ODS/CWA Priority Pollutants: None

SARA 311/312 Hazard Categories

Immediate: Y
Delayed: N
Fire: N
Reactivity: N
Sudden Release of Pressure: N

Canada

WHMIS hazard class: E Corrosive material .



16. OTHER INFORMATION

Reason for revision:Not applicablePrepared by:NAPRACAdditional advice:None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

BMC-2 3 of 3