DICOLUBE HPX

MSDS ID: 01063

1 of 4 Page Revised 2/02/04 Replaces 8/12/03

2/03/04 Printed

## I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: DICOLUBE HPX

Product Discriptor: Conveyor Lubricant

MANUFACTURER: JOHNSONDIVERSEY, INC.

EMERGENCY PHONE NUMBER: (800)851-7145

3630 E. KEMPER ROAD CINCINNATI, OH. 45241

II. HAZARDOUS COMPONENTS			
Component Name	CAS Number	%	Exposure Limits Units
ALCOHOL ETHOXYLATE HYDROGEN PEROXIDE	68131-39-5 5 7722-84-1 1		Not Established TWA 1.4 MG/M3

#### III. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW:

WARNING-Contains chemicals that may cause irritation to eyes and skin. May be harmful if swallowed. Wear eye protection such as goggles or side shield safety glasses, clothing and rubber gloves to prevent prolonged skin contact. Wash after handling. Contain spills and runoff which may harm the environment. POSSIBLE ROUTES OF ENTRY: Ingestion, Skin and Inhalation.

## SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE: EYES: Irritation with pain, swelling and redness may develop. SKIN:

> Irritation or dryness develop with long contact. INGESTION: If swallowed, diarrhea, nausea and vomiting may occur. INHALATION:

Irritation of respiratory tract may develop.

CHRONIC: Contact dermatitis or sensitization.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis and sensitive

TARGET ORGAN(S) OF CHEMICAL HAZARD(S): Eyes and skin.

## IV. FIRST AID MEASURES

Immediately flush eyes with plenty of water for 15 minutes. Get EYES:

medical attention.

Flush skin with plenty of water. Remove and launder contaminated SKIN:

clothing before reuse. Get medical attention for irritation or

injury.

If swallowed, drink several glasses of water. Do not induce INGESTION:

vomiting. Consult a physician or poison control center. NOTE:

Never give fluids by mouth to an unconscious person.

INHALATION: Remove to fresh air. If breathing difficulties continue, get

medical attention.

DICOLUBE HPX

Page 2 of 4 Revised 2/02/04 Replaces 8/12/03 Printed 2/03/04

FREEZING POINT: Not determined

MSDS ID: 01063

## V. FIRE FIGHTING MEASURES

FLASH POINT (degrees F):NONE FLAME EXTENSION: N/A FLAMMABLE LIMITS IN AIR BY VOLUME: LEL: ND UEL: ND

UNUSUAL FIRE OR EXPLOSIVE HAZARDS: None known.

EXTINGUISHING MEDIA: Carbon Dioxide (CO2), foam or dry powder.

FIRE FIGHTING INSTRUCTIONS: Wear full protective gear and positive pressure

breathing apparatus (SCBA) in fire area.

#### VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED:

Contain spilled products. Small amounts: Absorb on sand or commercial absorbents. Return to container or chemical waste. Dispose of in accordance with governmental regulations.

This product does not contain a reportable quantity (RQ) under CERCLA.

## VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: Store in a cool, dry area. Keep from freezing. If frozen, warm to thaw and mix for use. Keep container closed when not in use. Wear protective gear when handling or using. Do not pressurize container to empty.

#### VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Safety glasses with side shields. Eye wash in use area if contact or splash hazard exists.

PROTECTIVE GLOVES: Chemical resistant.

RESPIRATORY PROTECTION: Respirator protection required if PEL is exceeded. See Section II for information.

OTHER PROTECTIVE CLOTHING/EQUIPMENT: Eyewash and safety shower in area if contact or splash hazard exists.

ENGINEERING CONTROLS:

MECHANICAL VENTILATION: Normal room ventilation should be sufficient to control airborne levels.

LOCAL VENTILATION: Not usually required.

# IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear to light yellow liquid.

SPECIFIC GRAVITY/BULK DENSITY: 1.03 ph: 2.4

pH 1% SOLUTION: 3.4

VOLATILE BY VOLUME: ND Weight % soilds: 13.3

SOLUBILITY IN WATER: Soluble

BOILING POINT (DEG F): ND

VAPOR PRESSURE(mmHg): ND at N/A VAPOR DENSITY: ND

DICOLUBE HPX

Revised 2/02/04 Replaces Printed

3 of 4 Page 8/12/03

2/03/04

MSDS ID: 01063

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product stable.

INCOMPATIBILITY WITH OTHER MATERIALS: Acids, flammable liquids, organic

halogens and soft metal.

HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion forms oxides of

carbon, nitrogen and sulfur.

HAZARDOUS POLYMERIZATION: None known.

XI. TOXICOLOGICAL INFORMATION

Any hazardous effects of the product mixture are based on information for each chemical part. See Section II for amounts of hazardous materials.

TOXICITY TEST DATA:

No data available.

XII. ECOLOGICAL INFORMATION

ECOTOXICITY DATA: No data available.

ECOTOXICITY TEST DATA: No data available.

ENVIRONMENTAL FATE: No data available.

XIII. DISPOSAL CONSIDERATIONS

RCRA REGULATED: Not Regulated.

Discharge diluted product to industrial sewer. Use product in container until empty. Triple rinse container with water and add to process. Recycle or dispose of container by product labeling or governmental regulations.

XIV. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

XV. REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA: All ingredients in this product are on TSCA inventory.

HAPS: Contains no hazardous air pollutants.

VOC CONTENT (EPA Method 24A): % VOC: ND Lb/Gal VOC: ND

CERCLA/EPCRA:

Section 313 Toxic Chemicals: None

SARA Section 311/312:

CHRONIC:NO FIRE:NO REACTIVITY:NO ACUTE: YES

SUDDEN RELEASE OF PRESSURE:NO

LISTED CARCINOGEN: NONE

OSHA: NO NTP: NO IARC: NO

HMIS RATINGS: HEALTH: 2 FIRE: 1 REACTIVITY: 1

PERSONAL PROTECTIVE EQUIPMENT: B

NFPA RATING: HEALTH: 2 FIRE: 1 REACTIVITY: 0 SPECIAL:

STATE RIGHT-TO-KNOW INFORMATION:

WATER - CAS #7732-18-5

4 of 4 Page Revised 2/02/04 Replaces 8/12/03 2/03/04 Printed

MSDS ID: 01063

DICOLUBE HPX

## XV. REGULATORY INFORMATION (Cont.)

ALCOHOL ETHOXYLATE - CAS #68131-39-5 HYDROGEN PEROXIDE - CAS #7722-84-1 CITRIC ACID - CAS #77-92-9 SODIUM OLEFIN SULFONATE - CAS #68439-57-6 CALIFORNIA PROPOSITION 65:

None of the ingredients are on the California proposition 65 list.

## XVI. OTHER INFORMATION

DISCLAIMER: The information contained in this safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the applicability of this information for his particular conditions of storage, handling, and use.