



MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 0571					
PRODUCT NAME: DIVOACT P-25					
USE: Activator to generate chlorine dioxide					
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171			
WHMIS CLASSIFICATION: D2B E CHEMICAL FAMILY: mineral acid		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable			
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w	,	CAS #	LD50 / LC50	Route / Species
Phosphoric acid	15-40		007664-38-2	LD50 1530 mg/kg	oral/rat
III - HANDLING AND DISPOSAL PROCEDURES					
PVC Respiratory: If mists are generated, use NIOSH approved mask	Do not brea nated materi pilled produc of water. ial, and fede	the mist, ials. tt to go to eral regula	spray or vapours . Av o drain. Mop up or so ations.	oid eye and skin contact	
IV - Pł	HYSICAL	PROP	ERTIES		
APPEARANCE / ODOUR: Clear, colourless liquid S.G. / BULK DENSITY(g/cc): 1.14 VAPOUR PRESSURE (mmHg): not applicable ODOUR THRESHOLD: not available FREEZING POINT: 0°C		pH: <1.0			
SOLUBILITY IN WATER: soluble		EVAPORATION RATE (water=1): not applicable			
V - TOXIC	COLOGIC	AL PR	OPERTIES		
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: Corrosive. May cause severe irritation. May cause SKIN: Corrosive. May cause severe irritation. May cause INGESTION: Corrosive. May cause severe irritation of the dig INHALATION: May cause irritation of respiratory tract.	use tempora	ry or peri	manent damage if not	treated promptly.	ated promptly.
LD50 (calculated): 4600 mg/kg		LC50	(calculated): No	t available	

OTHER TOXIC EFFECTS: Breathing vapours may cause delayed lung injury. Phosphoric Acid TLV - TWA 1 mg/m3, STEL 3 mg/m3						
EFFECTS OF CHRONIC Not available. EXPOSURE TO MATERIAL:						
VI - FIRST AI	MEASURES					
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.						
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.						
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No						
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C: N/Ap.					
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon	Dioxide [x] Foam [x] Other []					
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: not applicable.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [x] Unstable []						
CONDITIONS TO AVOID: not applicable						
INCOMPATIBILITY (Material to Avoid) : Alkaline and chlorinated materials. Aluminum, brass, copper, iron.						
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with chlorinated materials will release chlorine gas. Contact with alkali will generate heat. Contact with soft metals forms flammable hydrogen gas.						
REACTIVITY: Not dangerously reactive.						
REACTIVITY: Not dangerously reactive.						
REACTIVITY: Not dangerously reactive.	EPARATION					
IX - MSDS PR						
IX - MSDS PR	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Food Division					
IX - MSDS PF sources used: RTECS	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Food Division Phone (905) 829-1200					