

DUBOIS FLOW ADD II

MSDS ID: 01368

## I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: DUBOIS FLOW ADD II  
PRODUCT DESCRIPTOR: SYNTHETIC LIQUID LUBRICANT  
MANUFACTURER: JOHNSON DIVERSEY, INC. EMERGENCY PHONE NUMBER: (800)851-7145  
3630 E. KEMPER ROAD  
CINCINNATI, OH. 45241

## II. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME (CAS NUMBER)	%	EXPOSURE LIMITS	UNITS
-----			
NONE			

## III. HAZARDS IDENTIFICATION

ROUTES OF ENTRY: INHALATION: YES  
SKIN: YES  
INGESTION: YES  
SIGNS AND SYMPTOMS OF EXPOSURE:  
ACUTE: MAY CAUSE IRRITATION TO EYES AND SKIN  
CHRONIC: None Known.  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:  
Sensitive skin

## IV. FIRST AID MEASURES

EYES: FLUSH THOROUGHLY WITH FRESH WATER FOR 15 MINUTES, GET MEDICAL ATTENTION.  
SKIN: FLUSH WITH FRESH WATER, WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHES AND SHOES. GET MEDICAL ATTENTION.  
INGESTION: GIVE WATER DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONCIOUS PERSON.  
INHALATION: N/A IN NORMAL OPERATION

## V. FIRE FIGHTING MEASURES

FLASH POINT: >400 DEG F FLAME EXTENSION: N/A IN.  
FLAMMABLE LIMITS IN AIR BY VOLUME: LEL: N/A UEL: N/A  
UNUSUAL FIRE OR EXPLOSION HAZARDS: FLAMMABLE VAPORS PRODUCED AT TEMPERATURES ABOVE 432 DEGREES F.  
EXTINGUISHING MEDIA: WATER FOG, DRY CHEMICAL, CARBON DIOXIDE  
FIRE FIGHTING INSTRUCTIONS: SELF CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS.

DUBOIS FLOW ADD II

MSDS ID: 01368

## VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED: MOP UP OR ABSORB SMALL AMOUNTS WITH OIL ABSORBENT MATERIAL AND DISPOSE TO SOLID WASTE. COLLECT & RETURN LARGE AMOUNTS TO DRUM.

## VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: STORE IN DRY WELL VENTILATED AREA. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

## VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: GOGGLES  
PROTECTIVE GLOVES: NON-ABSORBENT  
RESPIRATORY PROTECTION: NONE  
OTHER PROTECTIVE CLOTHING/EQUIPMENT: NONE  
EXPOSURE GUIDELINES: SEE SECTION II FOR DETAILED INFORMATION.

## IX. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT (F): >300                      SPECIFIC GRAVITY: 0.9900  
VOLATILE BY VOLUME: NA                      SOLUBILITY IN WATER: NIL  
VAPOR PRESSURE (MMHG): <1                      AT 20 C  
APPEARANCE AND ODOR: YELLOW LIQUID WITH SWEET ODOR

## X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: STABLE  
INCOMPATIBILITY WITH OTHER MATERIALS: NONE KNOWN  
HAZARDOUS DECOMPOSITION PRODUCTS: OXIDES OF CARBON, HYDROGEN  
HAZARDOUS POLYMERIZATION: NONE

## XI. TOXICOLOGICAL INFORMATION

NO DATA AVAILABLE

## XII. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

## XIII. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: DO NOT ALLOW TO ENTER SEWERS OR STREAMS. USE UNTIL LESS THAN 1 INCH REMAINS IN CONTAINER, EMPTY CONTAINER TRIPLE RINSE WITH WATER, REMOVE OR DEFACE LABEL BEFORE SELLING CONTAINER OR DISPOSAL. DOES NOT CONTAIN PHOSPHORUS

DUBOIS FLOW ADD II

MSDS ID: 01368

---

XIV. TRANSPORT INFORMATION

---

HAZARDOUS MATERIALS DESCRIPTION/PROPER SHIPPING NAME:

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

---

XV. REGULATORY INFORMATION

---

U.S. FEDERAL REGULATIONS:

CERCLA/EPCRA:SECTION 313 TOXIC CHEMICALS:

NONE

LISTED CARCINOGEN: NONE

NTP: NO

IARC: NO

OSHA: NO

HMIS RATINGS: HEALTH: 1 FIRE: 0 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: B

STATE RIGHT-TO-KNOW INFORMATION:

SYNTHETIC LUBRICANT (FOR NEW JERSEY) TRADE SECRET

---

XVI. OTHER INFORMATION

---

THE INFORMATION IN THIS MSDS RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED OTHER THAN AS RECOMMENDED BY DIVERSEY LEVER OR IN COMBINATION WITH OTHER MATERIALS. IT IS THE USER'S RESPONSIBILITY TO EVALUATE THE APPLICABILITY OF THIS INFORMATION FOR HIS PARTICULAR CONDITIONS OF STORAGE, HANDLING AND USE.