



I - PRODUCT IDENTIFICATION AND USE				MSDS ID: 01397100	
PRODUCT NAME: DUMETER QUICK LIFT					
USE: Multi -purpose cleaner/degreaser					
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada			EMERGENCY PHONE: 1-800-668-7171		
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: Alkali			TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable		
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species	
Linear alcohol ethoxylate	1-5	068439-46-3	LD50 1378 mg/kg	oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT: Gloves: Natural Rubber or Neoprene Eye: safety glasses Footwear: not required Respiratory: If mists are generated, use NIOSH approved mask Other: not required					
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and prolonged skin contact. Do not breathe mists or spray.					
VENTILATION REQUIREMENTS: general ventilation					
INCOMPATIBILITY (Material to Avoid): Strong acids, strong oxidizers.					
SPILL PROCEDURES: Contain the spill. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.					
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.					
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing.					
IV - PHYSICAL PROPERTIES					
APPEARANCE / ODOUR: Clear amber liquid; very mild odour.					
S.G. / BULK DENSITY(g/cc): 1.075			pH: (concentrate) 6.12		
VAPOUR PRESSURE (mmHg): not available			VAPOUR DENSITY (air=1): not available		
ODOUR THRESHOLD: not available			BOILING POINT: approx. 100°C		
FREEZING POINT: 0°C			PERCENT VOLATILE: 75%		
SOLUBILITY IN WATER: soluble			EVAPORATION RATE (water=1): <1		
V - TOXICOLOGICAL PROPERTIES					
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: May cause irritation. No serious or irreversible effects expected if treated promptly. SKIN: Repeated or prolonged contact may result in irritation. INGESTION: May cause irritation of the digestive tract. INHALATION: Breathing spray or mist may cause respiratory irritation.					
LD50 (calculated): >5000 mg/kg oral/rat			LC50 (calculated): not available		
OTHER TOXIC EFFECTS: TLV: Monoethanolamine 3 ppm.					

EFFECTS OF CHRONIC none known.
EXPOSURE TO MATERIAL:

VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician.
INHALATION: Remove patient to fresh air.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No.

FLASH POINT, °C: not applicable

AUTO IGNITION TEMPERATURE, °C: N/Ap

EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []

SPECIAL FIRE FIGHTING PROCEDURES: not required.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.

EXPLOSIVE SENSITIVITY TO: not applicable

VIII - REACTIVITY DATA

STABILITY: Stable [x] Unstable []

CONDITIONS TO AVOID: Not applicable.

INCOMPATIBILITY (Material to Avoid) : Strong acids, strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with acids.

REACTIVITY: not dangerously reactive.

IX - MSDS PREPARATION

SOURCES USED: RTECS

PREPARED BY: JohnsonDiversey Canada, Inc.
Regulatory Department
Industrial Division
Phone (905) 829-1200

PREPARATION DATE: April 28, 2004

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.