

---

**MATERIAL SAFETY DATA SHEET**

---

Page 1 of 3  
Revised 2/02/04  
Replaces 8/12/03  
Printed 2/03/04

**EGO-20****MSDS ID: 01881**

---

---

**I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

---

PRODUCT NAME: EGO-20  
PRODUCT DESCRIPTOR: GEAR LUBRICANT WITH EP ADDITIVE  
MANUFACTURER: JOHNSON DIVERSEY, INC. EMERGENCY PHONE NUMBER: (800) 851-7145  
3630 E. KEMPER ROAD  
CINCINNATI, OH. 45241

---

**II. COMPOSITION/INFORMATION ON INGREDIENTS**

---

| INGREDIENT NAME(CAS NUMBER)       | % | EXPOSURE LIMITS                   | UNITS |
|-----------------------------------|---|-----------------------------------|-------|
| PETROLEUM DISTILLATE (64742-54-7) |   | TLV 5; PEL 5; ST 10<br>(OIL MIST) | MG/M3 |

---

**III. HAZARDS IDENTIFICATION**

---

ROUTES OF ENTRY: INHALATION: NO  
SKIN: NO  
INGESTION: NO  
SIGNS AND SYMPTOMS OF EXPOSURE:  
ACUTE: DEFATS SKIN, IRRITATES EYES  
CHRONIC: SAME AS ACUTE  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:  
Sensitive skin

---

**IV. FIRST AID MEASURES**

---

EYES: FLUSH THOROUGHLY WITH FRESH WATER. GET MEDICAL ATTENTION.  
SKIN: FLUSH WITH FRESH WATER, WASH WITH SOAP AND WATER. REMOVE  
CONTAMINATED CLOTHES AND SHOES.  
INGESTION: GIVE WATER. DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. NEVER  
GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.  
INHALATION: REMOVE TO FRESH AIR AND SEEK MEDICAL ATTENTION.

---

**V. FIRE FIGHTING MEASURES**

---

FLASH POINT: 425 DEG F FLAME EXTENSION: N/A IN.  
FLAMMABLE LIMITS IN AIR BY VOLUME: LEL: NONE UEL: NONE  
UNUSUAL FIRE OR EXPLOSION HAZARDS: NONE KNOWN  
EXTINGUISHING MEDIA: CO2  
FIRE FIGHTING INSTRUCTIONS: STANDARD PROCEDURE FOR PETROLEUM PRODUCTS

---

**VI. ACCIDENTAL RELEASE MEASURES**

---

IF MATERIAL IS RELEASED OR SPILLED: CONTAIN THE SPILL. PREVENT SPILL FROM  
ENTERING SEWER. RECOVER FREE LIQUID AND/OR COLLECT WITH INERT OIL ABSORBENT.  
PLACE ABSORBENT INTO METAL CONTAINER FOR DISPOSAL. CLEAN SPILL AREA WITH  
DETERGENT OR SOLVENTIZED CLEANER.

---

MATERIAL SAFETY DATA SHEET

---

Page 2 of 3  
Revised 2/02/04  
Replaces 8/12/03  
Printed 2/03/04

EGO-20

MSDS ID: 01881

---

VII. HANDLING AND STORAGE

---

HANDLING AND STORAGE PRECAUTIONS: STORE CONTAINERS CLOSED IN A CLEAN, DRY AREA. KEEP AWAY FROM HEAT, OPEN FLAME, AND OXIDIZING AGENTS. DO NOT PRESSURIZE CONTAINER TO EMPTY.

---

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

EYE/FACE PROTECTION: SAFETY GLASSES  
PROTECTIVE GLOVES: NON-ABSORBENT  
RESPIRATORY PROTECTION: NONE  
OTHER PROTECTIVE CLOTHING/EQUIPMENT: GLOVES SHOULD BE USED BY PERSONS  
HYPERSENSITIVE TO PETROLEUM OILS.  
EXPOSURE GUIDELINES: SEE SECTION II FOR DETAILED INFORMATION.

---

IX. PHYSICAL AND CHEMICAL PROPERTIES

---

BOILING POINT (F): N/A SPECIFIC GRAVITY: 0.8950  
VOLATILE BY VOLUME: 0 SOLUBILITY IN WATER: 0  
VAPOR PRESSURE (MMHG): N/A AT  
APPEARANCE AND ODOR: YELLOW-GREEN LUBRICATING OIL; MILD ODOR.

---

X. STABILITY AND REACTIVITY

---

CHEMICAL STABILITY: STABLE  
INCOMPATIBILITY WITH OTHER MATERIALS: NONE KNOWN  
HAZARDOUS DECOMPOSITION PRODUCTS: (FIRE) SULFUR OXIDES; CO, CO2, H2S WITH  
INCOMPLETE COMBUSTION.  
HAZARDOUS POLYMERIZATION: NONE

---

XI. TOXICOLOGICAL INFORMATION

---

NO DATA AVAILABLE

---

XII. ECOLOGICAL INFORMATION

---

NO DATA AVAILABLE

---

XIII. DISPOSAL CONSIDERATIONS

---

WASTE DISPOSAL METHOD: APPROVED LANDFILL; ANY OTHER APPROPRIATE FOR PETROLEUM LUBRICANT. USE UNTIL LESS THAN ONE INCH REMAINS IN CONTAINER, EMPTY CONTAINER. TRIPLE RINSE WITH KEROSENE OR AVAILABLE SOLVENT, BURN LIQUID. REMOVE OR DEFACE LABEL BEFORE SELLING CONTAINER OR DISPOSAL. ALL CHEMICAL COMPONENTS ARE ON TSCA INVENTORY.

---

XIV. TRANSPORT INFORMATION

---

HAZARDOUS MATERIALS DESCRIPTION/PROPER SHIPPING NAME:  
Please refer to the Bill of Lading/receiving documents for up to date shipping information.

---

MATERIAL SAFETY DATA SHEET

Page 3 of 3  
Revised 2/02/04  
Replaces 8/12/03  
Printed 2/03/04

EGO-20

MSDS ID: 01881

---

---

XV. REGULATORY INFORMATION

---

U.S. FEDERAL REGULATIONS:

CERCLA/EPCRA:SECTION 313 TOXIC CHEMICALS:

NONE

LISTED CARCINOGEN: NONE

NTP: NO IARC: NO OSHA: NO

HMIS RATINGS: HEALTH: 1 FIRE: 1 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: B

STATE RIGHT-TO-KNOW INFORMATION:

RESIDUAL OILS (PETROLEUM), HYDROTREATED -CAS #64742-57-0

DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC-

CAS #64742-54-7

TRADE SECRET REGISTRATION: 694954-00-1-55159P-694954-00-1-5160P

ALL CHEMICAL INGREDIENTS ARE LISTED ON THE TSCA INVENTORY

STATE RIGHT TO KNOW DATA:

NEW JERSEY - PETROLEUM OIL (GREASE)

PENNSYLVANIA - FORMULA TRADE SECRET

---

XVI. OTHER INFORMATION

---

THE INFORMATION IN THIS MSDS RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED OTHER THAN AS RECOMMENDED BY DIVERSEY LEVER OR IN COMBINATION WITH OTHER MATERIALS. IT IS THE USER'S RESPONSIBILITY TO EVALUATE THE APPLICABILITY OF THIS INFORMATION FOR HIS PARTICULAR CONDITIONS OF STORAGE, HANDLING AND USE.