



## **MATERIAL SAFETY DATA SHEET**



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 02120						
PRODUCT NAME: F.A.C. 106						
USE: Low foaming blended CIP acid						
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171				
WHMIS CLASSIFICATION: D1A E CHEMICAL FAMILY: mineral acid		TRADE NAME / SYNONYMS:       not applicable         CHEMICAL NAME:       not applicable				
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w	,	CAS #	LD50 / LC50	Route / Species	
Nitric acid Phosphoric acid	10-30 10-30			LC50 49 ppm/4H LD50 1530 mg/kg	inh/rat oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES						
PERSONAL PROTECTIVE EQUIPMENT:         Gloves:       Natural Rubber or Neoprene       Eye:       Safety goggles       Footwear:       As required         Respiratory:       If mists are generated, use NIOSH approved mask       Other:       Rubber apron         SPECIAL HANDLING PROCEDURES AND EQUIPMENT:       Do not breathe mist, spray or vapours. Avoid eye and skin contact.         VENTILATION REQUIREMENTS:       Mechanical exhaust.         INCOMPATIBILITY (Material to Avoid):       Alkaline and chlorinated materials. Organic materials. Soft metals.         SPILL PROCEDURES:       Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.         WASTE DISPOSAL:       Dispose according to municipal, provincial, and federal regulations.						
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. UN3264 IV - PHYSICAL PROPERTIES						
APPEARANCE / ODOUR:       Clear, colourless liquid         S.G. / BULK DENSITY(g/cc):       1.26         VAPOUR PRESSURE (mmHg):       not applicable         ODOUR THRESHOLD:       not available         FREEZING POINT:       <-5°C			pH:       1.3         VAPOUR DENSITY (air=1):       not applicable         BOILING POINT:       not available         PERCENT VOLATILE:       59%			
SOLUBILITY IN WATER: soluble			EVAPORATION RATE (water=1): not applicable			
V - TOXICOLOGICAL PROPERTIES						
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:         EYES:       Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly.         SKIN:       Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly.         INGESTION:       Corrosive. May cause severe irritation of the digestive tract. May cause temporary or permanent damage if not treated promptly.         INHALATION:       May cause irritation of respiratory tract.						
LD50 (calculated): not available			LC50 (calculated): 49 ppm/4 hr.			

OTHER TOXIC EFFECTS:	THER TOXIC EFFECTS: Breathing vapours may cause delayed lung injury. TLV - TWA (Nitric acid) 2 ppm (5 mg/m3); STEL 4 ppm (10 mg/m3) TLV - TWA (Phosphoric acide) 1 mg/m3; STEL 3 mg.m3					
EFFECTS OF CHRONIC not available EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
<b>EYES:</b> Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.						
<b>SKIN:</b> Flush affected area thoroughly with water. If irritation develops, contact a physician.						
<b>INGESTION:</b> Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.						
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No		<del></del>				
FLASH POINT, °C: not a	applicable	AUTO IGNITION T	EMPERATURE,°C: N/Ap			
EXTINGUISHING MEDIA:	Water [x] Dry Chemical [x] Carbor	n Dioxide [x] Foam	n [x] Other [ ]			
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of nitrogen						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [	[x] Unstable [ ]					
CONDITIONS TO AVOID:	not applicable.					
INCOMPATIBILITY (Mater	ial to Avoid) : Alkaline and chlorinated	materials. Aluminium,	brass, copper, iron, mild steel. Organic materials.			
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with chlorinated materials will release chlorine gas. Contact with alkali will generate heat. Contact with soft metals forms flammable hydrogen gas. Contact with organic materials will generate heat.						
REACTIVITY: not dangerously reactive						
IX - MSDS PREPARATION						
SOURCES USED: RTE	CS, Industrial Chemicals Safety Manual	PREPARED BY:	JohnsonDiversey Canada, Inc. Regulatory Department Food Division Phone (905) 829-1200			
PREPARATION DATE:	April 15, 2003					
not to be used for any other person or property resulting assumes no responsibility for	purpose, nor is it to be reproduced or published from any use of the material if reasonable safet or injury to any person or property resulting from ach user assumes the risk in his use of the mate	ed. JohnsonDiversey Ca ty procedures are not a n any abnormal use or				