



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 0213

PRODUCT NAME: DIVERFORCE POT & PAN LIQUID**USE:** Hand dishwashing liquid**SUPPLIER:**JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada**EMERGENCY PHONE:****1-800-668-7171****WHMIS CLASSIFICATION:** D2B**CHEMICAL FAMILY:** surfactant**TRADE NAME / SYNONYMS:** not applicable**CHEMICAL NAME:** not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Sodium dodecylbenzene sulfonate	3-7	025155-30-0	LD50 1260 mg/kg	oral/rat
Sodium Alcohol Ethoxy Sulfate	1-5	068891-38-3	LD50 1600 mg/kg	oral/rat
Ethyl alcohol	0.1-1	000064-17-5	LD50 7060 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:**Gloves:** not required**Eye:** not required**Footwear:** as required**Respiratory:** not required**Other:** not required**SPECIAL HANDLING PROCEDURES AND EQUIPMENT:** Not applicable**VENTILATION REQUIREMENTS:** General ventilation**INCOMPATIBILITY (Material to Avoid):** Oxidizing materials**SPILL PROCEDURES:** Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal**WASTE DISPOSAL:** Dispose of according to municipal, provincial, and federal regulations**STORAGE / SHIPPING REQUIREMENT:** Store in a cool dry area in a closed container. Avoid freezing

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear yellow liquid**S.G. / BULK DENSITY(g/cc):** 1.03**pH:** 6.0**VAPOUR PRESSURE (mmHg):** not available**VAPOUR DENSITY (air=1):** not available**ODOUR THRESHOLD:** not available**BOILING POINT:** not available**FREEZING POINT:** approx. 0°C**PERCENT VOLATILE:** 87%**SOLUBILITY IN WATER:** soluble**EVAPORATION RATE (water=1):** not available

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:**EYES:** May cause irritation**SKIN:** Repeated or prolonged contact may result in irritation.**INGESTION:** May cause severe irritation of the digestive tract.

INHALATION: No serious or irreversible effects expected.	
LD50 (calculated): 15670 mg/kg	LC50 (calculated): not applicable
OTHER TOXIC EFFECTS: TWA (ethyl alcohol): 1000 ppm	
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: none known	
VI - FIRST AID MEASURES	
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.
SKIN:	Flush affected area thoroughly with water.
INGESTION:	Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.
INHALATION:	not applicable
VII - FIRE AND EXPLOSION DATA	
FLAMMABLE: No	
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE, °C: N/Ap
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []	
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus	
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen, sulphur.	
EXPLOSIVE SENSITIVITY TO: not applicable	
VIII - REACTIVITY DATA	
STABILITY: Stable [x] Unstable []	
CONDITIONS TO AVOID: freezing	
INCOMPATIBILITY (Material to Avoid) : Oxidizing materials	
HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with oxidizing materials	
REACTIVITY: Not dangerously reactive	
IX - MSDS PREPARATION	
SOURCES USED: RTECS, MSDS	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Institutional Division Phone (905) 829-1200
PREPARATION DATE: April 15, 2003	
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.	