
MATERIAL SAFETY DATA SHEET

Page 1 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

EMR-LX**MSDS ID: 02172**

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: EMR-LX
PRODUCT DESCRIPTOR: WASTE WATER TREATMENT
MANUFACTURER: JOHNSON DIVERSEY, INC. EMERGENCY PHONE NUMBER: (800) 851-7145
3630 E. KEMPER ROAD
CINCINNATI, OH. 45241

II. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME(CAS NUMBER)	%	EXPOSURE LIMITS	UNITS
SODIUM DIMETHYLDITHIOCARBAMATE (128-04-1)	40	NOT ESTABLISHED	

III. HAZARDS IDENTIFICATION

ROUTES OF ENTRY: INHALATION: NO
SKIN: NO
INGESTION: YES
SIGNS AND SYMPTOMS OF EXPOSURE:
ACUTE: MAY IRRITATE EYES AND SKIN
CHRONIC: SAME AS ACUTE
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:
Sensitive skin

IV. FIRST AID MEASURES

EYES: FLUSH THOROUGHLY WITH FRESH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION
SKIN: FLUSH WITH FRESH WATER, WASH WITH SOAP & WATER REMOVE CONTAMINATED CLOTHES AND SHOES
INGESTION: GIVE WATER. INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.
INHALATION: Remove to fresh air.

V. FIRE FIGHTING MEASURES

FLASH POINT: 200 DEG F	FLAME EXTENSION: N/A IN.
FLAMMABLE LIMITS IN AIR BY VOLUME:	LEL: N/A UEL: N/A
UNUSUAL FIRE OR EXPLOSION HAZARDS:	EXTREME HEAT OR STRONG ACIDS CREATE FLAMMABLE BY-PRODUCTS
EXTINGUISHING MEDIA:	NO FIRE HAZARD
FIRE FIGHTING INSTRUCTIONS:	WEAR PROTECTIVE GEAR AND SELF CONTAINED BREATHING APPARATUS IN FIRE AREA.

MATERIAL SAFETY DATA SHEET

Page 2 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

EMR-LX

MSDS ID: 02172

VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED: DO NOT FLUSH TO SEWER. DIKE SPILLS, ABSORB ON INERT MATERIAL, DISCARD TO SOLID WASTE.

VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: DO NOT PRESSURE CONTAINER TO EMPTY. KEEP CONTAINER CLOSED. IF FROZEN, THAW & MIX TO MAKE USABLE.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: FACE SHIELD/CHEMICAL GOGGLES
PROTECTIVE GLOVES: RUBBER GLOVES
RESPIRATORY PROTECTION: NONE
OTHER PROTECTIVE CLOTHING/EQUIPMENT: BOOTS AND APRON. EYE WASH IN USE AREA.
EXPOSURE GUIDELINES: SEE SECTION II FOR DETAILED INFORMATION.

IX. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT (F): 215 SPECIFIC GRAVITY: 1.1800
VOLATILE BY VOLUME: 60 SOLUBILITY IN WATER: 100
VAPOR PRESSURE (MMHG): 17.5 AT 20 C
APPEARANCE AND ODOR: YELLOW-GREEN LIQUID; SULFIDE ODOR

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: STABLE
INCOMPATIBILITY WITH OTHER MATERIALS: STRONG ACIDS IN OXIDIZING AGENTS.
HAZARDOUS DECOMPOSITION PRODUCTS: STRONG ACIDS GIVE CS₂. EXTREME HEAT GIVES H₂S
HAZARDOUS POLYMERIZATION: NONE

XI. TOXICOLOGICAL INFORMATION

NO DATA AVAILABLE

XII. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

XIII. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: LAND FILL OR INCINERATE. USE UNTIL LESS THAN ONE INCH REMAINS IN CONTAINER. EMPTY CONTAINER. TRIPLE RINSE CONTAINER WITH WATER, ADD TO OPERATION. REMOVE OR DEFACE CONTAINER LABEL BEFORE SELLING OR DISPOSAL.

MATERIAL SAFETY DATA SHEET

Page 3 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

EMR-LX

MSDS ID: 02172

XIV. TRANSPORT INFORMATION

HAZARDOUS MATERIALS DESCRIPTION/PROPER SHIPPING NAME:

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

XV. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

CERCLA/EPCRA:SECTION 313 TOXIC CHEMICALS:

NONE

LISTED CARCINOGEN: NONE

NTP: NO

IARC: NO

OSHA: NO

HMIS RATINGS: HEALTH: 2 FIRE: 1 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: C

STATE RIGHT-TO-KNOW INFORMATION:

WATER - CAS#7732-18-5

SODIUM DIMETHYLDITHIOCARBAMATE - CAS#128-04-1

XVI. OTHER INFORMATION

THE INFORMATION IN THIS MSDS RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED OTHER THAN AS RECOMMENDED BY DIVERSEY LEVER OR IN COMBINATION WITH OTHER MATERIALS. IT IS THE USER'S RESPONSIBILITY TO EVALUATE THE APPLICABILITY OF THIS INFORMATION FOR HIS PARTICULAR CONDITIONS OF STORAGE, HANDLING AND USE.