



I - PRODUCT IDENTIFICATION AND USE				MSDS ID: 02318	
PRODUCT NAME: FLOCULITE 440 GS					
USE: Liquid Emulsion Cationic Polymer					
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada			EMERGENCY PHONE: 1-800-668-7171		
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: Solvent			TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable		
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species	
Aliphatic petroleum distillates	15-40	064742-47-8	LD50 >5000 mg/kg	oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT: Gloves: nitrile Eye: safety goggles Footwear: not required Respiratory: If mists are generated, use NIOSH approved mask Other: not required					
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye contact. Do not breathe mist, spray or vapours.					
VENTILATION REQUIREMENTS: general ventilation					
INCOMPATIBILITY (Material to Avoid): Oxidizing materials, soft metals					
SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.					
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.					
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Keep away from open flame.					
IV - PHYSICAL PROPERTIES					
APPEARANCE / ODOUR: White liquid					
S.G. / BULK DENSITY(g/cc): 1.00			pH: not applicable		
VAPOUR PRESSURE (mmHg): not available			VAPOUR DENSITY (air=1): not available		
ODOUR THRESHOLD: not available			BOILING POINT: >100°C		
FREEZING POINT: <0°C			PERCENT VOLATILE: 0%		
SOLUBILITY IN WATER: insoluble			EVAPORATION RATE (water=1): >1		
V - TOXICOLOGICAL PROPERTIES					
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: May cause irritation. SKIN: Repeated or prolonged contact may result in irritation. May cause defatting, drying and cracking of skin. INGESTION: May cause irritation of the digestive tract. INHALATION: May cause irritation.					
LD50 (calculated): 20,000 mg/kg			LC50 (calculated): not available		
OTHER TOXIC EFFECTS: None known					

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: Same as above

VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.

INGESTION: Drink large volumes of water. Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.

INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No

FLASH POINT, °C: >93.3°C

AUTO IGNITION TEMPERATURE, °C: N/Av.

EXTINGUISHING MEDIA: Water [] Dry Chemical [X] Carbon Dioxide [X] Foam [] Other []

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus. Use water spray to cool fire exposed containers.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.

EXPLOSIVE SENSITIVITY TO: not available

VIII - REACTIVITY DATA

STABILITY: Stable [X] Unstable []

CONDITIONS TO AVOID: high temperature or above flash point.

INCOMPATIBILITY (Material to Avoid) : Strong oxidizers, soft metals.

HAZARDOUS DECOMPOSITION PRODUCTS: None

REACTIVITY: not dangerously reactive

IX - MSDS PREPARATION

SOURCES USED: RTECS, ChemInfo.

PREPARED BY: JohnsonDiversey Canada, Inc.
Regulatory Department
Industrial Division
Phone (905) 829-1200

PREPARATION DATE: April 15, 2003

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.