



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 02433

PRODUCT NAME: **ISOGARD**

USE: Corrosion Inhibitor

SUPPLIER:

JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada

EMERGENCY PHONE:

1-800-668-7171

WHMIS CLASSIFICATION: E

CHEMICAL FAMILY: caustic alkali

TRADE NAME / SYNONYMS: not applicable

CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Potassium hydroxide	1-5	001310-58-3	LD50 365 mg/kg	oral/rat
Sodium nitrite	7-13	007632-00-0	LD50 85 mg/kg	oral/rat
Sodium silicate	1-5	001344-09-8	LD50 3300 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: natural rubber or neoprene

Eye: safety goggles

Footwear: as required

Respiratory: If mists are generated, use NIOSH approved mask

Other: rubber apron

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Do not breathe mist or spray.

VENTILATION REQUIREMENTS: general ventilation

INCOMPATIBILITY (Material to Avoid): Acids

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing. UN3266

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear dark blue to purple liquid

S.G. / BULK DENSITY(g/cc): 1.13

pH: (1% solution): 11.3

VAPOUR PRESSURE (mmHg): 17.5 @ 20°C

VAPOUR DENSITY (air=1): not available

ODOUR THRESHOLD: not applicable

BOILING POINT: approx. 100°C

FREEZING POINT: approx. 0°C

PERCENT VOLATILE: 80%

SOLUBILITY IN WATER: soluble

EVAPORATION RATE (water=1): 1

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly.

SKIN: Corrosive. May cause severe irritation. May cause defatting, drying and cracking of skin.

INGESTION: Corrosive. May cause severe irritation of the digestive tract. May cause nausea, vomiting or diarrhea.

INHALATION: Breathing mist or spray may cause irritation of respiratory tract.

LD50 (calculated): 682 mg/kg	LC50 (calculated): not available
OTHER TOXIC EFFECTS: Potassium Hydroxide CL 2 mg/m3; Sodium Nitrite TLV 10 mg/m3, Sodium Silicate TLV 5 mg/m3 manual	
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: Defats skin with prolonged contact.	
VI - FIRST AID MEASURES	
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.
SKIN:	Flush affected area thoroughly with water. If irritation develops, contact a physician.
INGESTION:	Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.
INHALATION:	Remove patient to fresh air. Get medical attention for any breathing difficulty.
VII - FIRE AND EXPLOSION DATA	
FLAMMABLE: No	
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE, °C: N/ap
EXTINGUISHING MEDIA: Water [] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []	
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.	
HAZARDOUS COMBUSTION PRODUCTS: Oxides of nitrogen	
EXPLOSIVE SENSITIVITY TO: not applicable	
VIII - REACTIVITY DATA	
STABILITY: Stable [X] Unstable []	
CONDITIONS TO AVOID: High temperature	
INCOMPATIBILITY (Material to Avoid) : Acids	
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with acids liberates heat.	
REACTIVITY: Not dangerously reactive	
IX - MSDS PREPARATION	
SOURCES USED: SDS	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Industrial Division Phone (905) 829-1200
PREPARATION DATE: April 15, 2003	
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.	