
MATERIAL SAFETY DATA SHEET

Page 1 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

IFM-608, AEROSOL**MSDS ID: 02492**

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: IFM-608, AEROSOL
PRODUCT DESCRIPTOR: AEROSOL SOLVENT CLEANER
MANUFACTURER: JOHNSON DIVERSEY, INC. EMERGENCY PHONE NUMBER: (800) 851-7145
3630 E. KEMPER ROAD
CINCINNATI, OH. 45241

II. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME(CAS NUMBER)	%	EXPOSURE LIMITS	UNITS
MONOCYCLIC TERPENE 5989-27-5	<10	NONE ESTABLISHED	
NONYLPHENOXYPOLY(ETHYLENEOXY)			
ETHANOL BLEND 26027-38-3 & 68412-54-4	< 2	NONE ESTABLISHED	
ISOBUTANE/PROPANE BLEND 75-28-5 & 74-98-6	< 5	TLV 1000; PEL 1000	PPM
CONTENTS UNDER PRESSURE 60 PSIG			

III. HAZARDS IDENTIFICATION

ROUTES OF ENTRY: INHALATION: YES
SKIN: YES
INGESTION: NO
SIGNS AND SYMPTOMS OF EXPOSURE:
ACUTE: MAY IRRITATE EYES AND SKIN. EXCESSIVE INHALATION OF VAPORS
CAN BE HARMFUL.
CHRONIC: EXCESSIVE INHALATION CAUSES HEADACHE/DIZZINESS/NAUSEA.
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:
MAY AGGRAVATE EXISTING EYE, SKIN OR RESPIRATORY CONDITIONS.

IV. FIRST AID MEASURES

EYES: FLUSH THOROUGHLY WITH FRESH WATER FOR AT LEAST 15 MINUTES, GET
MEDICAL ATTENTION.
SKIN: FLUSH WITH FRESH WATER, WASH WITH SOAP AND WATER. REMOVE
CONTAMINATED CLOTHES AND SHOES.
INGESTION: GIVE MILK OR WATER, INDUCE VOMITING. GET MEDICAL ATTENTION.
INHALATION: REMOVE TO FRESH AIR AND SEEK MEDICAL ATTENTION.

V. FIRE FIGHTING MEASURES

FLASH POINT: NONE DEG F FLAME EXTENSION: N/A IN.
FLAMMABLE LIMITS IN AIR BY VOLUME: LEL: N/A UEL: N/A
UNUSUAL FIRE OR EXPLOSION HAZARDS: DO NOT EXPOSE AEROSOL TO TEMPERATURES
ABOVE 130 DEGREES F. OR THE CONTAINER MAY
BURST.
EXTINGUISHING MEDIA: FOAM, DRY CHEMICAL, CO2, WATER

MATERIAL SAFETY DATA SHEET

Page 2 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

IFM-608, AEROSOL**MSDS ID: 02492**

V. FIRE FIGHTING MEASURES (Cont.)

FIRE FIGHTING INSTRUCTIONS: SELF-CONTAINED BREATHING APPARATUS.

VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED: FLUSH TO SANITARY OR INDUSTRIAL SEWER WITH WATER.

VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: DO NOT PUNCTURE OR INCINERATE CONTAINERS. DO NOT STORE AT TEMPERATURES ABOVE 130 DEGREES F.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: SAFETY GLASSES.
PROTECTIVE GLOVES: DISPOSABLE LATEX GLOVES.
RESPIRATORY PROTECTION: USE NIOSH APPROVED RESPIRATOR; IF VAPOR CONCENTRATION EXCEEDS TLV/PEL.
OTHER PROTECTIVE CLOTHING/EQUIPMENT: NONE
EXPOSURE GUIDELINES: SEE SECTION II FOR DETAILED INFORMATION.

IX. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT (F): N/A **SPECIFIC GRAVITY:** 0.9620
VOLATILE BY VOLUME: 90% **SOLUBILITY IN WATER:** 100%
VAPOR PRESSURE (MMHG): N/A AT
APPEARANCE AND ODOR: WHITE-MILKY STABLE EMULSION, CITRUS ODOR.

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: STABLE
INCOMPATIBILITY WITH OTHER MATERIALS: STRONG OXIDES.
HAZARDOUS DECOMPOSITION PRODUCTS: OXIDES OF CARBON.
HAZARDOUS POLYMERIZATION: NONE KNOWN

XI. TOXICOLOGICAL INFORMATION

NO DATA AVAILABLE

XII. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

XIII. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: AEROSOL CANS WHEN VENTED TO ATMOSPHERIC PRESSURE THROUGH NORMAL USE, POSE NO DISPOSAL HAZARD. DISPOSE AS AN AEROSOL. REPLACE CAP AND DISCARD CONTAINER IN TRASH DO NOT PUNCTURE OR INCINERATE.

MATERIAL SAFETY DATA SHEET

Page 3 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

IFM-608, AEROSOL

MSDS ID: 02492

XIV. TRANSPORT INFORMATION

HAZARDOUS MATERIALS DESCRIPTION/PROPER SHIPPING NAME:

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

XV. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

CERCLA/EPCRA:SECTION 313 TOXIC CHEMICALS:

N/A

LISTED CARCINOGEN: NONE

NTP: NO IARC: NO OSHA: NO

HMIS RATINGS: HEALTH: 1 FIRE: 1 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: B

STATE RIGHT-TO-KNOW INFORMATION:

WATER - CAS #7732-18-5

MONOCYCLIC TERPENE - CAS #5989-27-5

NONYLPHENOXYPOLY (ETHYLENEOXY) ETHANOL - CAS #26027-38-3

ISOBUTANE - CAS #75-28-5

PROPANE - CAS #74-98-6

XVI. OTHER INFORMATION

THE INFORMATION IN THIS MSDS RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED OTHER THAN AS RECOMMENDED BY DIVERSEY LEVER OR IN COMBINATION WITH OTHER MATERIALS. IT IS THE USER'S RESPONSIBILITY TO EVALUATE THE APPLICABILITY OF THIS INFORMATION FOR HIS PARTICULAR CONDITIONS OF STORAGE, HANDLING AND USE.