

LIQUID FLOOR SCORE

MSDS ID: 02572

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: LIQUID FLOOR SCORE

Product Code: 02572

Product Function: LIQUID FLOOR CLEANER

MANUFACTURER: JOHNSON DIVERSEY, INC.

EMERGENCY PHONE NUMBER: (800) 851-7145

3630 E. KEMPER ROAD

CINCINNATI, OH. 45241

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name(CAS Number)	%	Exposure Limits
POTASSIUM HYDROXIDE (1310-58-3)	<5	TLV C 2; PEL C 2

MG/M3

3. HAZARDS IDENTIFICATION

Primary Routes of Entry

Inhalation: YES

Skin: NO

Ingestion: YES

4. FIRST AID MEASURES

Eyes: FLUSH THOROUGHLY WITH FRESH WATER, FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

Skin: FLUSH WITH FRESH WATER, WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHES AND SHOES. GET MEDICAL ATTENTION.

Ingestion: GIVE WATER, DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flash Point (degrees F): NONE

Unusual Fire or Explosion Hazards: NONE KNOWN

Extinguishing Media: CO2, FOAM, DRY CHEMICALS

Fire Fighting Instructions: WEAR TURNOUT GEAR AND SELF CONTAINED BREATHING APPARATUS IN FIRE AREA.

6. ACCIDENTAL RELEASE MEASURES

If Material is Released or Spilled:

FLUSH SMALL AMOUNTS TO DRAIN; COLLECT AND RETURN LARGE AMOUNTS TO DRUM.

REPORTABLE QUANTITY (R.Q.) OF PRODUCT: 25,806 LBS. OR 2,900 GAL.

LIQUID FLOOR SCORE

MSDS ID: 02572

7. HANDLING AND STORAGE

IF FROZEN, THAW AND MIX TO MAKE USABLE. KEEP BUNGS IN DRUM. KEEP FROM FREEZING. DO NOT PRESSURE TO EMPTY CONTAINER.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye/Face Protection: FACE SHIELD
Protective Gloves: ALKALI RESISATANT
Respiratory Protection: IF PEL/TLV MAY BE EXCEEDED, USE A NIOSH APPROVED HIGH EFFICIENCY PARTICULATE FILTER.
Other Protective Clothing/Equipment: BOOTS AND APRON WHEN STEAM CLEANING, WITH ADEQUATE VENTILATION.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: CLEAR LIQUID, GREEN COLOR; MILD ODOR.
Boiling Point (F): 220 Freezing Point: Not Determined
Specific Gravity: 1.0680 pH: Not Determined
pH 1% SOLUTION: Not Determined
Volatile (% by Vol.): 80 Solubility in Water: 100

10. STABILITY AND REACTIVITY

Chemical Stability: STABLE
Incompatibility With Other Materials: CONCENTRATED MINERAL ACIDS, OXIDIZING AGENTS
Hazardous Decomposition Products: CO, WITH INCOMPLETE COMBUSTION
Hazardous Polymerization: None

11. TOXICOLOGICAL INFORMATION

Signs and Symptoms of Overexposure:
Acute: CAUSES BURNS TO SKIN AND EYES. MISTS ARE CORROSIVE TO RESPIRATORY TRACT.
Chronic: SAME AS ACUTE
Medical Conditions Generally Aggravated by Exposure:
Sensitive skin

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE OR FEDERAL REGULATIONS TRIPLE RINSE EMPTY CONTAINER WITH WATER, ADD RINSATE TO OPERATION WHENEVER POSSIBLE. ALL CHEMICALS ARE ON TSCA INVENTORY.

MATERIAL SAFETY DATA SHEET

Page 3 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

LIQUID FLOOR SCORE**MSDS ID: 02572**

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:**CERCLA/EPCRA/313 Toxic Chemicals:****CARCINOGENICITY:**

Not listed as carcinogenic by IARC, NTP, OSHA, ACGIH

HMIS Ratings: Health: 3 Fire: 0 Reactivity: 0
Personal Protective Equipment: D

State Right-to-Know Information:

POTASSIUM HYDROXIDE - CAS #1310-58-3

WATER - CAS #7732-18-5

SODIUM GLUCONATE - CAS #527-07-1

SODIUM ALKYL IMIDAZOLINE CARBOXYLATE - CAS #68604-70-6

16. OTHER INFORMATION

DISCLAIMER: The information contained in this safety data sheet is based on knowledge of this specific product and current national legislation. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the applicability of this information for their particular conditions of storage, handling, and use.