
MATERIAL SAFETY DATA SHEET

Page 1 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

SUPER L00B 134**MSDS ID: 02892**

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: SUPER L00B 134

Product Code: 02892

Product Function: CONCENTRATED (LIQUID) CONVEYOR LUBRICANT

MANUFACTURER: JOHNSON DIVERSEY, INC. EMERGENCY PHONE NUMBER: (800) 851-7145
3630 E. KEMPER ROAD
CINCINNATI, OH. 45241

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name(CAS Number)	%	Exposure Limits
ISOPROPYL ALCOHOL (67-63-0)	<6	TLV 980; PEL 980; ST 1225 MG/M3
HEXYLENE GLYCOL (107-41-5)	<5	TLV C 125, PEL C 125 MG/M3

3. HAZARDS IDENTIFICATION

Primary Routes of Entry

Inhalation: YES

Skin: YES

Ingestion: YES

4. FIRST AID MEASURES

Eyes: FLUSH THOROUGHLY WITH FRESH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

Skin: FLUSH WITH FRESH WATER FOR AT LEAST 15 MINUTES. WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHES AND SHOES.

Ingestion: GIVE WATER. DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Inhalation: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

Flash Point (degrees F): 97 F

Unusual Fire or Explosion Hazards: KEEP AWAY FROM HEAT AND IGNITION SOURCES.

Extinguishing Media: CO2, FOAM, DRY CHEMICALS

Fire Fighting Instructions: WEAR PROTECTIVE FIREFIGHTING GEAR AND
SELF-CONTAINED BREATHING APPARATUS IN FIRE AREA.

6. ACCIDENTAL RELEASE MEASURES

If Material is Released or Spilled:

CONTAIN SPILL: REMOVE ALL POSSIBLE IGNITION SOURCES. COLLECT AND RETURN LARGE AMOUNTS TO CONTAINER. USE SAND, CLAY, OR SPILL DRY TO ABSORB SPILL. PLACE IN COMPATIBLE CONTAINER.

SUPER LOOB 134

MSDS ID: 02892

7. HANDLING AND STORAGE

KEEP CONTAINER CLOSED. IF FROZEN, THAW AND MIX TO MAKE USABLE. DO NOT PRESSURE DRUM TO EMPTY. STORE IN COOL, DRY AREA, DESIGNATED FOR FLAMMABLES. DO NOT EXPOSE TO HEAT. KEEP AWAY FROM IGNITION SOURCES.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye/Face Protection: SAFETY GLASSES
Protective Gloves: SOLVENT RESISTANT
Respiratory Protection: NONE
Other Protective Clothing/Equipment: NONE

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor:	AMBER LIQUID; MILD ODOR		
Boiling Point (F):	215	Freezing Point:	Not Determined
Specific Gravity:	1.0460	pH:	Not Determined
		pH 1% SOLUTION:	Not Determined
Volatile (% by Vol.):	60	Solubility in Water:	100

10. STABILITY AND REACTIVITY

Chemical Stability:	STABLE
Incompatibility With Other Materials:	STRONG OXIDIZERS
Hazardous Decomposition Products:	CO WITH INCOMPLETE COMBUSTION
Hazardous Polymerization:	None

11. TOXICOLOGICAL INFORMATION

Signs and Symptoms of Overexposure:

Acute: MAY IRRITATE, EYES, SKIN AND PROLONG EXPOSURE TO CONCENTRATE, MAY DEFAT SKIN. MISTS CAN BE IRRITATING TO RESPIRATORY TRACT.

Chronic: SAME AS ACUTE

Medical Conditions Generally Aggravated by Exposure:

Sensitive skin

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

NO PHOSPHATES. USE UNTIL LESS THAN ONE INCH REMAINS IN CONTAINER, EMPTY CONTAINER. TRIPLE RINSE WITH WATER, ADD TO OPERATION. REMOVE OR DEFACE LABEL BEFORE SELLING CONTAINER OR DISPOSAL.

MATERIAL SAFETY DATA SHEET

Page 3 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

SUPER LOOB 134**MSDS ID: 02892**

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

CERCLA/EPCRA/313 Toxic Chemicals:
N/A

CARCINOGENICITY:

Not listed as carcinogenic by IARC, NTP, OSHA, ACGIH

HMIS Ratings: Health: 1 Fire: 3 Reactivity: 0
Personal Protective Equipment: B

State Right-to-Know Information:

TALL OIL FATTY ACIDS, POTASSIUM SALT - CAS #61790-44-1
TETRASODIUM ETHYLENE DIAMINETETRAACETATE - CAS #64-02-8
WATER - CAS #7732-18-5
ISOPROPYL ALCOHOL - CAS #67-63-0
HEXYLENE GLYCOL - CAS #107-41-5

16. OTHER INFORMATION

DISCLAIMER: The information contained in this safety data sheet is based on knowledge of this specific product and current national legislation. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the applicability of this information for their particular conditions of storage, handling, and use.