

MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 0333

PRODUCT NAME: SPEC TAK 1000

USE: Fryer Cleaning

SUPPLIER: **EMERGENCY PHONE:**

JohnsonDiversey Canada, Inc.

2401 Bristol Circle

Oakville Ontario, L6H 6P1, Canada

1-800-668-7171

WHMIS CLASSIFICATION: TRADE NAME / SYNONYMS: Ε not applicable

CHEMICAL FAMILY: **CHEMICAL NAME:** not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS#	LD50 / LC50	Route / Species
Sodium hydroxide	40-70	001310-73-2	LDLo 500 mg/kg	oral/rab

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: Natural Rubber, Neoprene or Nitrile Eye: Footwear: not required safety goggles

Respiratory: If mists are generated, use NIOSH approved Other: rubber apron

mask

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid skin contact.

VENTILATION REQUIREMENTS: mechanical exhaust

INCOMPATIBILITY (Material to Avoid): Acids

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing. UN1824

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Odourless, clear to hazy yellow liquid

S.G. / BULK DENSITY(g/cc): (1% solution): 12.5 - 13.0 1.52 pH:

VAPOUR PRESSURE (mmHq): VAPOUR DENSITY (air=1): not applicable not applicable

ODOUR THRESHOLD: not available **BOILING POINT:** 144°C

FREEZING POINT: 10°C PERCENT VOLATILE: 50%

SOLUBILITY IN WATER: soluble **EVAPORATION RATE (water=1):** not available

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly.

SKIN: Corrosive. May cause severe irritation.

INGESTION: Corrosive. May cause severe irritation of the digestive tract.

LD50 (calculated): LC50 (calculated): Not available Not available

OTHER TOXIC EFFECTS: TLV: TWA 2mg/m3 (Sodiium hydroxide)

INHALATION: Breathing spray or mist may cause respiratory irritation.

EFFECTS OF CHRONIC Not available **EXPOSURE TO MATERIAL: VI - FIRST AID MEASURES** EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician. SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician. INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately. INHALATION: Remove patient to fresh air. VII - FIRE AND EXPLOSION DATA FLAMMABLE: No FLASH POINT, °C: **AUTO IGNITION TEMPERATURE,°C:** not applicable N/Ap **EXTINGUISHING MEDIA:** Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []

VIII - REACTIVITY DATA

STABILITY: Stable [x] Unstable []

SPECIAL FIRE FIGHTING PROCEDURES:

HAZARDOUS COMBUSTION PRODUCTS:

CONDITIONS TO AVOID: Do not store below 15°C

INCOMPATIBILITY (Material to Avoid): Heat released on contact with acids.

not applicable

HAZARDOUS DECOMPOSITION PRODUCTS: Contact with aluminum or zinc generates flammable hydrogen gas.

not applicable

not applicable.

REACTIVITY: not applicable

EXPLOSIVE SENSITIVITY TO:

IX - MSDS PREPARATION

SOURCES USED: RTECS PREPARED BY: Johnson Diversey Canada, Inc.

Regulatory Department

PREPARATION DATE: April 15, 2003 Food Division

Phone (905) 829-1200

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.