



MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2918579					ID: 2918579	
PRODUCT NAME: DEGREASER 910						
USE: General Purpose Cleaner						
SUPPLIER:		EMERGENCY PHONE:				
JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		1-800-668-7171				
WHMIS CLASSIFICATION: E CHEMICAL FAMILY: alkali		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable				
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w		CAS #	LD50 / LC50	Route / Species	
Sodium silicate	3-7	00	1344-09-8	LD50 3300 mg/kg	oral/rat	
Sodium dodecylbenzene sulphonate	1-5	_	5155-30-0	LD50 1260 mg/kg	oral/rat	
Ethylene glycol monobutyl ether	1-5		0111-76-2	LD50 560 mg/kg	oral/rat	
Sodium hydroxide	0.5-1.5		1310-73-2	LDLo 500 mg/kg	oral/rat	
Respiratory: If mists are generated, use NIOSH approved mask. Other: not required SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Do not breathe mist or spray. VENTILATION REQUIREMENTS: general ventilation INCOMPATIBILITY (Material to Avoid): Acidic materials SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water. WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations. STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. UN3266						
IV - Pi	HYSICAL	PROPERTIE	ES			
APPEARANCE / ODOUR: Green liquid						
S.G. / BULK DENSITY(g/cc): 1.03		pH: (Concentrate): 12.8				
VAPOUR PRESSURE (mmHg): not available		VAPOUR DENSITY (air=1): not available				
ODOUR THRESHOLD: not available		BOILING POINT: approx. 100°C				
FREEZING POINT: not available		PERCENT VOLATILE: 92%				
SOLUBILITY IN WATER: soluble		EVAPORATION RATE (water=1): not available				
V - TOXICOLOGICAL PROPERTIES						
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:EYES:May cause severe irritation. May cause temporary or permanent damage if not treated promptly.SKIN:Repeated or prolonged contact may result in irritation.INGESTION:May cause severe irritation of the digestive tract.						

INHALATION: Breathing mist or spray may cause respiratory irritation.						
LD50 (calculated): 9350 mg/kg	LC50 (calculated): not available					
OTHER TOXIC EFFECTS: TLV (Sodium metasilicate): 2 mg/m3						
EFFECTS OF CHRONIC None known. EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.						
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician.						
INHALATION: Remove patient to fresh air.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No						
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C: N/Ap					
EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []						
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [X] Unstable []						
CONDITIONS TO AVOID: not applicable						
INCOMPATIBILITY (Material to Avoid) : Acidic materials.						
HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with acids.						
REACTIVITY: not dangerously reactive						
IX - MSDS PREPARATION						
SOURCES USED: RTECS	PREPARED BY: JohnsonDiversey Canada, Inc.					
	Regulatory Department					
PREPARATION DATE: April 15, 2003	Industrial Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations re- not to be used for any other purpose, nor is it to be reproduced or publishe person or property resulting from any use of the material if reasonable safet assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the mate context of the intended use.	d. JohnsonDiversey Canada assumes no responsibility for injury to any ty procedures are not adhered to. In addition, JohnsonDiversey Canada n any abnormal use or theft of the material, even if reasonable safety					