

MATERIAL SAFETY DATA SHEET



I - PRODUCT	T IDENTI	ICATI	ON AND USE	MSDS	ID: 0365	
PRODUCT NAME: BOTTLERS' X SPECIAL						
USE: Bottlewashing Compound						
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171				
WHMIS CLASSIFICATION: E CHEMICAL FAMILY: Alkali		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable				
II - HA	ZARDOU	s ingf	REDIENTS			
HAZARDOUS INGREDIENT	% w/w	,	CAS #	LD50 / LC50	Route / Species	
Sodium hydroxide Sodium tripolyphosphate	60-100 3-7		001310-73-2 007758-29-4	LDLo 500 mg/kg LD50 4100 mg/kg	oral/rab oral/rat	
	_	POSA	L PROCEDURES			
Gloves: Natural Rubber or Neoprene Eye: S Respiratory: NIOSH approved dust mask S SPECIAL HANDLING PROCEDURES AND EQUIPMENT: VENTILATION REQUIREMENTS: Mechanical exhaust	Avoid breat	: Rubbe hing dusi boiling ca	t. Rapid mixing of this p	ear: As required product with water gene his product to cold wate		
INCOMPATIBILITY (Material to Avoid): Strong mineral acid SPILL PROCEDURES: Sweep or scoop up material for disp WASTE DISPOSAL: Dispose according to municipal, provinc STORAGE / SHIPPING REQUIREMENT: Store in a cool, dry	bosal. Wash ial, and fede	spill area	ations.			
IV - Pł	HYSICAL	PROP	ERTIES			
APPEARANCE / ODOUR: White, coarse powder						
S.G. / BULK DENSITY(g/cc): 1.15		pH: (1%) 12.5 - 13.0				
VAPOUR PRESSURE (mmHg): not applicable		VAPOUR DENSITY (air=1): not applicable				
ODOUR THRESHOLD: not available		BOILING POINT: not applicable				
FREEZING POINT: not applicable		PERCENT VOLATILE: not applicable				
SOLUBILITY IN WATER: soluble		EVAPORATION RATE (water=1): not applicable				
V - TOXIC			OPERTIES			
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:EYES:Corrosive. May cause severe irritation. May causeSKIN:Corrosive. May cause severe irritation. May causeINGESTION:Corrosive. May cause severe irritation of the distinguished by the severe irrit	iuse tempora	ary or pe t. May ca	rmanent damage if not ause temporary or pern	treated promptly.	eated promptly.	
INHALATION: Corrosive. Breathing dust may cause severe irritation to re LD50 (calculated): > 500 mg/kg			LC50 (calculated): Not available			

EFFECTS OF CHRONIC Not available. EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
e rinsing. Contact a physician immediately.						
ian.						
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious person. Do not induce vomiting. Contact a physician immediately.						
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.						
VII - FIRE AND EXPLOSION DATA						
TEMPERATURE,°C: N/Av						
EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []						
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: not applicable.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [x] Unstable []						
CONDITIONS TO AVOID: High humidity						
INCOMPATIBILITY (Material to Avoid) : Acids, aluminum and other soft metals.						
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with acids will generate heat. Contact with soft metals forms flammable hydrogen gas.						
REACTIVITY: not dangerously reactive						
JohnsonDiversey Canada, Inc.						
JohnsonDiversey Canada, Inc. Regulatory Department Food Division Phone (905) 829-1200						
Regulatory Department Food Division						
Regulatory Department Food Division Phone (905) 829-1200 Products under the Hazardous Products Act and is Canada assumes no responsibility for injury to any adhered to. In addition, JohnsonDiversey Canada or theft of the material, even if reasonable safety						