## MATERIAL SAFETY DATA SHEET

SAF-D-RUST

1 of 4 Page Revised 2/02/04 Replaces 8/12/03

Printed

2/03/04

MSDS ID: 04305

## I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: SAF-D-RUST

Product Discriptor: Rust Cleaner

MANUFACTURER: JOHNSONDIVERSEY, INC.

3630 E. KEMPER ROAD CINCINNATI, OH. 45241 EMERGENCY PHONE NUMBER: (800)851-7145

# II. HAZARDOUS COMPONENTS CAS Number % Exposure Limits Units Component Name >30% None established

## III. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW:

CAUTION-Contains cleaning agents that may cause eye irritation. May be harmful if swallowed. Do not get in eyes or on clothing. Do not take internally. Clean up spill and any runoff to prevent environmental damage. POSSIBLE ROUTES OF ENTRY: Ingestion and Inhalation.

## SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Irritation with pain, swelling and redness may develop. SKIN: ACUTE:

Irritation or dryness develop with long contact. INGESTION: If

swallowed, diarrhea, nausea and vomiting may occur.

CHRONIC: Same as Acute Effects.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis and sensitive

NONE

TARGET ORGAN(S) OF CHEMICAL HAZARD(S): Eyes and skin.

## IV. FIRST AID MEASURES

Immediately flush with plenty of water. Get medical attention. EYES: SKIN:

Flush skin with plenty of water. Remove and launder contaminated

clothing before reuse. Get medical attention for irritation or

injury.

Do not take internally. If swallowed, drink several glasses of INGESTION:

water. Do not induce vomiting. Contact a physician or poison

control center.

INHALATION: Remove to fresh air. If breathing difficulties arise, get medical

attention.

### V. FIRE FIGHTING MEASURES

FLAME EXTENSION: ND FLASH POINT (degrees F): NONE FLASH POINT (degrees F). NONE

FLAMMABLE LIMITS IN AIR BY VOLUME:

LEL: N/A

UEL: N/A

UNUSUAL FIRE OR EXPLOSIVE HAZARDS: None known.

EXTINGUISHING MEDIA: Water spray, CO2, foam or dry powder.

## MATERIAL SAFETY DATA SHEET

SAF-D-RUST

2 of 4 Page Revised 2/02/04 Replaces 8/12/03

Printed 2/03/04

MSDS ID: 04305

## V. FIRE FIGHTING MEASURES (Cont.)

FIRE FIGHTING INSTRUCTIONS: Wear full protective gear and positive pressure breathing apparatus (SCBA) in fire area.

SPECIAL INSTRUCTIONS: Contain runoff. Prevent from entering sewer or storm drain.

## VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED:

Flush small amounts to drain. Collect and return large amounts to container. This product does not contain a reportable quantity (RQ) under CERCLA.

### VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: Keep container closed. If frozen, thaw and mix to make usable. Do not pressure container to empty. Keep away from alkalis and chlorinated products.

### VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Safety glasses with side shields. Eye wash in use area if contact or splash hazard exists.

PROTECTIVE GLOVES: Chemical resistant.

RESPIRATORY PROTECTION: Not normally required.

OTHER PROTECTIVE CLOTHING/EQUIPMENT: Not normally required.

ENGINEERING CONTROLS:

MECHANICAL VENTILATION: Normal room ventilation should be sufficient to

control airborne levels.

LOCAL VENTILATION: Not usually required.

### IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear, colorless to amber liquid with no odor.

BOILING POINT (DEG F): 215 FREEZING POINT: ND

SPECIFIC GRAVITY/BULK DENSITY: 1.1

pH 1% SOLUTION: 7.0 pH: 7.0

VOLATILE BY VOLUME: ND

SOLUBILITY IN WATER: Soluble

VAPOR PRESSURE(mmHq): 17.5 at 20 C VAPOR DENSITY: ND

## X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product stable.

INCOMPATIBILITY WITH OTHER MATERIALS: Oxidizing agents including chlorinated products.

HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion forms oxides of carbon and nitrogen.

HAZARDOUS POLYMERIZATION: None known.

## MATERIAL SAFETY DATA SHEET

SAF-D-RUST

3 of 4 Page Revised 2/02/04 Replaces 8/12/03 2/03/04 Printed

MSDS ID: 04305

## XI. TOXICOLOGICAL INFORMATION

No data available. TOXICITY TEST DATA: No data available.

### XII. ECOLOGICAL INFORMATION

ECOTOXICITY DATA: Product and waste are harmful to fish and aquatic forms. Discharge process waste and overflow to a sanitary sewer or on-site treatment

ECOTOXICITY TEST DATA: No data available. ENVIRONMENTAL FATE: No data available.

### XIII. DISPOSAL CONSIDERATIONS

RCRA REGULATED: Not Regulated.

Discharge diluted product to industrial sewer. Use product in container until empty. Triple rinse container with water and add to process. Recycle or dispose of container by product labeling or governmental regulations.

### XIV. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

## XV. REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA: All ingredients in this product are on TSCA inventory.

HAPS: Contains no hazardous air pollutants.

VOC CONTENT (EPA Method 24A): % VOC: 0 Lb/Gal VOC:

CERCLA/EPCRA:

Section 313 Toxic Chemicals: None

SARA Section 311/312:

ACUTE: YES CHRONIC:NO FIRE:NO REACTIVITY: NO

SUDDEN RELEASE OF PRESSURE:NO

LISTED CARCINOGEN: NONE

NTP: NO IARC: NO OSHA: NO

HMIS RATINGS: HEALTH: 1 FIRE: 0 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: B

NFPA RATING: HEALTH: 1 FIRE: 0 REACTIVITY: 0 SPECIAL:

STATE RIGHT-TO-KNOW INFORMATION:

CITRIC ACID, TRIETHANOLAMINE SALT - CAS #29340-81-6

GLYCOLIC ACID, TRIETHANOLAMINE SALT - CAS #68299-02-5 ETHYLENE DIAMINE TETRA ACETIC ACID, TRIETHANOLAMINE SALT -

CAS #66558-66-5

1-HYDROXYETHYLIDENE-1,1-DIPHOSPHONIC ACID HEDP,

TRIETHANOLAMINE SALT - CAS #88394-54-1

CALIFORNIA PROPOSITION 65:

None of the ingredients are on the California proposition 65 list.

MATERIAL SAFETY DATA SHEET

Page 4 of 4
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

MSDS ID: 04305

SAF-D-RUST

## XVI. OTHER INFORMATION

DISCLAIMER: The information contained in this material safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the handling, and use.