
MATERIAL SAFETY DATA SHEET

Page 1 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

ULTRAGARD 300

MSDS ID: 04605

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: ULTRAGARD 300
PRODUCT DESCRIPTOR: FOOD GRADE HYDRAULIC LUBRICANT
MANUFACTURER: JOHNSON DIVERSEY, INC. EMERGENCY PHONE NUMBER: (800) 851-7145
3630 E. KEMPER ROAD
CINCINNATI, OH. 45241

II. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME(CAS NUMBER)	%	EXPOSURE LIMITS	UNITS

NONE			

III. HAZARDS IDENTIFICATION

ROUTES OF ENTRY: INHALATION: YES
SKIN: NO
INGESTION: YES
SIGNS AND SYMPTOMS OF EXPOSURE:
ACUTE: OVEREXPOSURE MAY CAUSE IRRITATION OF EYES OR SKIN.
CHRONIC: SAME AS ACUTE.
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:
SENSITIVE SKIN.

IV. FIRST AID MEASURES

EYES: FLUSH THOROUGHLY WITH FRESH WATER, GET MEDICAL ATTENTION IF IRRITATION CONTINUES.
SKIN: FLUSH WITH FRESH WATER. REMOVE CONTAMINATED CLOTHES AND SHOES.
INGESTION: GIVE WATER, DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
INHALATION: IF PRODUCT HAS BEEN MISTED, IMMEDIATELY REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF STOPPED BREATHING, GET MEDICAL ATTEN.

V. FIRE FIGHTING MEASURES

FLASH POINT: >500 DEG F	FLAME EXTENSION: N/A	IN.
FLAMMABLE LIMITS IN AIR BY VOLUME:	LEL: 6	UEL: 1
UNUSUAL FIRE OR EXPLOSION HAZARDS:	DO NOT STORE OR MIX WITH STRONG OXIDANTS.	
EXTINGUISHING MEDIA:	FOAM, DRY CHEMICAL, CO2, WATER FOG.	
FIRE FIGHTING INSTRUCTIONS:	USE AIR-SUPPLIED BREATHING EQUIPMENT IN ENCLOSED AREAS. COOL EXPOSED CONTAINERS WITH WATER.	

MATERIAL SAFETY DATA SHEET

Page 2 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

ULTRAGARD 300**MSDS ID: 04605**

VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED: CONTAIN THE SPILL. PREVENT SPILL FROM ENTERING SEWER. RECOVER FREE LIQUID AND/OR COLLECT WITH INERT OIL ABSORBENT. PLACE ABSORBENT INTO METAL CONTAINER FOR DISPOSAL. CLEAN SPILL AREA WITH DETERGENT OR SOLVENTIZED CLEANER.

VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: STORE CONTAINERS CLOSED IN A CLEAN, DRY AREA. KEEP AWAY FROM HEAT, OPEN FLAME, AND OXIDIZING AGENTS. DO NOT PRESSURIZE CONTAINER TO EMPTY.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: SAFETY GOGGLES
PROTECTIVE GLOVES: NON-ABSORBENT
RESPIRATORY PROTECTION: NORMALLY NOT NEEDED.
OTHER PROTECTIVE CLOTHING/EQUIPMENT: OIL-IMPERVIOUS APRON IF NEEDED.
EXPOSURE GUIDELINES: SEE SECTION II FOR DETAILED INFORMATION.

IX. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT (F): NA SPECIFIC GRAVITY: 0.8280
VOLATILE BY VOLUME: 0 SOLUBILITY IN WATER: 0
VAPOR PRESSURE (MMHG): <0.01 AT 20 C
APPEARANCE AND ODOR: CLEAR, PALE YELLOW LIQUID; MILD ODOR

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: STABLE
INCOMPATIBILITY WITH OTHER MATERIALS: STRONG OXIDANTS LIKE LIQUID CHLORINE AND CONC. OXYGEN.
HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE IN CASE OF INCOMPLETE COMBUSTION.
HAZARDOUS POLYMERIZATION: NONE

XI. TOXICOLOGICAL INFORMATION

NO DATA AVAILABLE

XII. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

XIII. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: INCINERATE ABSORBED MATERIAL. USE UNTIL LESS THAN 1 INCH REMAINS IN CONTAINER, EMPTY CONTAINER TRIPLE RINSE WITH KEROSENE OR AVAILABLE SOLVENT, BURN LIQUID REMOVE OR DEFACE LABEL BEFORE SELLING CONTAINER OR DISPOSAL

MATERIAL SAFETY DATA SHEET

Page 3 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

ULTRAGARD 300

MSDS ID: 04605

XIV. TRANSPORT INFORMATION

HAZARDOUS MATERIALS DESCRIPTION/PROPER SHIPPING NAME:

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

XV. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

CERCLA/EPCRA:SECTION 313 TOXIC CHEMICALS:

LISTED CARCINOGEN: NONE

NTP: NO IARC: NO OSHA: NO

HMIS RATINGS: HEALTH: 1 FIRE: 1 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: B

STATE RIGHT-TO-KNOW INFORMATION:

ALIPHATIC HYDROCARBON - CAS #68037-01-4

XVI. OTHER INFORMATION

THE INFORMATION IN THIS MSDS RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED OTHER THAN AS RECOMMENDED BY DIVERSEY LEVER OR IN COMBINATION WITH OTHER MATERIALS. IT IS THE USER'S RESPONSIBILITY TO EVALUATE THE APPLICABILITY OF THIS INFORMATION FOR HIS PARTICULAR CONDITIONS OF STORAGE, HANDLING AND USE.