

MATERIAL SAFETY DATA SHEET



WSM-501C

HMIS		NFPA	Personal protective equipment	
Health	2	2	 	
Fire Hazard	0	0		
Reactivity	0	0		

Version Number: 1

Preparation date: 2004-11-30

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: WSM-501C

MSDS #: 04631_HX

Product code: 04631019, 04631150, 04631158, 04631470, 04631488, 04631501, 04631700, 04631730

Recommended use: General paper mill cleaner.

Manufacturer, importer, supplier:
 JohnsonDiversey, Inc.
 3630 E. Kemper Rd.
 Cincinnati, OH 45241
 Phone: 1-800-438-2647

Canadian Headquarters
 JohnsonDiversey - Canada, Inc.
 2401 Bristol Circle
 Oakville, Ontario L6H 6P1
 Phone: 1-800-668-3131

Emergency telephone number: 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING. CAUSES EYE AND SKIN IRRITATION. May cause respiratory tract irritation . Harmful if Swallowed.

Principle routes of exposure: Eyes. Skin. Inhalation. Ingestion.

Skin contact: Severe skin irritation.

Eye contact: Severe eye irritation.

Inhalation: May be irritating to nose, throat, and respiratory tract.

Ingestion: May be irritating to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Ingredient	CAS #	Weight %	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium dodecylbenzene sulfonate	27177-77-1	1 - 5%	Not available	Not available	Not available
Dipropylene glycol methyl ether	34590-94-8	1 - 5%	5.4 ml/kg (rat)	10 mL/kg (rabbit)	Not available

4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention.

Skin contact: Flush immediately with plenty of water for at least 15 minutes. Get medical attention.

Inhalation: If breathing is affected, remove to fresh air. Get medical attention.

Ingestion: Immediately drink one cupful of water or milk. Never give anything by mouth to an unconscious person. Get medical attention.

Aggravated Medical Conditions: Persons with pre-existing skin disorders may be more susceptible to irritating effects.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, CO2, water spray or "alcohol" foam.

Specific hazards: Not applicable

Unusual hazards: None known

Specific methods: No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.). Contaminated surfaces will be extremely slippery.

Environmental precautions and clean-up methods: Clean-up methods - large spillage. Prevent product from entering drains. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing . Keep tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels . Use only in well-ventilated areas . Avoid repeated or prolonged inhalation of vapors or spray mist which may cause cumulative effects .

Personal Protective Equipment

Eye protection: Safety glasses with side-shields. Chemical goggles if contact or splash hazard exists .

Hand protection: Chemical resistant gloves.

Skin and body protection: No special requirements under normal use conditions. If major exposure is possible, wear suitable protective clothing and footwear. Long sleeved clothing. Chemical resistant apron. Protective footwear.

Respiratory protection: No special requirements under normal use conditions. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice

Ingredient	CAS #	ACGIH	OSHA	Mexico
Dipropylene glycol methyl ether	34590-94-8	150 ppm (STEL) 100 ppm (TWA)	600 mg/m ³ 100 ppm (TWA) 900 mg/m ³ 150 ppm (STEL)	600 mg/m ³ (TWA) 900 mg/m ³ (STEL)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid	Appearance:	Aqueous solution
Color:	Clear Light yellow	Boiling point/range:	Not determined
Odor:	Slight	Melting point/range:	Not determined
Specific gravity:	1.04	pH:	13
Dilution pH:	11.3 - 12.3 (10%)	Density:	No information available
Bulk density:	No information available	Decomposition temperature:	Not determined
Vapor density:	No information available	Autoignition temperature:	No information available
Evaporation rate:	No information available	Solubility:	Soluble
Solubility in other solvents:	No information available	VOC:	4.99
Viscosity:	No information available	Flash point:	Not applicable
Partition coefficient (n-octanol/water):	No information available		

10. STABILITY AND REACTIVITY

Stability: The product is stable

Polymerization: Hazardous polymerisation does not occur

Hazardous decomposition products: None reasonably foreseeable

Materials to avoid: Strong oxidising agents. Acids.

11. TOXICOLOGICAL INFORMATION

Acute toxicity LD50 estimated to be greater than 5000 mg/kg.

Component Information: See Section 3

Chronic toxicity: None known

Specific effects

Carcinogenic effects: None known

Mutagenic effects: None known
Reproductive toxicity: None known
Target organ effects: None known

12. ECOLOGICAL INFORMATION

Environmental Information: When used for its intended purpose this product should not cause adverse effects in the environment

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations . Undiluted product is regulated under environmental and transportation laws as a corrosive waste .

RCRA Hazard Class: D001

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (ECL), Japan (ENCS), Philippines (PICCS), China (IECSC).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:	ILRTK:	CTRTK:
Tetrapotassium pyrophosphate	7320-34-5	-	-	-	-	-	-
Potassium dodecylbenzene sulfonate	27177-77-1	-	-	-	-	-	-
Dipropylene glycol methyl ether	34590-94-8	Listed	Listed	Listed	Listed	Listed	-
Polyoxypropylene-polyoxyethylene block copolymer	9003-11-6	-	-	-	-	-	-
Water	7732-18-5	-	-	-	-	-	-

CERCLA / SARA

None

CAA HAP/CAA ODS/CWA Priority Pollutants: None

SARA 311/312 Hazard Categories

Immediate: Y
Delayed: N
Fire: N
Reactivity: N
Sudden Release of Pressure: N

Canada

WHMIS hazard class: D2B Toxic materials .



16. OTHER INFORMATION

Reason for revision: Not applicable
Prepared by: NAPRAC
Additional advice: None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.