



MATERIAL SAFETY DATA SHEET



| I - PRODUCT IDENTIFICATION AND USE MSDS ID: 0466 | | | | | |
|--|---|--|-----------------------------------|----------------------|--|
| PRODUCT NAME: LEVER CLEAN DETERGENT | | | | | |
| USE: Machine Warewashing Detergent | | | | | |
| SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada | | EMERGENCY PHONE: 1-800-668-7171 | | | |
| WHMIS CLASSIFICATION: D2B E CHEMICAL FAMILY: caustic alkali | | TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable | | | |
| II - HAZARDOUS INGREDIENTS | | | | | |
| HAZARDOUS INGREDIENT | % w/w | CAS # | LD50 / LC50 | Route / Species | |
| Sodium hydroxide Sodium nitrilotriacetate | 15-40 7-13 | 001310-73-2 005064-31-3 | LDLo 500 mg/kg LD50 1100 mg/kg | oral/rab oral/rat | |
| III - HANDLING AND DISPOSAL PROCEDURES | | | | | |
| Respiratory: If mists are generated, use NIOSH approved mask. SPECIAL HANDLING PROCEDURES AND EQUIPMENT: VENTILATION REQUIREMENTS: General ventilation. INCOMPATIBILITY (Material to Avoid): acids, aluminum, z SPILL PROCEDURES: Contain the spill. Do not allow the s WASTE DISPOSAL: Dispose according to municipal, province | Avoid eye and s tinc spilled product to of water. ial, and federal r | o go to drain. Mop up or se regulations. | | ay for disposal. | |
| STORAGE / SHIPPING REQUIREMENT: Store in a cool dry | | | | | |
| IV - PHYSICAL PROPERTIES | | | | | |
| APPEARANCE / ODOUR: Clear liquid S.G. / BULK DENSITY(g/cc): 1.27 VAPOUR PRESSURE (mmHg): not available ODOUR THRESHOLD: not applicable FREEZING POINT: approx10°C SOLUBILITY IN WATER: soluble | | pH: (concentrate): 13.5 VAPOUR DENSITY (air=1): not available BOILING POINT: approx. 100°C PERCENT VOLATILE: approx. 72% EVAPORATION RATE (water=1): 1 | | | |
| V - TOXICOLOGICAL PROPERTIES | | | | | |
| EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: Corrosive. May cause severe irritation. May cau SKIN: Corrosive. May cause severe irritation. May cau INGESTION: Corrosive. May cause severe irritation of the dig INHALATION: Corrosive. Inhalation of spray or mist may caus LD50 (calculated): LD50 2273 mg/kg | use permanent d use temporary or gestive tract. Ma <u>e severe respira</u> | lamage if not treated prom r permanent damage if not y cause permanent damag tory irritation. | treated promptly. | | |

| OTHER TOXIC EFFECTS: TLV-CL (sodium hydroxide) 2 mg/m3 | | | | | |
|---|---|--|--|--|--|
| EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: This product contains NTA. In laboratory tests, rats and mice continuously fed highly exaggerated doses of NTA showed evidence of urinary tract (bladder and kidney) toxicity, including cancer; lower doses showed none of these toxic effects. By ACGIH guidelines, NTA would not be considered an occupational (human) carcinogen or any practical significance. | | | | | |
| VI - FIRST AID MEASURES | | | | | |
| EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately. | | | | | |
| SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician. | | | | | |
| INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately. | | | | | |
| INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty. | | | | | |
| VII - FIRE AND EXPLOSION DATA | | | | | |
| FLAMMABLE: No | Т | | | | |
| FLASH POINT, °C: not applicable | AUTO IGNITION TEMPERATURE, °C: N/Ap | | | | |
| EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon | n Dioxide [x] Foam [x] Other [] | | | | |
| SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus. | | | | | |
| HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitroger | ٦. | | | | |
| EXPLOSIVE SENSITIVITY TO: not applicable | | | | | |
| VIII - REACT | | | | | |
| STABILITY: Stable [x] Unstable [] | | | | | |
| CONDITIONS TO AVOID: not applicable | | | | | |
| INCOMPATIBILITY (Material to Avoid) : acids, aluminum, zinc | | | | | |
| HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with acids. Contact with aluminum or zinc generates hydrogen gas. Nitrogen oxides, carbon monoxide. | | | | | |
| REACTIVITY: not dangerously reactive | | | | | |
| IX - MSDS PREPARATION | | | | | |
| SOURCES USED: RTECS, ChemInfo | PREPARED BY: JohnsonDiversev Canada. Inc. Regulatory Department | | | | |
| PREPARATION DATE: April 15, 2003 | Institutional Division Phone (905) 829-1200 | | | | |
| Information on this form is furnished in compliance with the Regulations re not to be used for any other purpose, nor is it to be reproduced or publishe person or property resulting from any use of the material if reasonable safe assumes no responsibility for injury to any person or property resulting fron procedures are followed. Each user assumes the risk in his use of the mat context of the intended use. | ed. JohnsonDiversey Canada assumes no responsibility for injury to any ty procedures are not adhered to. In addition, JohnsonDiversey Canada n any abnormal use or theft of the material, even if reasonable safety | | | | |