



## **MATERIAL SAFETY DATA SHEET**



I - PRODUCT IDENTIFICATION AND USE				MSDS ID: 0483	
PRODUCT NAME: DIVERFORCE MACHINE DISH	I DETERG	GENT			
USE: Machine dish liquid	-				
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171			
WHMIS CLASSIFICATION: D2B E CHEMICAL FAMILY: caustic alkali			TRADE NAME / SYNONYMS:   not applicable     CHEMICAL NAME:   not applicable		
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w	,	CAS #	LD50 / LC50	Route / Species
Sodium hydroxide Sodium nitrilotriacetate	5-10 10-30		001310-73-2 005064-31-3	LDLo 500 mg/kg LD50 1450 mg/kg	oral/rab oral/rat
III - HANDLING AND DISPOSAL PROCEDURES					
Respiratory: If mists are generated, use NIOSH approved mask	Avoid eye a zinc spilled produ of water.	rubber	o drain. Mop up or se	pak up with absorbent cl	ay for disposal.
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. UN3266					66
IV - Pł	HYSICAL	PROPE	ERTIES		
APPEARANCE / ODOUR: Clear, red liquid   S.G. / BULK DENSITY(g/cc): 1.19   VAPOUR PRESSURE (mmHg): not available   ODOUR THRESHOLD: not applicable   FREEZING POINT: approx. 0°C   SOLUBILITY IN WATER: soluble		pH: 13.2   VAPOUR DENSITY (air=1): not available   BOILING POINT: approx. 100°C   PERCENT VOLATILE: 77%   EVAPORATION RATE (water=1): 1			
V - TOXIO	COLOGIC		OPERTIES		
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:EYES:Corrosive. May cause severe irritation. May causeSKIN:Corrosive. May cause severe irritation. May causeINGESTION:Corrosive. May cause severe irritation of the digINHALATION:Corrosive. Inhalation of spray or mist may cause	use temporai gestive tract.	ry or pern . May cau	nanent damage if not use permanent damag	treated promptly.	
LD50 (calculated): LD50 3652 mg/kg		LC50 (calculated): not applicable			

OTHER TOXIC EFFECTS: TLV (Sodium hydroxide) CL 2 mg/m3						
<b>EFFECTS OF CHRONIC</b> <b>EXPOSURE TO MATERIAL:</b> This product contains NTA. In laboratory tests, rats and mice continuously fed highly exaggerated doses of NTA showed evidence of urinary tract (bladder and kidney) toxicity, including cancer; lower doses showed none of these toxic effects. By ACGIH guidelines, NTA would not be considered an occupational (human) carcinogen of any practical significance.						
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.						
<b>SKIN:</b> Flush affected area thoroughly with water. If irritation develops, contact a physician.						
<b>INGESTION:</b> Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.						
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No						
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C: N/Ap					
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbor	n Dioxide [x] Foam [x] Other [ ]					
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [x] Unstable []						
CONDITIONS TO AVOID: not applicable						
INCOMPATIBILITY (Material to Avoid) : acids, aluminum, zinc						
HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with acids. Contact with aluminum or zinc generates hydrogen gas.						
REACTIVITY: not dangerously reactive						
IX - MSDS PREPARATION						
SOURCES USED: RTECS, ChemInfo	PREPARED BY: JohnsonDiversev Canada. Inc. Regulatory Department					
PREPARATION DATE: April 15, 2003	Institutional Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations re- not to be used for any other purpose, nor is it to be reproduced or publishe person or property resulting from any use of the material if reasonable safe assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the mate context of the intended use.	d. JohnsonDiversey Canada assumes no responsibility for injury to any ty procedures are not adhered to. In addition, JohnsonDiversey Canada n any abnormal use or theft of the material, even if reasonable safety					