MATERIAL SAFETY DATA SHEET

Page 1 of 4 Revised 2/02/04

IPK-15C

MSDS ID: 04852

Replaces 8/12/03 Printed 2/03/04

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: IPK-15C

Product Discriptor: SCALE CONTROL ADDITIVE

MANUFACTURER: EMERGENCY PHONE NUMBER: (800)851-7145

JOHNSONDIVERSEY, INC. 3630 E. KEMPER RD. CINCINNATI, OH 45241

II. HAZARDOUS COMPONENTS

Component Name CAS Number % Exposure Limits Units

NONE

III. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

CAUTION-Contains cleaning agents that cause eye irritation. May be harmful if swallowed. Avoid contact with eyes or clothing. Prolonged contact with undiluted product may cause skin irritation. Wear eye and skin protection when handling. Contain spills and runoff which may harm the environment. POSSIBLE ROUTES OF ENTRY: Ingestion and Skin.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE: EYES: Causes eye irritation. Avoid contact with eyes. SKIN:

Causes skin irritation. Avoid contact with skin. INGESTION:

Irritating to nose and throat. Avoid breathing vapors.

CHRONIC: Contact dermatitis or sensitization.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis and sensitive skin.

TARGET ORGAN(S) OF CHEMICAL HAZARD(S): Eyes and skin.

IV. FIRST AID MEASURES

Immediately flush with plenty of water. If irritation or redness EYES:

develop, get medical attention.

Flush skin with plenty of water. Remove and launder contaminated SKIN:

clothing before reuse. Get medical attention for irritation or

injury.

Do not take internally. If swallowed, drink several glasses of INGESTION:

water. Do not induce vomiting. Contact a physician or poison

control center.

INHALATION: Remove to fresh air. If breathing difficulties arise, get medical

attention.

V. FIRE FIGHTING MEASURES

FLASH POINT (degrees F): NONE FLAME EXTENSION: N/A FLAMMABLE LIMITS IN AIR BY VOLUME: LEL: None UEL: None

UNUSUAL FIRE OR EXPLOSIVE HAZARDS: Toxic fumes or vapor may form during fire.

EXTINGUISHING MEDIA: Water spray, CO2, foam or dry powder.

MATERIAL SAFETY DATA SHEET

Page 2 of 4 Revised 2/02/04

IPK-15C

THE PROPERTY OF THE PROPERTY O

Replaces 8 Printed 2

8/12/03 2/03/04

MSDS ID: 04852

V. FIRE FIGHTING MEASURES (Cont.)

FIRE FIGHTING INSTRUCTIONS: Wear full protective gear and positive pressure breathing apparatus (SCBA) in fire area.

SPECIAL INSTRUCTIONS: Spilled product may cause slippery surface and fall hazard.

VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED:

Contain spill. Wear protective clothing. Soak up or absorb liquid on sand or clay. Collect and place in chemical waste container. Dispose of in accordance with governmental regulations. Flush spill area with water.

This product does not contain a reportable quantity (RQ) under CERCLA.

VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: Store in a cool, dry area. Keep from freezing. If frozen, warm to thaw and mix for use. Keep container closed when not in use. Wear protective gear when handling or using. Do not pressurize container to empty.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Safety glasses with side shields. Eye wash in use area if contact or splash hazard exists.

PROTECTIVE GLOVES: Alkali resistant.

RESPIRATORY PROTECTION: Not normally required.

OTHER PROTECTIVE CLOTHING/EQUIPMENT: Eyewash and safety shower in area if contact or splash hazard exists.

ENGINEERING CONTROLS:

MECHANICAL VENTILATION: Normal room ventilation should be sufficient to

control airborne levels.

LOCAL VENTILATION: Not usually required.

IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Dark brown liquid; mild odor.

BOILING POINT (DEG F): ND FREEZING POINT: ND

SPECIFIC GRAVITY/BULK DENSITY: 1.13

ph: 7.0 ph 1% SOLUTION: 7.5

VOLATILE BY VOLUME: ND

SOLUBILITY IN WATER: Soluble

VAPOR PRESSURE(mmHg): ND at 20 C VAPOR DENSITY: ND

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product stable.

INCOMPATIBILITY WITH OTHER MATERIALS: Strong acids, strong oxidizers. HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion forms oxides of carbon and nitrogen.

MATERIAL SAFETY DATA SHEET

Page 3 of 4 Revised 2/02/04 Replaces 8/12/03

2/03/04

Printed

IPK-15C

MSDS ID: 04852

X. STABILITY AND REACTIVITY (Cont.)

HAZARDOUS POLYMERIZATION: None known.

XI. TOXICOLOGICAL INFORMATION

No data available. TOXICITY TEST DATA: No data available.

XII. ECOLOGICAL INFORMATION

ECOTOXICITY DATA: When handled and disposed of as directed, this product

should not cause adverse effects in the environment.

ECOTOXICITY TEST DATA: No data available. ENVIRONMENTAL FATE: No data available.

XIII. DISPOSAL CONSIDERATIONS

RCRA REGULATED: Not RCRA Regulated.

Discharge diluted product to industrial sewer. Use product in container until empty. Triple rinse container with water and add to process. Recycle or dispose of container by product labeling or governmental regulations.

XIV. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

XV. REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA: All ingredients in this product are on TSCA inventory.

HAPS: Contains no hazardous air pollutants.

VOC CONTENT (EPA Method 24A): % VOC: 0.0 Lb/Gal VOC: 0.0

CERCLA/EPCRA:

Section 313 Toxic Chemicals: None

SARA Section 311/312:

ACUTE: YES CHRONIC:NO FIRE:NO REACTIVITY:NO

SUDDEN RELEASE OF PRESSURE:NO

LISTED CARCINOGEN: NONE

OSHA: NO IARC: NO NTP: NO

NTP: NO TARC: NO OSHA: NO HMIS RATINGS: HEALTH: 1 FIRE: 0 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: B

NFPA RATING: HEALTH: 1 FIRE: 0 REACTIVITY:0 SPECIAL:-

STATE RIGHT-TO-KNOW INFORMATION:

WATER - CAS #7732-18-5

ANIONIC SURFACTANT - CAS #9084-06-7

CALIFORNIA PROPOSITION 65:

None of the ingredients are on the California proposition 65 list.

MATERIAL SAFETY DATA SHEET
Page 4 of 4
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

MSDS ID: 04852

XVI. OTHER INFORMATION

DISCLAIMER: The information contained in this material safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the handling, and use.