



MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 0515					
PRODUCT NAME: DIVOS ACID 30					
USE: Acid Cleaner					
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171			
WHMIS CLASSIFICATION: D1A E CHEMICAL FAMILY: mineral acid		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable			
II - HAZ	ZARDOU	s ingf	REDIENTS		
HAZARDOUS INGREDIENT	% w/w		CAS #	LD50 / LC50	Route / Species
Nitric acid	30-60		007697-37-2	LC50 49 ppm/4H	inh/rat
III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT: Gloves: Neoprene Eye: safety goggles Footwear: not required Respiratory: NIOSH acid mist mask required in absence of adequate ventilation Other: rubber apron SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Do not breathe mist, spray or vapours. If spraying, wear NIOSH approved respirator					
VENTILATION REQUIREMENTS: Mechanical exhaust. W			eye and skin contact.		
INCOMPATIBILITY (Material to Avoid): Alkaline and chlorin		· ·			
SPILL PROCEDURES: Contain the spill. Do not allow the s Wash spill area with large volumes of		ct to go	to drain. Mop up or so	ak up with absorbent cl	ay for disposal.
WASTE DISPOSAL: Dispose according to municipal, provinci	al, and fede	ral regul	ations.		
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry	area in a cl	osed cor	tainer. UN2031		
IV - PH	IYSICAL	PROP	ERTIES		
APPEARANCE / ODOUR: Clear, colourless liquid					
S.G. / BULK DENSITY(g/cc): 1.18		pH: 1.0			
VAPOUR PRESSURE (mmHg): not applicable		VAPOUR DENSITY (air=1): not applicable			
ODOUR THRESHOLD: not available		BOILING POINT: 100°C			
FREEZING POINT: not available			PERCENT VOLATILE: 85%		
SOLUBILITY IN WATER: soluble		EVAPORATION RATE (water=1): not applicable			
V - TOXIC	OLOGIC	AL PR	OPERTIES		
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: Corrosive. May cause severe irritation. May cause SKIN: Corrosive. May cause severe irritation. May cause INGESTION: Corrosive. May cause severe irritation of the dig	use tempora	ary or pe	manent damage if not	treated promptly.	eated promptly.
INHALATION: May cause irritation of respiratory tract.			LC50 (calculated): 49 ppm/4 Hr		

OTHER TOXIC EFFECTS: Nitric Acid TLV - TWA 2 ppm; TLV - STEL 4 ppm.						
EFFECTS OF CHRONIC Not available. EXPOSURE TO MATERIAL: Vot available.						
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.						
KIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.						
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.						
VII - FIRE AND EXPLOSION DATA FLAMMABLE: Contact with metals forms flammable hydrogen gas.						
Γ						
AUTO IGNITION TEMPERATURE,°C: N/Ap						
n Dioxide [x] Foam [x] Other []						
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: not applicable.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [x] Unstable []						
CONDITIONS TO AVOID: not applicable.						
d materials. Brass, copper, iron, mild steel. Organic materials.						
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with chlorinated materials will release chlorine gas. Contact with alkali will generate heat. Contact with soft metals forms flammable hydrogen gas. Contact with organic materials will generate heat.						
IX - MSDS PREPARATION						
PREPARED BY: JohnsonDiversey Canada, Inc.						
Regulatory Department Food Division Phone (905) 829-1200						
especting Controlled Products under the Hazardous Products Act and is ed. JohnsonDiversey Canada assumes no responsibility for injury to any						