



## **MATERIAL SAFETY DATA SHEET**



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 0607					
PRODUCT NAME: ALCHLOR-P					
USE: Chlorinated Circulation Cleaner					
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171			
WHMIS CLASSIFICATION: D2B E CHEMICAL FAMILY: Chlorinated Alkali			TRADE NAME / SYNONYMS:       not applicable         CHEMICAL NAME:       not applicable		
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w		CAS #	LD50 / LC50	Route / Species
Potassium hydroxide Sodium hypochlorite (10.5%-solution)	10-30 15-40		001310-58-3 007681-52-9	LD50 273 mg/kg LD50 4445 mg/kg	oral/rat oral/rat
III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT:         Gloves:       Natural Rubber or Neoprene       Eye:       safety goggles       Footwear:       not normally required         Respiratory:       If mists are generated, use NIOSH approved mask       Other:       rubber apron         SPECIAL HANDLING PROCEDURES AND EQUIPMENT:       Avoid eye and skin contact. Do not breathe mist, spray or vapours.         VENTILATION REQUIREMENTS:       mechanical exhaust         INCOMPATIBILITY (Material to Avoid):       Acids, reducing agents, ammonia and amines.         SPILL PROCEDURES:       Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.         WASTE DISPOSAL:       Dispose according to municipal, provincial, and federal regulations.					
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. UN1760					
IV - PHYSICAL PROPERTIES					
APPEARANCE / ODOUR:       Clear, yellow liquid - chlorine odour         S.G. / BULK DENSITY(g/cc):       1.17         VAPOUR PRESSURE (mmHg):       not applicable         ODOUR THRESHOLD:       not available         FREEZING POINT:       not available		pH:       12.0 - 12.5         VAPOUR DENSITY (air=1):       not applicable         BOILING POINT:       approx. 100°C         PERCENT VOLATILE:       80%			
SOLUBILITY IN WATER: soluble			EVAPORATION RATE (water=1): not applicable		
V - TOXICOLOGICAL PROPERTIES					
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:         EYES:       Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly.         SKIN:       Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly.         INGESTION:       Corrosive. May cause severe irritation of the digestive tract. May cause temporary or permanent damage if not treated promptly.         INHALATION:       Corrosive. Inhalation of spray or mist may cause irritation of the respiratory tract.         LDED (calculated):       PRE ma/kg					
LD50 (calculated): 865 mg/kg			(calculated): not	t available	

OTHER TOXIC EFFECTS: Potassium hydroxide TLV-CL 2 mg/m3, Sodium hypochlorite TLV-TWA 0.5 ppm CL2; STEL 1 ppm CL2						
EFFECTS OF CHRONIC not available EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
SKIN:       Flush affected area thoroughly with water. If irritation deve         INGESTION:       Drink large volumes of water . Never give anything by mouphysician immediately.	<ul> <li>Flush affected area thoroughly with water. If irritation develops, contact a physician.</li> <li>STION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a</li> </ul>					
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No	1					
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C: N/Ap					
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []						
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: When heated chlorine gas is generated.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [x] Unstable [ ]						
CONDITIONS TO AVOID: Chlorine gas may be released when heated.						
INCOMPATIBILITY (Material to Avoid) : Acids, reducing agents,	amines and ammonia.					
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with acids will produce heat and release chlorine gas. Reducing agents can generate heat releasing chlorine. Contact with ammonia and nitrogen containing compounds can produce nitrogen gas and chloramines.						
REACTIVITY: not applicable						
IX - MSDS PREPARATION						
SOURCES USED: RTECS PREPARATION DATE: April 15, 2003	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Food Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations re not to be used for any other purpose, nor is it to be reproduced or publishe person or property resulting from any use of the material if reasonable safe assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the mat context of the intended use.	d. JohnsonDiversey Canada assumes no responsibility for injury to any ty procedures are not adhered to. In addition, JohnsonDiversey Canada n any abnormal use or theft of the material, even if reasonable safety					