
MATERIAL SAFETY DATA SHEET

Page 1 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

EXPEDITE CI**MSDS ID: 06320**

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: EXPEDITE CI
PRODUCT DESCRIPTOR: SOLVENT CLEANER
MANUFACTURER: JOHNSON DIVERSEY, INC. EMERGENCY PHONE NUMBER: (800)851-7145
3630 E. KEMPER ROAD
CINCINNATI, OH. 45241

II. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME(CAS NUMBER)	%	EXPOSURE LIMITS	UNITS
PETROLEUM DISTILLATE (8008-20-6)	<40	TLV 300; PEL 300; STEL 400	PPM

III. HAZARDS IDENTIFICATION

ROUTES OF ENTRY: INHALATION: YES
SKIN: NO
INGESTION: YES
SIGNS AND SYMPTOMS OF EXPOSURE:
ACUTE: OVEREXPOSURE TO VAPOR OR MIST MAY CAUSE HEADACHE, DIZZINESS
OR NAUSEA. DEFATS SKIN, IRRITATES EYES.
CHRONIC: SAME AS ACUTE
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:
Sensitive skin

IV. FIRST AID MEASURES

EYES: FLUSH THOROUGHLY WITH FRESH WATER, FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.
SKIN: FLUSH WITH FRESH WATER, WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHES AND SHOES. GET MEDICAL ATTENTION.
INGESTION: GIVE WATER. DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
INHALATION: Remove to fresh air.

V. FIRE FIGHTING MEASURES

FLASH POINT: 210 DEG F	FLAME EXTENSION: N/A	IN.
FLAMMABLE LIMITS IN AIR BY VOLUME:	LEL: NONE UEL: NONE	
UNUSUAL FIRE OR EXPLOSION HAZARDS:	NONE KNOWN	
EXTINGUISHING MEDIA:	CO2, DRY CHEMICALS	
FIRE FIGHTING INSTRUCTIONS:	NONE	

MATERIAL SAFETY DATA SHEET

Page 2 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

EXPEDITE CI**MSDS ID: 06320**

VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED: ABSORB SMALL SPILLS WITH FLOOR DRY MATERIAL, BURN OR DISPOSE TO SOLID WASTE; COLLECT AND RETURN LARGE AMOUNTS TO CONTAINER.

VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: KEEP CONTAINER CLOSED. KEEP FROM FREEZING. IF FROZEN, RETURN TO PRODUCING PLANT. DO NOT PRESSURE CONTAINER TO EMPTY.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: CHEMICAL SPLASH GOGGLES. FACE SHIELD WHEN STEAM CLEANING.

PROTECTIVE GLOVES: SOLVENT RESISTANT

RESPIRATORY PROTECTION: NONE

OTHER PROTECTIVE CLOTHING/EQUIPMENT: BOOTS AND APRON WHEN USED FOR STEAM CLEANING. PROVIDE ADEQUATE VENTILATION SO THAT OPERATOR IS NOT CONSTANTLY BREATHING VAPORS.;

EXPOSURE GUIDELINES: SEE SECTION II FOR DETAILED INFORMATION.

IX. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT (F): 212 SPECIFIC GRAVITY: 0.9680

VOLATILE BY VOLUME: 30 SOLUBILITY IN WATER: 100

VAPOR PRESSURE (MMHG): 20 AT 20 C

APPEARANCE AND ODOR: CLEAR BROWN LIQUID;MILD ODOR.

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: STABLE

INCOMPATIBILITY WITH OTHER MATERIALS: STRONG OXIDIZERS

HAZARDOUS DECOMPOSITION PRODUCTS: CO, H2O WITH INCOMPLETE COMBUSTION

HAZARDOUS POLYMERIZATION: NONE

XI. TOXICOLOGICAL INFORMATION

NO DATA AVAILABLE

XII. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

XIII. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: EMULSION BREAKING, CONTAINS PHOSPHATES. USE UNTIL LESS THAN 1 INCH REMAINS IN CONTAINER, EMPTY CONTAINER TRIPLE RINSE WITH WATER, DISPOSE IN A MANNER CONSISTANT WITH LOCAL, STATE AND FEDERAL REGULATIONS. REMOVE OR DEFACE CONTAINER LABEL BEFORE SELLING OR DISPOSAL.

MATERIAL SAFETY DATA SHEET

Page 3 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

EXPEDITE CI

MSDS ID: 06320

XIV. TRANSPORT INFORMATION

HAZARDOUS MATERIALS DESCRIPTION/PROPER SHIPPING NAME:

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

XV. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

CERCLA/EPCRA:SECTION 313 TOXIC CHEMICALS:

EXPEDITE CONTAINS 1-BUTOXYETHOXY, 2-PROPANOL CAS #124-16-3 AT 10.0% IN THE FORMULATION THIS INGREDIENT IS REPORTABLE AS A GLYCOL ETHER COMPOUND.

LISTED CARCINOGEN: NONE

NTP: NO IARC: NO OSHA: NO

HMIS RATINGS: HEALTH: 2 FIRE: 2 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: D

STATE RIGHT-TO-KNOW INFORMATION:

KEROSENE - CAS #8008-20-6

TETRAPOTASSIUM PYROPHOSPHATE - CAS #7722-88-5

WATER - CAS #7732-18-5

1-BUTOXY-ETHOXY-2-PROPANOL - CAS #124-16-3

OLEIC ACID, POTASSIUM SALT - CAS #143-18-0

XVI. OTHER INFORMATION

THE INFORMATION IN THIS MSDS RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED OTHER THAN AS RECOMMENDED BY DIVERSEY LEVER OR IN COMBINATION WITH OTHER MATERIALS. IT IS THE USER'S RESPONSIBILITY TO EVALUATE THE APPLICABILITY OF THIS INFORMATION FOR HIS PARTICULAR CONDITIONS OF STORAGE, HANDLING AND USE.