
MATERIAL SAFETY DATA SHEET

Page 1 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

OXFORD APPLAUSE

MSDS ID: 07526

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: OXFORD APPLAUSE
PRODUCT DESCRIPTOR: BACTERIOSTATIC HAND SOAP
MANUFACTURER: JOHNSON DIVERSEY, INC. EMERGENCY PHONE NUMBER: (800) 851-7145
3630 E. KEMPER ROAD
CINCINNATI, OH. 45241

II. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME(CAS NUMBER)	%	EXPOSURE LIMITS	UNITS

NOT REGULATED AS HAZARDOUS UNDER OSHA REGULATION 29 CFR 1910.1200.			

III. HAZARDS IDENTIFICATION

ROUTES OF ENTRY: INHALATION: NO
SKIN: NO
INGESTION: YES
SIGNS AND SYMPTOMS OF EXPOSURE:
ACUTE: MAY BE HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION.
CHRONIC: SAME AS ACUTE
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:
Sensitive skin

IV. FIRST AID MEASURES

EYES: FLUSH THOROUGHLY WITH FRESH WATER. GET MEDICAL ATTENTION, IF
IRRITATION PERSISTS.
SKIN: FLUSH WITH FRESH WATER.
INGESTION: IF SWALLOWED, DRINK 1 - 2 GLASSES OF WATER. GET MEDICAL
ATTENTION.
INHALATION: REMOVE TO FRESH AIR AND SEEK MEDICAL ATTENTION.

V. FIRE FIGHTING MEASURES

FLASH POINT: NONE	DEG F	FLAME EXTENSION: N/A	IN.
FLAMMABLE LIMITS IN AIR BY VOLUME:		LEL: N/A	UEL: N/A
UNUSUAL FIRE OR EXPLOSION HAZARDS:		NONE KNOWN	
EXTINGUISHING MEDIA:		WATER	
FIRE FIGHTING INSTRUCTIONS:		NONE	

MATERIAL SAFETY DATA SHEET

Page 2 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

OXFORD APPLAUSE**MSDS ID: 07526**

VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED: DIKE AREA TO CONTAIN SPILL; PUMP LIQUID TO SUITABLE CONTAINER. FLUSH RESIDUE TO SANITARY SEWER SYSTEM WITH PLENTY OF WATER.

VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: STORE IN COOL, DRY LOCATION. KEEP CONTAINER CLOSED WHEN NOT IN USE.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: SAFETY GLASSES OR EYE PROTECTION DURING TRANSFER OF CONTAINERS.
PROTECTIVE GLOVES: NONE
RESPIRATORY PROTECTION: NONE
OTHER PROTECTIVE CLOTHING/EQUIPMENT: NONE
EXPOSURE GUIDELINES: SEE SECTION II FOR DETAILED INFORMATION.

IX. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT (F): 212 SPECIFIC GRAVITY: 1.0200
VOLATILE BY VOLUME: 0 SOLUBILITY IN WATER: 100
VAPOR PRESSURE (MMHG): 17 AT 20 C
APPEARANCE AND ODOR: PALE GREEN, MILKY LIQUID; PLEASANT FLORAL FRAGRANCE

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: STABLE
INCOMPATIBILITY WITH OTHER MATERIALS: OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS: CO2, CARBON MONOXIDE
HAZARDOUS POLYMERIZATION: NONE

XI. TOXICOLOGICAL INFORMATION

NO DATA AVAILABLE

XII. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

XIII. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: TRIPLE RINSE CONTAINER WITH COLD WATER. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. ALL CHEMICAL INGREDIENTS ARE LISTED ON THE TSCA INVENTORY.

MATERIAL SAFETY DATA SHEET

Page 3 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

OXFORD APPLAUSE

MSDS ID: 07526

XIV. TRANSPORT INFORMATION

HAZARDOUS MATERIALS DESCRIPTION/PROPER SHIPPING NAME:

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

XV. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

CERCLA/EPCRA:SECTION 313 TOXIC CHEMICALS:

NONE

LISTED CARCINOGEN: NONE

NTP: NO IARC: NO OSHA: NO

HMIS RATINGS: HEALTH: 1 FIRE: 0 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: X

STATE RIGHT-TO-KNOW INFORMATION:

WATER - CAS #7732-18-5

SODIUM LAURYL SULFATE - CAS #151-21-3

SODIUM OLEATE - CAS #143-21-3

PROPYLENE GLYCOL - CAS #57-55-6

UREA - CAS #57-13-6

XVI. OTHER INFORMATION

THE INFORMATION IN THIS MSDS RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED OTHER THAN AS RECOMMENDED BY DIVERSEY LEVER OR IN COMBINATION WITH OTHER MATERIALS. IT IS THE USER'S RESPONSIBILITY TO EVALUATE THE APPLICABILITY OF THIS INFORMATION FOR HIS PARTICULAR CONDITIONS OF STORAGE, HANDLING AND USE.