

# **LIQUID CAUSTIC 50%**

HMIS NFPA			Personal protective equipment			
Health	3	3	ustic C			
Fire Hazard	0	0				
Reactivity	1	1				

Version Number: 1 Preparation date: 2005-06-28

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: LIQUID CAUSTIC 50%

MSDS #: 08242 HX

Product code: 08242150, 08242150, 08242153, 08242154, 08242330, 08242470, 08242480

Recommended use: No information available.

Manufacturer, importer, supplier:

US Headquarters

JohnsonDiversey, Inc.

8310 16th St.

Sturtevant, Wisconsin 53177-0902

Canadian Headquarters

JohnsonDiversey - Canada, Inc.

2401 Bristol Circle

Oakville, Ontario L6H 6P1

Sturtevant, Wisconsin 53177-0902 Oakville, Ontario L6H 6P1
Phone: 1-888-352-2249 Phone: 1-800-668-3131
MSDS Internet Address:

**Emergency telephone number:** 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

### 2. HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

www.johnsondiversey.com

DANGER. CORROSIVE. CAUSES SKIN AND EYE BURNS. HARMFUL OR FATAL IF SWALLOWED.

**Principle routes of exposure:** Skin contact. Eye contact. Inhalation. **Skin contact:** Corrosive. May cause permanent damage.

Eye contact: Corrosive. Causes permanent eye damage, including blindness.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract.

**Ingestion:** Corrosive. Causes burns to mouth, throat and stomach.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### **HAZARDOUS COMPONENTS**

TIAZARDOSO SOMI STILLITO								
Ingredient	CAS#	Weight %	LD50 Oral	LD50 Dermal	LC50 Inhalation			
Sodium hydroxide	1310-73-2	50 - 60%	140 mg/kg (rat)	Not available	Not available			

## 4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical

attention immediately.

**Skin contact:** Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.

**Inhalation:** If breathing is affected, remove to fresh air. Get medical attention immediately.

**Ingestion:** Do not induce vomiting. Immediately drink one cupful of water or milk. Never give anything by mouth to an

unconscious person. Get medical attention immediately.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be

more susceptible to irritating effects.

# 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Flood with water. . carbon dioxide . Dry chemical.

Specific hazards: Not applicable Unusual hazards: None known

**Specific methods:** No special methods required

LIQUID CAUSTIC 50% 1 of 3

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons:

No information available

# **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: Put on appropriate personal protective equipment (see Section 8.). Contaminated surfaces will be

extremely slippery.

Environmental precautions and clean-up methods:

Clean-up methods - large spillage. Prevent product from entering drains. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

### 7. HANDLING AND STORAGE

#### Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. **Storage:** 

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

**Eye protection:** Chemical splash goggles.

**Hand protection:** Chemical resistant gloves. Includes. neoprene gloves.

Skin and body protection: If major exposure is possible, wear suitable protective clothing and footwear.

Respiratory protection: If aerosols, mists, or vapors are not adequately controlled by ventilation, use appropriate respiratory

protection to avoid over-exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice

Ingredient	CAS#	ACGIH	OSHA	Mexico
Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m <sup>3</sup>	2 mg/m³ (Ceiling)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:LiquidAppearance:Aqueous solutionColor:ColourlessBoiling point/range:293 (°F)145 (°C)Odor:NoneMelting point/range:Not determinedSpecific gravity:1.52pH:>13.5

Dilution pH:No information availableDensity:No information availableBulk density:No information availableDecomposition temperature:Not determinedVapor density:No information availableAutoignition temperature:No information available

Evaporation rate: No information available Solubility in other No information available VOC: 0%

solvents:

Viscosity: No information available Flash point: Not applicable

Partition coefficient (n-octanol/water): No information available

### **10. STABILITY AND REACTIVITY**

**Stability:** The product is stable

Polymerization: Hazardous polymerisation does not occur

Hazardous decomposition products: None reasonably foreseeable Acids. Metals . Oxidising agents.

## 11. TOXICOLOGICAL INFORMATION

Acute toxicity Corrosive, Oral, LD50 estimated to be between 200 - 2000 mg/kg.

Component Information: See Section 3

Chronic toxicity: None known

Specific effects

Carcinogenic effects: None known Mutagenic effects: None known Reproductive toxicity: None known

LIQUID CAUSTIC 50% 2 of 3

Target organ effects: None known

## 12. ECOLOGICAL INFORMATION

Environmental Information: When used for its intended purpose this product should not cause adverse effects in the environment

#### 13. DISPOSAL CONSIDERATIONS

#### Waste from residues / unused products:

Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local applicable regulations.

RCRA Hazard Class: D002

#### 14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

### 15. REGULATORY INFORMATION

#### **International Inventories**

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (ECL), Philippines (PICCS), China (IECSC).

#### U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

#### STATE RIGHT TO KNOW

Ingredient	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:	ILRTK:	CTRTK:
Sodium hydroxide	1310-73-2	Listed	Listed	Listed	Listed	Listed	Listed
Sodium chloride	7647-14-5	-	-	-	-	-	-
Water	7732-18-5	-	-	-	-	-	-

#### **CERCLA / SARA**

Ingredient	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hydroxide	1310-73-2	50 - 60%	1000		

#### CAA HAP/CAA ODS/CWA Priority Pollutants: None

SARA 311/312 Hazard Categories

Immediate: Y
Delayed: N
Fire: N
Reactivity: N
Sudden Release of Pressure: N

Canada

WHMIS hazard class: E Corrosive material .



### **16. OTHER INFORMATION**

Reason for revision:Not applicablePrepared by:NAPRACAdditional advice:None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

LIQUID CAUSTIC 50% 3 of 3