



MATERIAL SAFETY DATA SHEET

I - PRODUCT IDENTIFICATION AND USE MSDS ID: 0831						
PRODUCT NAME: MASTIMIN 50 DRIPLESS						
USE: Sanitizing Teat Dip DIN # 02240075						
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171				
WHMIS CLASSIFICATION: exempt CHEMICAL FAMILY: Iodophor		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable				
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w	/	CAS #	LD50 / LC50	Route / Species	
lodine	0.1- 1.	0	007553-56-2	LD50 14000 mg/kg	oral/rat	
Isopropanol	1-5		000067-63-0	LD50 5045 mg/kg	oral/rat	
III - HANDLING	III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT: Gloves: Natural rubber, neoprene or nitrile Eye: safety glasses Footwear: not required Respiratory: If mists are generated, use NIOSH approved mask Other: not required SPECIAL HANDLING PROCEDURES AND EQUIPMENT: not required VENTILATION REQUIREMENTS: mechanical exhaust						
INCOMPATIBILITY (Material to Avoid): Aqueous ammonia SPILL PROCEDURES: Contain the spill. Do not allow the s			to drain. Mon up or so	ek up with absorbent cla	av for disposal	
WASTE DISPOSAL: Dispose according to municipal, provinci		-		at up with about on the		
			ntainer. Avoid freezing.			
· · · · · · · · · · · · · · · · · · ·	HYSICAL					
APPEARANCE / ODOUR: Dark brown liquid - lodine odour						
S.G. / BULK DENSITY(g/cc): 1.03		pH: 5.5				
VAPOUR PRESSURE (mmHg): not applicable		VAPOUR DENSITY (air=1): not applicable				
ODOUR THRESHOLD: not available		BOILING POINT: approx. 100°C				
FREEZING POINT: not available		PERCENT VOLATILE: 85%				
SOLUBILITY IN WATER: soluble		EVAPORATION RATE (water=1): not applicable				
V - TOXICOLOGICAL PROPERTIES						
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:EYES:May cause severe irritation. May cause permanSKIN:Repeated or prolonged contact may cause irritationINGESTION:May cause severe irritation to digestive tract.INHALATION:May cause irritation of the respiratory tract.	-		eated promptly.			
LD50 (calculated): 95,000 mg/kg		LC50 (calculated): not available				

OTHER TOXIC EFFECTS: TLV: 1.0 mg/m3 (iodine); TWA 520 mg/m3 (isopropyl alcohol)				
EFFECTS OF CHRONIC not available EXPOSURE TO MATERIAL:					
VI - FIRST AID MEASURES					
EYES: Flush eyes with plenty of water for at least 15 minutes. Ho	old eyelids open while rinsing. Contact a physician immediately.				
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.					
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.					
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.					
VII - FIRE AND EXPLOSION DATA					
FLAMMABLE: No	1				
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C: N/Av				
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []					
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breat	hing apparatus.				
HAZARDOUS COMBUSTION PRODUCTS: Iodine vapours are release	ed upon heating. Oxides of carbon.				
EXPLOSIVE SENSITIVITY TO: not applicable					
VIII - REACT					
STABILITY: Stable [x] Unstable []					
CONDITIONS TO AVOID: Keep from freezing.					
INCOMPATIBILITY (Material to Avoid) : Aqueous ammonia and strong alkali.					
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with aqueou	us ammonia will produce nitrogen triiodide which is explosive.				
REACTIVITY: not dangerously reactive					
IX - MSDS PF	REPARATION				
	PREPARED BY: JohnsonDiversev Canada. Inc. Regulatory Department				
IX - MSDS PF	PREPARED BY: JohnsonDiversev Canada. Inc.				
IX - MSDS PF SOURCES USED: RTECS	PREPARED BY: JohnsonDiversev Canada. Inc. Regulatory Department Food Division Phone (905) 829-1200 Phone (905) 829-1200 specting Controlled Products under the Hazardous Products Act and is JohnsonDiversey Canada assumes no responsibility for injury to any ty procedures are not adhered to. In addition, JohnsonDiversey Canada an any abnormal use or theft of the material, even if reasonable safety				