
MATERIAL SAFETY DATA SHEET

Page 1 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

SENECA DL**MSDS ID: 08633**

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: SENECA DL

Product Code: 08633

Product Function: ALKALINE CLEANER

MANUFACTURER: JOHNSON DIVERSEY, INC.
3630 E. KEMPER ROAD
CINCINNATI, OH. 45241

EMERGENCY PHONE NUMBER: (800) 851-7145

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name(CAS Number)	%	Exposure Limits
SODIUM HYDROXIDE (1310-73-2)	97	TLV C 2; PEL C 2

MG/M3

3. HAZARDS IDENTIFICATION

Primary Routes of Entry

Inhalation: YES

Skin: NO

Ingestion: YES

4. FIRST AID MEASURES

Eyes: IMMEDIATELY FLUSH THOROUGHLY WITH FRESH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF EYES ARE INJURED OR IRRITATION PERSISTS.

Skin: IMMEDIATELY FLUSH WITH FRESH WATER. REMOVE CONTAMINATED CLOTHES AND SHOES.

Ingestion: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. NEVER GIVE FLUIDS BY MOUTH TO AN UNCONSCIOUS PERSON.

Inhalation: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

Flash Point (degrees F): NONE

Unusual Fire or Explosion Hazards: CORROSIVE MATERIAL (POWDER)

Extinguishing Media: WATER SPRAY, CO2, DRY CHEMICAL

Fire Fighting Instructions: WEAR FULL PROTECTIVE GEAR AND SELF-CONTAINED
BREATHING APPARATUS (SCBA) IN FIRE AREA.

6. ACCIDENTAL RELEASE MEASURES

If Material is Released or Spilled:

CONTAIN SPILL. SWEEP UP OR VACUUM. PLACE IN COMPATIBLE CONTAINER. WASH SPILL
AREA THOROUGHLY WITH WATER. CERCLA PRODUCT RQ = 1,031 LBS.

MATERIAL SAFETY DATA SHEET

Page 2 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

SENECA DL

MSDS ID: 08633

7. HANDLING AND STORAGE

STORE IN A COOL, DRY PLACE. KEEP CONTAINER CLOSED WHEN MOVING OR NOT IN USE. KEEP AWAY FROM ACIDS. ADD SLOWLY TO WATER WHILE STIRRING. RAPID ADDITION CAUSES VIOLENT SPATTERING AND INTENSE HEAT.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye/Face Protection: CHEMICAL GOGGLES, SIDE SHIELDED SAFETY GLASSES, OR FACE SHIELD
Protective Gloves: RUBBER/CHEMICAL RESISTANT
Respiratory Protection: WEAR APPROVED CARTRIDGE RESPIRATOR TO MAINTAIN PEL/TLV IN MIST, SPRAY, OR DUSTY CONDITIONS.
Other Protective Clothing/Equipment: WEAR APRON, PROTECTIVE CLOTHING AND FOOTWEAR. LAUNDRER CLOTHES BEFORE REUSE. SAFETY SHOWER/EYE WASH.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: OFF WHITE GRANULAR POWDER; NO ODOR
Boiling Point (F): N/A Freezing Point: Not Determined
Specific Gravity: 1.0000 pH: Not Determined
pH 1% SOLUTION: Not Determined
Volatile (% by Vol.): 0 Solubility in Water: 35

10. STABILITY AND REACTIVITY

Chemical Stability: STABLE
Incompatibility With Other Materials: WATER AND ACIDS CAUSE EXOTHERMIC REACTION, ALUMINUM, TIN, ZINC
Hazardous Decomposition Products: NONE
Hazardous Polymerization: None

11. TOXICOLOGICAL INFORMATION

Signs and Symptoms of Overexposure:
Acute: CAUSES BURNS TO EYES AND SKIN. INHALATION OF MISTS OR DUSTS IRRITATES OR CAUSES BURNS TO RESPIRATORY SYSTEM AND LUNG TISSUE. HARMFUL OR FATAL IF SWALLOWED.
Chronic: NO KNOWN HAZARDS
Medical Conditions Generally Aggravated by Exposure:
SENSITIVE SKIN. DUST OR MIST MAY AGGRAVATE RESPIRATORY DISEASE.

12. ECOLOGICAL INFORMATION

No data available.

MATERIAL SAFETY DATA SHEET

Page 3 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

SENECA DL

MSDS ID: 08633

13. DISPOSAL CONSIDERATIONS

CORROSIVE MATERIAL - D004 RCRA HAZARDOUS DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, OR FEDERAL REGULATIONS. TRIPLE RINSE EMPTY CONTAINER WITH WATER, ADD RINSATE TO OPERATION. REMOVE OR DEFACE LABEL BEFORE SELLING, RECYCLING, OR DISPOSAL OF CONTAINER.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

CERCLA/EPCRA/313 Toxic Chemicals:
NONE

CARCINOGENICITY:

Not listed as carcinogenic by IARC, NTP, OSHA, ACGIH

HMIS Ratings: Health: 3 Fire: 0 Reactivity: 1
Personal Protective Equipment: D

State Right-to-Know Information:

SODIUM HYDROXIDE - CAS #1310-73-2

16. OTHER INFORMATION

DISCLAIMER: The information contained in this safety data sheet is based on knowledge of this specific product and current national legislation. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the applicability of this information for their particular conditions of storage, handling, and use.