



MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 08789						
PRODUCT NAME: DIVERSPRAY FP						
USE: Inhibited alkaline spray cleaner						
SUPPLIER:			EMERGENCY PHONE:			
JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		1-800-668-7171				
WHMIS CLASSIFICATION: E CHEMICAL FAMILY: Alkali			TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable			
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w	r	CAS #	LD50 / LC50	Route / Species	
Potassium hydroxide	7-13		001310-58-3	LD50 365 mg/kg	oral/rat	
Sodium aminotrimethylene phosphonate Sodium silicate	1-5		002235-43-0 001344-09-8	LD50 17800 mg/kg	oral/rat	
		DOGA		LD50 3300 mg/kg	oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES						
mask SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Do not breathe mist or spray. VENTILATION REQUIREMENTS: Mechanical exhaust INCOMPATIBILITY (Material to Avoid): Acids SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water. WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations. STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing. UN1814						
APPEARANCE / ODOUR: Odourless, clear to hazy liquid						
S.G. / BULK DENSITY(g/cc): 1.19			pH: (1%) 11.9 - 12.3			
VAPOUR PRESSURE (mmHg): not applicable			VAPOUR DENSITY (air=1): not applicable			
ODOUR THRESHOLD: not applicable			BOILING POINT: not available			
FREEZING POINT: not available			PERCENT VOLATILE: 73%			
SOLUBILITY IN WATER: soluble			EVAPORATION RATE (water=1): not applicable			
V - TOXICOLOGICAL PROPERTIES						
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly. SKIN: Corrosive. May cause severe irritation. INGESTION: Corrosive. May cause severe irritation of the digestive tract. May cause temporary or permanent damage if not treated promptly. INHALATION: Breathing spray or mist may cause respiratory irritation.						

LD50 (calculated): 2887 mg/kg	LC50 (calculated): not available					
OTHER TOXIC EFFECTS: TLV: CI 2 mg/m3 (Potassium hydroxide); 5 mg/m3 (Sodium silicate)						
EFFECTS OF CHRONIC not available EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
EYES:Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.SKIN:Flush affected area thoroughly with water. If irritation develops, contact a physician.						
 INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately. INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty. 						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No						
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE, °C: N/Ap					
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon	Dioxide [x] Foam [x] Other []					
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen	- 					
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACT						
STABILITY: Stable [x] Unstable []						
CONDITIONS TO AVOID: not applicable						
INCOMPATIBILITY (Material to Avoid) : Acids						
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with acids will generate heat.						
REACTIVITY: not dangerously reactive						
IX - MSDS PR	IX - MSDS PREPARATION					
SOURCES USED: RTECS	PREPARED BY: JohnsonDiversey Canada, Inc.					
PREPARATION DATE: April 15, 2003	Regulatory Department Food Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations res not to be used for any other purpose, nor is it to be reproduced or published person or property resulting from any use of the material if reasonable safet assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the mate context of the intended use.	d. JohnsonDiversey Canada assumes no responsibility for injury to any ay procedures are not adhered to. In addition, JohnsonDiversey Canada any abnormal use or theft of the material, even if reasonable safety					