



MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 0961						
PRODUCT NAME: FREEZER FLOOR CLEANER						
USE: Freezer Floor Cleaner						
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171				
WHMIS CLASSIFICATION: B3 D2B CHEMICAL FAMILY: Alcohol/surfactant		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable INCREDIENTS NOT applicable				
II - HAZARDOUS INGREDIENTS						
	% w/w		CAS #	LD50 / LC50	Route / Species	
Propylene glycol Isopropanol	30-60 7-13		000057-55-6 000067-63-0	LD50 20000 mg/kg LD50 5045 mg/kg	oral/rat oral/rat	
Linear alcohol ethoxylate	1-5		068002-97-1	LC50 2750 mg/kg	oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES						
Respiratory: If mists are generated, use NIOSH approved mask SPECIAL HANDLING PROCEDURES AND EQUIPMENT: VENTILATION REQUIREMENTS: mechanical exhaust INCOMPATIBILITY (Material to Avoid): Strong oxidizing m SPILL PROCEDURES: Contain the spill. Do not allow the spill sources of heat and ign WASTE DISPOSAL: Dispose according to municipal, province	Avoid eye o naterials. spilled produ ition, ensure cial, and fede	in not ap contact. E inct to go adequat eral regul	Do not breathe mist, sp to drain. Mop up or so e ventilation. ations.	ray or vapours.	ay for disposal.	
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. IV - PHYSICAL PROPERTIES						
APPEARANCE / ODOUR: Clear golden liquid, alcoholic od S.G. / BULK DENSITY(g/cc): 1.02		pH:	5.7			
VAPOUR PRESSURE (mmHg): not applicable		VAPOUR DENSITY (air=1): not applicable				
ODOUR THRESHOLD: not available		BOILING POINT: 99°C				
FREEZING POINT: -65°C		PERCENT VOLATILE: 57%				
SOLUBILITY IN WATER: soluble V - TOXICOLOGIC			EVAPORATION RATE (water=1): not applicable			
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: May cause severe irritation. SKIN: Prolonged or repeated contact may cause skin INGESTION: May cause severe irritation of the digestive trac INHALATION: Breathing spray or mist may cause respiratory) dryness. ct.			dizziness.		

LD50 (calculated): 21,540 mg/kg	LC50 (calculated): Not available					
OTHER TOXIC EFFECTS: TLV-TWA (isopropanol): 983 mg/m3 (400 ppm); AIHA WEEL (Propylene glycol): 50 ppm; TLV-TWA (Ethylene oxide): 1.8 mg/ppm						
EFFECTS OF CHRONIC none known EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician. SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician. INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician.						
INHALATION: Remove patient to fresh air.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: Yes, combustible if heated						
FLASH POINT, °C: 41°C	AUTO IGNITION TEMPERATURE,°C: N/Av					
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []						
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [x] Unstable []						
CONDITIONS TO AVOID: High temperatures						
INCOMPATIBILITY (Material to Avoid) : strong oxidizing materials						
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with strong oxidizers will generate heat.						
REACTIVITY: not applicable						
IX - MSDS PREPARATION						
SOURCES USED: RTECS, Supplier MSDS	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department					
PREPARATION DATE: April 15, 2003	Institutional Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations res- not to be used for any other purpose, nor is it to be reproduced or published person or property resulting from any use of the material if reasonable safet assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the mate- context of the intended use.	d. JohnsonDiversey Canada assumes no responsibility for injury to any ty procedures are not adhered to. In addition, JohnsonDiversey Canada n any abnormal use or theft of the material, even if reasonable safety					