

MATERIAL SAFETY DATA SHEET



I - PRODUCT			ON AND USE	MSDS	ID: 0962
PRODUCT NAME: LOTIONIZED SUPER DISHEEN	1				
USE: Hand Dishwashing Detergent					
SUPPLIER:			EMERGENCY PHONE:		
JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		1-800-668-7171			
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: surfactants		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable			
II - HA	ZARDOUS	3 INGR	REDIENTS		
HAZARDOUS INGREDIENT	% w/w		CAS #	LD50 / LC50	Route / Species
Sodium alphaolefin sulphonate	10-30		068439-57-6	LD50 3500 mg/kg	oral/rat
Coconut diethanolamide	1-5		061791-31-9	LD50 2700 mg/kg	oral/rat
III - HANDLING	AND DISI	POSAI	_ PROCEDURES		
PERSONAL PROTECTIVE EQUIPMENT: Eye: not required Footwear: not required					
Respiratory: not required Other: not required					
SPECIAL HANDLING PROCEDURES AND EQUIPMENT:	not applicabl	le			
VENTILATION REQUIREMENTS: general ventilation					
INCOMPATIBILITY (Material to Avoid): Contact with cation	nic materials	causes i	nactivation.		
SPILL PROCEDURES: Contain the spill. Do not allow the s	spilled produc	ct to go t	o drain. Mop up or so	oak up with absorbent cl	ay for disposal.
WASTE DISPOSAL: Dispose according to municipal, provinci	ial, and feder	ral regula	ations.		
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry	area in a clo	osed con	tainer. Avoid freezing.		
IV - PH	HYSICAL	PROP	ERTIES		
APPEARANCE / ODOUR: Yellow, milky liquid; pleasant ler	mon fragranc	;e			
S.G. / BULK DENSITY(g/cc): 1.04		pH: 7.2 ± 0.5			
VAPOUR PRESSURE (mmHg): not applicable		VAPOUR DENSITY (air=1): not applicable			
ODOUR THRESHOLD: not applicable		BOILING POINT: approx. 100°C			
FREEZING POINT: -3°C		PERCENT VOLATILE: 80%			
SOLUBILITY IN WATER: soluble		EVAPORATION RATE (water=1): 1			
V - TOXIC	COLOGIC	AL PR	OPERTIES		
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:					
EYES: May cause irritation.					
SKIN: Repeated or prolonged contact may result in irr	itation.				
INGESTION: Irritation of the digestive tract.					
INHALATION: No serious or irreversible effects expected.					
LD50 (calculated): 17300 mg/kg LC50 (calculated): not applicable					
OTHER TOXIC EFFECTS: none known					

) MEASURES					
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.						
SKIN: Flush affected area thoroughly with water.						
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Contact a physician.						
INHALATION: Remove patient to fresh air.	XPLOSION DATA					
VII - FIRE AND E						
FLAMMABLE: No						
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C: N/Ap					
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbor	Dioxide [x] Foam [x] Other []					
SPECIAL FIRE FIGHTING PROCEDURES: not applicable						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, sulphur	nitrogen.					
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACT						
STABILITY: Stable [X] Unstable []						
CONDITIONS TO AVOID: not applicable						
INCOMPATIBILITY (Material to Avoid) : Oxidizing materials						
	ntact with oxidizing materials.					
REACTIVITY: not dangerously reactive						
IX - MSDS PF						
SOURCES USED: RTECS	PREPARED BY: JohnsonDiversev Canada. Inc.					
	Regulatory Department					
PREPARATION DATE: April 15, 2003	Institutional Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations re-	specting Controlled Products under the Hazardous Products Act and is					