DICOLUBE CT

Page 1 of 4 Revised 2/02/04 Replaces 8/12/03

Printed 2/03/04

MSDS ID: 09681

## I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: DICOLUBE CT

Product Discriptor: Liquid Conveyor Lubricant

MANUFACTURER: JOHNSONDIVERSEY, INC. EMERGENCY PHONE NUMBER: (800)851-7145

3630 E. KEMPER ROAD CINCINNATI, OH. 45241

 HAZARL	OUS	COMP	ONENTS	

\_\_\_\_\_

Component Name	CAS Number	%	Exposure Limits Units
ACETIC ACID	64-19-7 1	1 - 5%	TWA 25 C 37 MG/M3
ALCOHOL ETHOXYLATE	68131-39-5 1		Not Established
ALKYL DIAMINE	7173-62-8 5		None established

### III. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW:

WARNING-Product contains irritating or harmful chemicals which may cause eye or skin irritation or burns. May be harmful if swallowed. Do not get product in eyes, on skin or clothing. Wear eye protection and rubber gloves to prevent skin contact when handling product. Wash after handling. Avoid breathing dust, vapors or product spray. Contain spill and runoff to prevent direct discharge to soil or surface waters.

POSSIBLE ROUTES OF ENTRY: Ingestion, Skin and Inhalation.

# SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE: EYES: Severe burns or irritation with pain, redness, swelling, and blurred sight. SKIN: Burns, blisters or rash with pain and swelling. INGESTION: Burns or irritation to mouth, throat with pain, nausea and vomiting. INHALATION: Spray or mist causes pain, choking, and

breathing difficulty.

CHRONIC: Same as Acute Effects.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis and sensitive skin

TARGET ORGAN(S) OF CHEMICAL HAZARD(S): Eyes and skin.

### IV. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for 15 minutes. Get

medical attention.

SKIN: Flush skin with plenty of water. Remove and launder contaminated

clothing before reuse. Get medical attention for irritation or

injury.

INGESTION: If swallowed, drink several glasses of water. Do not induce

vomiting. Consult a physician or poison control center. NOTE:

Never give fluids by mouth to an unconscious person.

INHALATION: Remove to fresh air. If breathing difficulties arise, get medical

attention.

DICOLUBE CT

Page 2 of 4 Revised 2/02/04 Replaces 8/12/03

Printed

2/03/04

MSDS ID: 09681

## V. FIRE FIGHTING MEASURES

FLASH POINT (degrees F):>400 FLAME EXTENSION: N/A FLAMMABLE LIMITS IN AIR BY VOLUME: LEL: N/A UEL: NONE

UNUSUAL FIRE OR EXPLOSIVE HAZARDS: Product may burn if liquid is evaporated by heat or fire.

EXTINGUISHING MEDIA: Water, water spray, CO2, foam or dry powder.

FIRE FIGHTING INSTRUCTIONS: Wear full protective gear and positive pressure

breathing apparatus (SCBA) in fire area.

SPECIAL INSTRUCTIONS: Spilled product may cause slippery surface and fall hazard.

### VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED:

Contain spilled products. Small amounts: Absorb on sand or commercial absorbents. Return to container or chemical waste. Dispose of in accordance with governmental regulations.

This product does not contain a reportable quantity (RQ) under CERCLA.

### VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: Store in a cool, dry area. Keep from freezing. If frozen, warm to thaw and mix for use. Keep container closed when not in use. Wear protective gear when handling or using. Do not pressurize container to empty.

## VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Chemical goggles if contact or splash hazard exists. Eye wash in use area.

PROTECTIVE GLOVES: Nitrile, PVC.

RESPIRATORY PROTECTION: Not normally required.

OTHER PROTECTIVE CLOTHING/EQUIPMENT: Protective clothing to cover exposed skin if contact or splash hazard exists.

ENGINEERING CONTROLS:

MECHANICAL VENTILATION: Normal room ventilation should be sufficient to

control airborne levels.

LOCAL VENTILATION: Not usually required.

### IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear amber foaming liquid; mild detergent odor.

FREEZING POINT: Not determined BOILING POINT (DEG F): 214 F SPECIFIC GRAVITY/BULK DENSITY: 1.01 :Hq 7.6

pH 1% SOLUTION: 7.2

VOLATILE BY VOLUME: 80 Weight % soilds: ND

SOLUBILITY IN WATER: Soluble

VAPOR PRESSURE(mmHg): 17.5 at 20 C VAPOR DENSITY: N/A

DICOLUBE CT

3 of 4 Page Revised 2/02/04 Replaces

8/12/03 2/03/04 Printed

MSDS ID: 09681

## X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product stable.

INCOMPATIBILITY WITH OTHER MATERIALS: Surfactants; Alkalis

HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion forms oxides of carbon

and nitrogen.

HAZARDOUS POLYMERIZATION: None known.

### XI. TOXICOLOGICAL INFORMATION

Any hazardous effects of the product mixture are based on information for each chemical part. See Section II for amounts of hazardous materials. TOXICITY TEST DATA:

No data available.

### XII. ECOLOGICAL INFORMATION

ECOTOXICITY DATA: Contains biodegradable, synthetic detergents that may be toxic to aquatic forms. Discharge waste product only to sanitary sewer or on-site waste treatment.

ECOTOXICITY TEST DATA: No data available. ENVIRONMENTAL FATE: No data available.

### XIII. DISPOSAL CONSIDERATIONS

RCRA REGULATED: Not Regulated.

Adjust pH of diluted product and discharge to industrial sewer. Use product in container until empty. Triple rinse container with water and add to process. Recycle or dispose of container by product labeling or governmental regulations.

### XIV. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

### XV. REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA: All ingredients in this product are on TSCA inventory.

HAPS: Contains no hazardous air pollutants.

VOC CONTENT (EPA Method 24A): % VOC: 2.8 Lb/Gal VOC: 0.23

CERCLA/EPCRA:

Section 313 Toxic Chemicals: None

SARA Section 311/312:

ACUTE: YES CHRONIC:NO FIRE:NO REACTIVITY:NO

SUDDEN RELEASE OF PRESSURE:NO

LISTED CARCINOGEN: None

OSHA: No NTP: No IARC: NO

HMIS RATINGS: HEALTH: 2 FIRE: 0 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: B

NFPA RATING: HEALTH: 2 FIRE: 0 REACTIVITY: 0 SPECIAL:

4 of 4 Page Revised 2/02/04 Replaces 8/12/03 2/03/04 Printed

MSDS ID: 09681

DICOLUBE CT

XV. REGULATORY INFORMATION (Cont.)

STATE RIGHT-TO-KNOW INFORMATION:

Water - CAS #7732-18-5

Linear alcohol ethoxylate - CAS #68131-39-5

Oleyl propyldiamine - CAS #7173-62-8

Acetic acid - CAS #64-19-7

CALIFORNIA PROPOSITION 65:

None of the ingredients are on the California proposition 65 list.

### XVI. OTHER INFORMATION

DISCLAIMER: The information contained in this safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the applicability of this information for his particular conditions of storage, handling, and use.