



## **MATERIAL SAFETY DATA SHEET**



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 0761						
PRODUCT NAME: DICOLUBE CT						
USE: Track Lubricant						
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle		EMERGENCY PHONE: 1-800-668-7171				
Oakville Ontario, L6H 6P1, Canada						
WHMIS CLASSIFICATION:     D2B       CHEMICAL FAMILY:     amine		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable				
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w	1	CAS #	LD50 / LC50	Route / Species	
Oleyl propyldiamine	10-30		007173-62-8	LD50 1000 mg/kg	oral/rat	
Linear alcohol ethoxylate Acetic acid	3-7		068131-39-5 000064-19-7	LD50 1800 mg/kg LD50 3310 mg/kg	oral/rat oral/rat	
	1-5	POSA	L PROCEDURES		Ulai/lat	
PERSONAL PROTECTIVE EQUIPMENT:         Gloves:       Natural Rubber       Eye:       safety glasses       Footwear:       not required						
Respiratory: If mists are generated, use NIOSH approved Other: not applicable mask						
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Do not breathe mist or spray.						
VENTILATION REQUIREMENTS: Mechanical exhaust						
INCOMPATIBILITY (Material to Avoid): Anionic materials						
SPILL PROCEDURES: Contain the spill. Do not allow the	spilled produ	uct to go	to drain. Mop up or so	bak up with absorbent cla	ay for disposal.	
WASTE DISPOSAL: Dispose according to municipal, provinc	ial, and fede	eral regul	ations.			
			ntainer. Do not store be	elow 10°C.		
IV - Pł	HYSICAL	PROP	ERTIES			
APPEARANCE / ODOUR: Clear amber foaming liquid						
S.G. / BULK DENSITY(g/cc): 1.0		<b>pH:</b> 7.6				
VAPOUR PRESSURE (mmHg): not applicable		VAPOUR DENSITY (air=1): not applicable				
ODOUR THRESHOLD: not available		BOILING POINT: approx. 100°C				
FREEZING POINT: not available		PERCENT VOLATILE: 80%				
			EVAPORATION RATE (water=1): not applicable			
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: May cause severe irritation.						
SKIN:     Repeated or prolonged contact may result in irritation.						
<b>INGESTION:</b> May cause severe irritation of the digestive tract. Ingestion of large amounts can lead to nausea, vomiting, drop in blood pressure, collapse, coma and death.					blood pressure,	
INHALATION: May cause irritation.						

LD50 (calculated): 9680 mg/kg	LC50 (calculated): N.Av.					
OTHER TOXIC EFFECTS: none known						
EFFECTS OF CHRONIC not available EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Ho	ld eyelids open while rinsing. Contact a physician.					
SKIN: Flush affected area thoroughly with water. If irritation devel	ops, contact a physician.					
INGESTION: Drink large volumes of water . Never give anything by mou	th to an unconscious patient. Do not induce vomiting.					
<b>INHALATION:</b> Remove patient to fresh air. Get medical attention for any b	· · ·					
VII - FIRE AND E	XPLOSION DATA					
FLAMMABLE: No.						
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C: N/Ap					
EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon	Dioxide [X] Foam [X] Other [ ]					
SPECIAL FIRE FIGHTING PROCEDURES: not applicable						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACT	VIII - REACTIVITY DATA					
STABILITY: Stable [X] Unstable []						
CONDITIONS TO AVOID: not applicable						
INCOMPATIBILITY (Material to Avoid) : Anionic material and alkali will cause precipitation.						
HAZARDOUS DECOMPOSITION PRODUCTS: not applicable						
REACTIVITY: not dangerously reactive						
IX - MSDS PREPARATION						
SOURCES USED: RTECS, Supplier MSDS	PREPARED BY: JohnsonDiversey Canada, Inc.					
	Regulatory Department					
PREPARATION DATE: April 15, 2003	Food Division					
PREPARATION DATE: April 15, 2003	Food Division Phone (905) 829-1200					