



I - PRODUCT IDENTIFICATION AND USE				MSDS ID: 11018	
PRODUCT NAME: DICOLUBE CT					
USE: Conveyor Lubricant					
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada			EMERGENCY PHONE: 1-800-668-7171		
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: amine			TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable		
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species	
Alkyl propaneamine diacetate	7-13	007173-67-3	not available		
Alkyl polyethoxy glycol	3-7	068131-39-5	LD50 1800 mg/kg	oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT: Gloves: Natural Rubber, Neoprene or Nitrile Eye: safety glasses Footwear: not required Respiratory: not required Other: not required					
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Do not breathe mist or spray.					
VENTILATION REQUIREMENTS: General exhaust					
INCOMPATIBILITY (Material to Avoid): Oxidizing agents					
SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.					
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.					
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Do not store below 10°C.					
IV - PHYSICAL PROPERTIES					
APPEARANCE / ODOUR: Clear yellow liquid					
S.G. / BULK DENSITY(g/cc): 1.0			pH: 7.5		
VAPOUR PRESSURE (mmHg): 17.5 @ 20°C			VAPOUR DENSITY (air=1): not applicable		
ODOUR THRESHOLD: not available			BOILING POINT: approx. 100°C		
FREEZING POINT: not available			PERCENT VOLATILE: 51%		
SOLUBILITY IN WATER: soluble			EVAPORATION RATE (water=1): not applicable		
V - TOXICOLOGICAL PROPERTIES					
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: May cause irritation. SKIN: Repeated or prolonged contact may result in irritation. INGESTION: May cause irritation of the digestive tract. INHALATION: No serious or irreversible effect expected.					
LD50 (calculated): 1800 mg/kg			LC50 (calculated): N.Av.		
OTHER TOXIC EFFECTS: none known					

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: not available

VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.

SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.

INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.

INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No.

FLASH POINT, °C: not applicable

AUTO IGNITION TEMPERATURE, °C: N/Ap

EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []

SPECIAL FIRE FIGHTING PROCEDURES: not applicable

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.

EXPLOSIVE SENSITIVITY TO: not applicable

VIII - REACTIVITY DATA

STABILITY: Stable [X] Unstable []

CONDITIONS TO AVOID: Avoid freezing.

INCOMPATIBILITY (Material to Avoid) : Oxidizing materials

HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion forms oxides of carbon and nitrogen.

REACTIVITY: Not dangerously reactive.

IX - MSDS PREPARATION

SOURCES USED: RTECS, Supplier MSDS

PREPARED BY: JohnsonDiversey Canada, Inc.
Regulatory Department
Food Division
Phone (905) 829-1200

PREPARATION DATE: April 15, 2003

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.