VARI-CLEAN 800 S

Page 1 of 4 Revised 2/02/04 Replaces 8/12/03

Printed 2/03/04

MSDS ID: 11070

# I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: VARI-CLEAN 800 S

Product Descriptor: SOLVENTIZED PRESS FABRIC CLEANING CONCENTRATE

MANUFACTURER: JOHNSONDIVERSEY, INC. EMERGENCY PHONE NUMBER: (800)851-7145

3630 E. KEMPER ROAD CINCINNATI, OH. 45241

II. HAZARDOUS COMPONENTS		
Component Name	CAS Number %	Exposure Limits Units
DIPROPYLENE GLYCOL METHYL ETHER	34590-94-8 >30%	TWA 606 STEL 909 MG/M3 (skin)

#### III. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW:

CAUTION - Contains cleaning agents that may cause eye and respiratory irritation. May be harmful if swallowed. Avoid contact with eyes or clothing and breathing of mists. Prolonged contact with undiluted product may cause skin irritation.

POSSIBLE ROUTES OF ENTRY: Inhalation and ingestion.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE: EYES: Severe irritation with redness, pain and swelling. SKIN: Irritation or dryness develops with long contact. INGESTION: If swallowed, gastric distress, diarrhea, nausea and vomiting may occur. INHALATION: Overexposure to vapors may cause dizziness, headache, fatigue and respiratory irritation.

CHRONIC: (Glycol Ethers) Decreased liver function.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis or sensitive skin

TARGET ORGAN(S) OF CHEMICAL HAZARD(S): Eyes

#### IV. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for 15 minutes. Get

medical attention.

SKIN: Rinse off product and wash with mild soap and water.

INGESTION: If swallowed, rinse mouth with water. Dilute by drinking several

glasses of water. DO NOT induce vomiting. If patient vomits, rerinse mouth. Get immediate medical attention. NOTE: Never

give fluids by mouth to an unconscious person.

INHALATION: Remove to fresh air and seek medical attention.

VARI-CLEAN 800 S

Page 2 of 4 Revised 2/02/04 Replaces 8/12/03

Printed 2/03/04

MSDS ID: 11070

# V. FIRE FIGHTING MEASURES

FLASH POINT (degrees F): None FLAME EXTENSION: N/A FLAMMABLE LIMITS IN AIR BY VOLUME: LEL: N/E UEL: N/E

UNUSUAL FIRE OR EXPLOSIVE HAZARDS: Toxic fumes or vapor may form during fire.

EXTINGUISHING MEDIA: Water spray, CO2, foam or dry powder.

FIRE FIGHTING INSTRUCTIONS: Wear full protective gear and positive pressure

breathing apparatus SCBA) in fire area.

SPECIAL INSTRUCTIONS: Spilled product may cause slippery surface and fall

hazard.

# VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED:

Contain spill. Wear protective clothing. Soak up or absorb liquid on suitable absorbent material. Collect and place in chemical waste container. Dispose of in accordance with local, State and Federal regulations. Flush spill area with water.

This product does not contain a reportable quantity (RQ) under CERCLA.

# VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: Store in a cool dry area. Keep from freezing. If frozen, thaw and mix to make usable. Do not pressurize container to empty. Keep container closed when not in use.

## VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Safety glasses with side shields. Chemical goggles if contact or splash hazard exists.

PROTECTIVE GLOVES: Alkali resistant.

RESPIRATORY PROTECTION: Not normally required. If mist is generated, use NIOSH/MSHA aproved respirator with a prefilter for mist.

OTHER PROTECTIVE CLOTHING/EQUIPMENT: Eyewash and safety shower in area if contact or splash hazard exists.

ENGINEERING CONTROLS:

VENTILATION: Good general ventilation should be sufficient to control airborne levels. Local exhaust ventilation can be used to supplement general ventilation if a mist is generated.

## IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Green liquid, mild odor.

BOILING POINT (DEG F): 212F FREEZING POINT: <32F

SPECIFIC GRAVITY/BULK DENSITY: 0.995

pH: 9.2 pH 1% SOLUTION: N/D

VOLATILE BY VOLUME: 76%

SOLUBILITY IN WATER: Soluble

VAPOR PRESSURE(mmHg): 0.43 at 20C VAPOR DENSITY: 5.14

VARI-CLEAN 800 S

Page 3 of 4 Revised 2/02/04 Replaces 8/12/03 Printed 2/03/04

MSDS ID: 11070

# X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product stable.

INCOMPATIBILITY WITH OTHER MATERIALS: None known

HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion forms; oxides of

carbon

HAZARDOUS POLYMERIZATION: None known.

#### XI. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL TESTING: Toxicological testing has not been performed on the

product. Listed below is the available toxicology test

data for components of the product.

TOXICITY TEST DATA:

Dipropylene Glycol Monomethyl Ether:

Acute Oral LD50 (rat) - >2gm/kg

Acute Dermal LD50 (rabbit) - 5.3 gm/kg

Acute Inhalation LC50 (rat) - >200 mg/l (1 hr.)

Irritation (rabbit) - Irritant to eyes and skin

## XII. ECOLOGICAL INFORMATION

ECOTOXICITY TEST DATA:

No data available.

ENVIRONMENTAL FATE: No data available.

## XIII. DISPOSAL CONSIDERATIONS

RCRA REGULATED: Not Regulated.

Adjust pH of diluted product and discharge to industrial sewer in accordance with discharge permit or local POTW regulations. Use product in container until empty. Triple rinse container with water and add to process. Recycle or dispose of container according to product labeling or Federal, State or local regulations.

#### XIV. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

#### XV. REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA: All ingredients in this product are on TSCA inventory.

HAPS: None

VOC CONTENT (EPA Method 24A): % VOC: 56% Lb/Gal VOC: 4.65

CERCLA/EPCRA:

Section 313 Toxic Chemicals:

Product contains Glycol Ethers at 56%, which are SARA Reportable.

SARA Section 311/312:

ACUTE:YES CHRONIC:NO FIRE:NO REACTIVITY:NO

SUDDEN RELEASE OF PRESSURE: NO

VARI-CLEAN 800 S

Page 4 of 4 Revised 2/02/04 Replaces 8/12/03 Printed 2/03/04

MSDS ID: 11070

# XV. REGULATORY INFORMATION (Cont.)

LISTED CARCINOGEN: None

NTP: NO IARC: No OSHA: NO

HMIS RATINGS: HEALTH: 2 FIRE: 0 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: B

NFPA RATING: HEALTH: 2 FIRE: 0 REACTIVITY:0 SPECIAL:ALKALINE

STATE RIGHT-TO-KNOW INFORMATION:

WATER - CAS #7732-18-5

DISODIUM ALKYL IMIDODIPROPIONATE - CAS #3655-00-3 DIPROPYLENE GLYCOL METHYL ETHER - CAS #34590-94-8

LINEAR ALCOHOL ETHOXYLATE - CAS #68439-46-3 LINEAR ALCOHOL ETHOXYLATE - CAS #68951-67-7

CALIFORNIA PROPOSITION 65:

None of the ingredients are on the California proposition 65 list.

## XVI. OTHER INFORMATION

Disclaimer: The information contained in this material safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the handling, and use.