



MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 11129						
PRODUCT NAME: EnduroLT						
USE: Chlorinated alkaline foam cleaner						
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171				
WHMIS CLASSIFICATION: D2B E CHEMICAL FAMILY: Chlorinated Alkali		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable				
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w	,	CAS #	LD50 / LC50	Route / Species	
Potassium hydroxide Sodium hydroxide Tetradecyldimethylamine oxide Sodium hypochlorite	1-5 10-30 1-5 1-5		001310-58-3 001310-73-2 003332-27-2 007681-52-9	LD50 365 mg/kg LDLo 500 mg/kg LD50 >500 mg/kg LD50 375 mg/kg	oral/rat oral/rab oral/rat oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES						
PERSONAL PROTECTIVE EQUIPMENT: Gloves: Natural Rubber, Neoprene, Nitrile Eye: Safety goggles Footwear: As required Respiratory: If mists are generated, use NIOSH approved Other: rubber apron mask SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Do not breathe mist or spray. Avoid eye contact. VENTILATION REQUIREMENTS: mechanical exhaust INCOMPATIBILITY (Material to Avoid): Acids, reducing agents, ammonia and amines. SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water. WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations. STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. UN3266						
IV - PHYSICAL PROPERTIES						
APPEARANCE / ODOUR: Clear, yellow liquid, chlorine odour S.G. / BULK DENSITY(g/cc): 1.21 VAPOUR PRESSURE (mmHg): not applicable ODOUR THRESHOLD: not available FREEZING POINT: not available SOLUBILITY IN WATER: soluble			pH: > 13.0 VAPOUR DENSITY (air=1): not applicable BOILING POINT: approx. 100°C PERCENT VOLATILE: 76% EVAPORATION RATE (water=1): not applicable			
V - TOXICOLOGICAL PROPERTIES						
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly. SKIN: Corrosive. May cause severe irritation. INGESTION: Corrosive. May cause severe irritation of the digestive tract. May cause temporary or permanent damage if not treated promptly.						

INHALATION: Inhalation of spray or mist may cause irritation of respiratory tract.						
LD50 (calculated): 2333 mg/kg	LC50 (calculated): not available					
OTHER TOXIC EFFECTS: TLV: (Potassium hydroxide) CL 2 mg/m3: (Sodium hydroxide) CL 2 mg/m3; (Cl2) TWA 0.5 ppm, STEL 1 ppm.						
EFFECTS OF CHRONIC not available EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.						
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.						
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No						
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C: N/Ap					
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon	Dioxide [x] Foam [x] Other []					
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: Chlorine gas may be released when heated. Oxides of carbon, nitrogen.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [x] Unstable []						
CONDITIONS TO AVOID: High storage temperatures.						
INCOMPATIBILITY (Material to Avoid) : Acids, reducing agents, amines and ammonia, aluminum or other soft metals.						
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with acids will produce heat and release chlorine gas. Reducing agents can generate heat releasing chlorine. Contact with ammonia and nitrogen containing compounds can produce nitrogen gas and chloramines. Contact with aluminum or zinc may generate flammable hydrogen gas.						
REACTIVITY: not dangerously reactive						
IX - MSDS PF	REPARATION					
SOURCES USED: RTECS, Supplier MSDS	PREPARED BY: JohnsonDiversev Canada, Inc. Regulatory Department					
PREPARATION DATE: April 15, 2003	Food Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.						